

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Rislone® Diesel Treat Left Side**
- **Article number: 4740**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Treatment for diesel fuel.
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Rislone
P.O. Box 187
Holly, MI 48442 USA
Phone: (810) 603-1321
- **1.4 Emergency telephone number:**
ChemTel Inc.
(800)255-3924, +1 (813)248-0585



2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The following classifications are applicable only to the general GHS regulations and not the specific CLP regulation: 2,6/4 - Combustible Liquid.
The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.
The following Hazard Statements are applicable only to the general GHS regulations and not the specific CLP regulation: H227.
H227: Combustible Liquid. (General GHS and USA only)



health hazard

Carc. 2 H351 Suspected of causing cancer.
 Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xn; Harmful

R40-65-62-63: Limited evidence of a carcinogenic effect. Harmful: may cause lung damage if swallowed. Possible risk of impaired fertility. Possible risk of harm to the unborn child.
 R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side
--

(Contd. of page 1)

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

The following Hazard Statements are applicable only to the general GHS regulations and not the specific CLP regulation: H227.

H227: Combustible Liquid. (General GHS and USA only)

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS08

- **Signal word** Danger

- **Hazard-determining components of labelling:**

Kerosine (petroleum), hydrodesulfurized naphthalene

- **Hazard statements**

H351 Suspected of causing cancer.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P281 Use personal protective equipment as required.

P264 Wash thoroughly after handling.

P261 Avoid breathing mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P331 Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P403+P235 Store in a well-ventilated place. Keep cool.

- **Hazard description:**

- **WHMIS-symbols:**

B3 - Combustible liquid

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side

(Contd. of page 2)

D2A - Very toxic material causing other toxic effects



- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



* - Indicates a long term health hazard from repeated or prolonged exposures.

- **HMIS Long Term Health Hazard Substances**

64742-94-5	Solvent naphtha (petroleum), heavy arom.
91-20-3	naphthalene

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64742-81-0 EINECS: 265-184-9 Index number: 649-423-00-8	Kerosine (petroleum), hydrodesulfurized Xn R65 Flam. Liq. 3, H226 Asp. Tox. 1, H304	50-100%
CAS: 64742-95-6 EINECS: 265-199-0 Index number: 649-356-00-4	Solvent naphtha (petroleum), light arom. Xn R65 Carc. Cat. 2 Asp. Tox. 1, H304	<10%
CAS: 64742-94-5 EINECS: 265-198-5 Index number: 649-424-00-3	Solvent naphtha (petroleum), heavy arom. Xn R65 Asp. Tox. 1, H304	<10%

(Contd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side

		(Contd. of page 3)
CAS: 27247-96-7 EINECS: 248-363-6	2-Ethylhexyl Nitrate ☒ Xn R20/21/22; ☒ N R50 ☒ Aquatic Acute 1, H400; Aquatic Chronic 2, H411 ☒ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	<10%
CAS: 95-63-6 EINECS: 202-436-9 Index number: 601-043-00-3	1,2,4-trimethylbenzene ☒ Xn R20; ☒ Xi R36/37/38; ☒ N R51/53 R10 ☒ Flam. Liq. 3, H226 ☒ Aquatic Chronic 2, H411 ☒ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	<10%
CAS: 91-20-3 EINECS: 202-049-5 Index number: 601-052-00-2	naphthalene ☒ Xn R22-40; ☒ N R50/53 Carc. Cat. 3 ☒ Carc. 2, H351 ☒ Aquatic Acute 1, H400; Aquatic Chronic 1, H410 ☒ Acute Tox. 4, H302	<5,0%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

4.1 Description of first aid measures

- **General information:** Take affected persons out into the fresh air.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
A person vomiting while laying on their back should be turned onto their side.

4.2 Most important symptoms and effects, both acute and delayed

Coughing
Dizziness
Breathing difficulty
Nausea
Cramp

4.3 Hazards

Danger of pulmonary oedema.
Danger of impaired breathing.
Danger of convulsion.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.
If swallowed or in case of vomiting, danger of entering the lungs.

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side

(Contd. of page 4)

If necessary oxygen respiration treatment.
Medical supervision for at least 48 hours.
Later observation for pneumonia and pulmonary oedema.

5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
 - Alcohol resistant foam
 - Foam
 - Fire-extinguishing powder
 - Gaseous extinguishing agents
 - Water haze or fog
- **For safety reasons unsuitable extinguishing agents:**
 - Water with full jet
 - Water spray
- **5.2 Special hazards arising from the substance or mixture**
 - In case of fire, the following can be released:
 - Carbon monoxide (CO)
 - Nitrogen oxides (NO_x)
 - Under certain fire conditions, traces of other toxic gases cannot be excluded.
- **5.3 Advice for firefighters**
- **Protective equipment:**
 - Wear self-contained respiratory protective device.
 - Wear fully protective suit.
- **Additional information** Cool endangered receptacles with water fog or haze.

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
 - Use respiratory protective device against the effects of fumes/dust/aerosol.
 - Ensure adequate ventilation
 - Keep away from ignition sources.
 - Wear protective equipment. Keep unprotected persons away.
 - Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:**
 - Do not allow to enter sewers/ surface or ground water.
 - Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 - Send for recovery or disposal in suitable receptacles.
 - Dispose contaminated material as waste according to item 13.
 - Ensure adequate ventilation.
 - Do not flush with water or aqueous cleansing agents
- **6.4 Reference to other sections**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.

(Contd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side

See Section 13 for disposal information.

(Contd. of page 5)

7 Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Avoid storage near extreme heat, ignition sources or open flame.
Provide ventilation for receptacles.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Store away from oxidizing agents.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.
Store receptacle in a well ventilated area.
- **7.3 Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:

64742-81-0 Kerosine (petroleum), hydrodesulfurized

REL (USA)	100 mg/m ³ Kerosene only
TLV (USA)	200 mg/m ³ as total hydrocarbon vapor; Skin; P
EV (Canada)	200(G) mg/m ³ as total hydrocarbon vapour, Skin

95-63-6 1,2,4-trimethylbenzene

IOELV (EU)	100 mg/m ³ , 20 ppm
REL (USA)	125 mg/m ³ , 25 ppm
TLV (USA)	123 mg/m ³ , 25 ppm

91-20-3 naphthalene

IOELV (EU)	30 mg/m ³ , 10 ppm
PEL (USA)	50 mg/m ³ , 10 ppm

(Contd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side

(Contd. of page 6)

REL (USA)	Short-term value: 75 mg/m ³ , 15 ppm Long-term value: 50 mg/m ³ , 10 ppm
TLV (USA)	Short-term value: (79) mg/m ³ , (15) ppm Long-term value: (52) NIC-25 mg/m ³ , (10) NIC-5 ppm Skin; NIC-A3
EL (Canada)	Short-term value: 15 ppm Long-term value: 10 ppm Skin; IARC 2B
EV (Canada)	Short-term value: 78 mg/m ³ , 15 ppm Long-term value: 52 mg/m ³ , 10 ppm

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

- **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side

(Contd. of page 7)

- **Eye protection:**
Contact lenses should not be worn.



Safety glasses

- **Body protection:** Solvent resistant protective clothing
- **Limitation and supervision of exposure into the environment**
No further relevant information available.
- **Risk management measures**
See Section 7 for additional information.
No further relevant information available.

9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Liquid
Colour:	Green
· Odour:	Petroleum-like
· Odour threshold:	Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:	Not Determined.
Boiling point/Boiling range:	> 199 ° F / > 92 °C

· Flash point: >140 ° F / > 60 °C

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Self-igniting: Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapour pressure: Not determined.

· Density at 20 °C: 0,84 g/cm³

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

(Contd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side

(Contd. of page 8)

- | | |
|---|--|
| · Solubility in / Miscibility with water: | Not miscible or difficult to mix. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | Not determined. |
| · Solids content: | Not determined. |
| · 9.2 Other information | No further relevant information available. |

10 Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.
Used empty containers may contain product gases which form explosive mixtures with air.
Reacts with oxidizing agents.
- **10.4 Conditions to avoid** Store away from oxidizing agents.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Nitrogen oxides

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

91-20-3 naphthalene

Oral LD50 490 mg/kg (rat)
Dermal LD50 5000 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Slight irritant effect on skin and mucous membranes.
- **on the eye:** Slight irritant effect on eyes.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 10)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side

(Contd. of page 9)

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Danger through skin adsorption.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

- **Repeated dose toxicity:** May cause damage to organs through prolonged or repeated exposure.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**

Carc. 2

12 Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:** The material is harmful to the environment.

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** Does not accumulate in organisms.

- **12.4 Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:**

Harmful to fish

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.

- **Additional ecological information:**

- **General notes:**

This statement was deduced from the properties of the single components.

Avoid transfer into the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Contact waste processors for recycling information.

(Contd. on page 11)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side

(Contd. of page 10)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|-----------------|
| <ul style="list-style-type: none"> · 14.1 UN-Number · DOT, ADR, ADN, IMDG, IATA | Not Regulated |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · DOT, ADR, ADN, IMDG, IATA | Not Regulated |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class | Not Regulated |
| <ul style="list-style-type: none"> · 14.4 Packing group · DOT, ADR, IMDG, IATA | Not Regulated |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: | No |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user | Not applicable. |
| <ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| <ul style="list-style-type: none"> · UN "Model Regulation": | - |

15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

- **Section 355 (extremely hazardous substances):**

108-05-4	vinyl acetate
----------	---------------

- **Section 313 (Specific toxic chemical listings):**

95-63-6	1,2,4-trimethylbenzene
91-20-3	naphthalene
108-05-4	vinyl acetate

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65 (California):**

- **Chemicals known to cause cancer:**

91-20-3	naphthalene
---------	-------------

(Contd. on page 12)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side

(Contd. of page 11)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic Categories
· EPA (Environmental Protection Agency)

91-20-3	naphthalene	CBD
---------	-------------	-----

· IARC (International Agency for Research on Cancer)

91-20-3	naphthalene	2B
108-05-4	vinyl acetate	2B

· TLV (Threshold Limit Value established by ACGIH)

64742-81-0	Kerosine (petroleum), hydrodesulfurized	A3
91-20-3	naphthalene	A4
108-05-4	vinyl acetate	A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Canada
· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

95-63-6	1,2,4-trimethylbenzene
---------	------------------------

· Canadian Ingredient Disclosure list (limit 1%)

91-20-3	naphthalene
---------	-------------

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

(Contd. on page 13)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 1/15/2014

Revision: 1/15/2014

Trade name: Rislone® Diesel Treat Left Side

(Contd. of page 12)

H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
R10	Flammable.
R20	Harmful by inhalation.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R36/37/38	Irritating to eyes, respiratory system and skin.
R40	Limited evidence of a carcinogenic effect.
R50	Very toxic to aquatic organisms.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

Sources

SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com