RISLONE

according to OSHA HCS (29CFR 1910.1200)


Revision: August 21, 2019

## **1** Identification

#### · Product identifier

- · Trade name: Rislone® ZDDP Engine Oil Supplement
- · Product code: 4405
- · Recommended use and restriction on use
- Recommended use: Oil Additive.
- · Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier:
- Rislone P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321
- Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

## 2 Hazard(s) identification



(Cont'd. on page 2)

### according to OSHA HCS (29CFR 1910.1200)

Revision: August 21, 2019

## Trade name: Rislone® ZDDP Engine Oil Supplement

(Cont'd. of page 1)

## **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

#### · Components:

68649-42-3	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	10-<20%	
	0 Skin Irrit. 2, H315; Eye Irrit. 2A, H319		
	Butenedioic acid (Z)-, dibutyl ester, polymer with 1-hexdecene and 1-tetradecene	<10%	
	Calcium petroleum sulfonate	<1%	
	0 Skin Sens. 1B, H317		
68584-23-6	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	<1%	
	🚸 Skin Sens. 1B, H317		

#### · Additional information:

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### **4 First-aid measures**

## · Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

#### · After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

## · After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:
 Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

• Most important symptoms and effects, both acute and delayed:

Irritant to skin and mucous membranes.

Irritating to eyes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

· Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Foam

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200)

Revision: August 21, 2019

## Trade name: Rislone® ZDDP Engine Oil Supplement

(Cont'd. of page 2)

Carbon dioxide Gaseous extinguishing agents Fire-extinguishing powder

- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture
   Formation of taxis approaches during beating or in approaches
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation.
 Particular danger of slipping on leaked/spilled product.

 Environmental precautions
 Avoid release to the environment.
 Prevent from spreading (e.g. by damming-in or oil barriers).

 Methods and material for containment and cleaning up
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Remove from the water surface (e.g. skim or suck off).
 Send for recovery or disposal in suitable receptacles.

 Reference to other sections
 See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

## · Handling

· Precautions for safe handling:

Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. Handle with care. Avoid contact with the eyes and skin. Avoid breathing mist, vapors, or spray. Keep out of reach of children.

· Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame. Store in cool, dry conditions in well sealed receptacles.


- **Information about storage in one common storage facility:** Store away from foodstuffs. Store away from oxidizing agents.
- Specific end use(s) No relevant information available.

according to OSHA HCS (29CFR 1910.1200)

Revision: August 21, 2019

## Trade name: Rislone® ZDDP Engine Oil Supplement

(Cont'd. of page 3)



Form: Color:	Liquid Yellow	
Odor:	Mild	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
		(Cont'd. on page

according to OSHA HCS (29CFR 1910.1200)

Revision: August 21, 2019

#### Trade name: Rislone® ZDDP Engine Oil Supplement (Cont'd. of page 4) · Flash point: >130 °C (>266 °F) · Flammability (solid, gaseous): Not applicable. Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits Lower: Not determined. Upper: Not determined. · Oxidizing properties: Not determined. · Vapor pressure: Not determined. · Density: Relative density: <1 Vapor density: Not determined. **Evaporation rate:** Not determined. · Solubility in / Miscibility with Water: Not miscible or difficult to mix. · Partition coefficient (n-octanol/water): Not determined. · Viscosity Dynamic: Not determined. Kinematic at 40 °C (104 °F): >20.5 mm<sup>2</sup>/s · Other information No relevant information available.

## 10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. To avoid thermal decomposition, do not overheat.
- **Possibility of hazardous reactions** Toxic fumes may be released if heated above the decomposition point. Reacts with strong oxidizing agents.
- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers
- Hazardous decomposition products Under fire conditions only: Carbon monoxide and carbon dioxide Hydrocarbons Phosphorus oxides (e.g. P2O5) Sulfur oxides (SOx) Toxic metal oxide smoke

according to OSHA HCS (29CFR 1910.1200)

Revision: August 21, 2019

## Trade name: Rislone® ZDDP Engine Oil Supplement

(Cont'd. of page 5)

# 11 Toxicological information

#### · Information on toxicological effects

- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Irritant to skin and mucous membranes.
- · On the eye: Causes serious eye irritation.
- Sensitization: Based on available data, the classification criteria are not met.
- · Carcinogenic categories

## · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

## · NTP (National Toxicology Program):

None of the ingredients are listed.

## · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

- · Probable route(s) of exposure:
- Ingestion. Inhalation.

Eve contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Ecotoxical effects:
- · Remark: Due to mechanical actions of the product (e.g. agglutinations), damages may occur.
- · Additional ecological information
- General notes: Avoid release to the environment.
- · Other adverse effects No relevant information available.

## **13 Disposal considerations**

- Waste treatment methods
- · Recommendation:

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200)

Revision: August 21, 2019

## Trade name: Rislone® ZDDP Engine Oil Supplement

(Cont'd. of page 6)

Contact waste processors for recycling information. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### · Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
<ul> <li>· UN proper shipping name</li> <li>· DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	Not regulated.	
· Transport hazard class(es)		
<ul> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> <li>Class</li> </ul>	Not regulated.	
<ul> <li>Packing group</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	Not regulated.	
<ul> <li>Environmental hazards</li> <li>Marine pollutant:</li> </ul>	No	
<ul> <li>Special precautions for user</li> <li>Danger code (Kemler):</li> </ul>	Not applicable.	
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	t <b>II of</b> Not applicable.	

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

Substance / component not listed individually, but listed under family group as Zinc salts.

68649-42-3 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

## · TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200)

Revision: August 21, 2019

## Trade name: Rislone® ZDDP Engine Oil Supplement

(Cont'd. of page 7)

· Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
16 Other information	
This information is based on our present knowledge. However, this shall not const	titute

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

· Date of preparation / last revision August 21, 2019 / -

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit
- Skin Irrit. 2: Skin corrosion/irritation Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

- Skin Sens. 1B: Skin sensitisation Category 1B
- · Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

(Cont'd. on page 9)

# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200)

Revision: August 21, 2019

## Trade name: Rislone® ZDDP Engine Oil Supplement

(Cont'd. of page 8)

ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com