according to OSHA HCS (29CFR 1910.1200)


Revision: 27 January 2022

RISLONE

1 Identification

· Product identifier

- · Trade name: Rislone® Gasoline Cleaner- Right Side
- · Product code: 4700
- · Recommended use and restriction on use
- · Recommended use: Treatment for gasoline.
- · Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier: Rislone P.O. Box 187 Holly, MI 48442 USA



- Emergency telephone number: ChemTel Inc.
- (800) 255-3924 (North America)
- (801) 1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapor.

Carc. 2 H351 Suspected of causing cancer.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



· Signal word: Danger

· Hazard statements:

H226 Flammable liquid and vapor.

- H351 Suspected of causing cancer.
- H304 May be fatal if swallowed and enters airways.

· Precautionary statements:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200)

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner- Right Side

	(Cont'd. of page 1)
P301+P310	If swallowed: Immediately call a poison center/doctor.
P331	Do NOT induce vomiting.
P303+P361+P353	B If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P370+P378	In case of fire: Use foam, powder, or carbon dioxide for extinction.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Other hazards	There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

Flam. Liq. 3, H226 Asp. Tox. 1, H304 64742-95-6 Solvent naphtha (petroleum), light arom. Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 Polyolefin alkyl phenol alkyl amine Skin Irrit. 2, H315 95-63-6 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Storn Irrit. 2, H315 95-63-6 1,2,4-trimethylbenzene Flam. Liq. 3, H226 Asp. Tox. 1, H304 Asp. Tox. 1, H304 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 108-67-8 mesitylene Flam. Liq. 3, H226 STOT SE 3, H335 526-73-8 1,2,3-trimethylbenzene <110	· Componen	ts:	
Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 Polyolefin alkyl phenol alkyl amine Skin Irrit. 2, H315 95-63-6 1,2,4-trimethylbenzene Flam. Liq. 3, H226 Asp. Tox. 1, H304 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 108-67-8 mesitylene Flam. Liq. 3, H226 STOT SE 3, H335 526-73-8 1,2,3-trimethylbenzene	64742-47-8	🚸 Flam. Liq. 3, H226	40-50%
	64742-95-6	 Flam. Liq. 3, H226 Asp. Tox. 1, H304 	<5%
Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 108-67-8 mesitylene Flam. Liq. 3, H226 Flam. Liq. 3, H226 STOT SE 3, H335 526-73-8 1,2,3-trimethylbenzene			<5%
Flam. Liq. 3, H226 STOT SE 3, H335 526-73-8 1,2,3-trimethylbenzene <1%	95-63-6	 Flam. Liq. 3, H226 Asp. Tox. 1, H304 	<3%
	108-67-8	🛞 Flam. Lig. 3, H226	<1.1%
STOT RE 2, H373; Asp. Tox. 1, H304 STOT SE 3, H335-H336	526-73-8	 Flam. Liq. 3, H226 STOT RE 2, H373; Asp. Tox. 1, H304 	<1%
98-82-8 Cumene Flam. Liq. 3, H226 Carc. 2, H351; Asp. Tox. 1, H304 Acute Tox. 4, H302; STOT SE 3, H335	98-82-8	 Flam. Liq. 3, H226 Carc. 2, H351; Asp. Tox. 1, H304 	<1%

· Additional information:

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

· Description of first aid measures

(Cont'd. on page 3)

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner- Right Side	
(Cont'd. of	page 2)
· After inhalation:	
Supply fresh air; consult doctor in case of complaints.	
Provide oxygen treatment if affected person has difficulty breathing.	
· After skin contact:	
Immediately wash with water and soap and rinse thoroughly.	
Seek medical treatment in case of complaints.	
After eye contact:	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.	
After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; immediately call for medical help.	
A person vomiting while lying on their back should be turned onto their side.	
Most important symptoms and effects, both acute and delayed:	
Coughing Dizziness	
Breathing difficulty	
Gastric or intestinal disorders	
May be harmful in contact with skin.	
May be harmful if inhaled.	
Causes mild skin irritation.	
Danger: Danger of impaired breathing.	
· Indication of any immediate medical attention and special treatment needed:	
If swallowed, gastric irrigation with added, activated carbon.	
If swallowed or in case of vomiting, danger of entering the lungs.	
Medical supervision for at least 48 hours.	
If necessary oxygen respiration treatment.	
Later observation for pneumonia and pulmonary edema.	
5 Fire-fighting measures	
· Extinguishing media	
· Suitable extinguishing agents:	
Foam	
Alcohol resistant foam	
Gaseous extinguishing agents	
Carbon dioxide	
Fire-extinguishing powder	
Water fog / haze	
· For safety reasons unsuitable extinguishing agents:	
Water stream.	
Water spray	
 Special hazards arising from the substance or mixture 	
Formation of toxic gases is possible during heating or in case of fire.	
· Advice for firefighters	
Protective equipment:	
Wear self-contained respiratory protective device.	
Wear fully protective suit.	

· Additional information:

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200)

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner- Right Side

(Cont'd. of page 3)

Cool endangered containers with water fog. Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Particular danger of slipping on leaked/spilled product. Environmental precautions Do not allow to enter sewers/ surface or ground water. Prevent from spreading (e.g. by damming-in or oil barriers). Inform respective authorities in case of seepage into water course or sewage system. Methods and material for containment and cleaning up Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Remove from the water surface (e.g. skim or suck off). Send for recovery or disposal in suitable receptacles. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Keep out of reach of children. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Avoid breathing mist, vapors, or spray. Avoid contact with the eyes and skin. · Information about protection against explosions and fires: Keep respiratory protective device available.

Keep ignition sources away - Do not smoke.

 Conditions for safe storage, including any incompatibilities · Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame. Store in cool, dry conditions in well sealed receptacles. Information about storage in one common storage facility: Store away from foodstuffs.

Store away from oxidizing agents.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

(Cont'd. on page 5)

Revision: 27 January 2022

Trade name: Rislone	e® Gasoline Cleaner- Right Side
	(Cont'd. of page 4)
· Control param	eters
· Components wit	th limit values that require monitoring at the workplace:
64742-47-8 Disti	llates (petroleum), hydrotreated light
	_ong-term value: 200 mg/m³ Skin
95-63-6 1,2,4-trin	
	_ong-term value: 125 mg/m ³ , 25 ppm
· · ·	_ong-term value: 123 mg/m³, 25 ppm
108-67-8 mesityl	
	_ong-term value: 125 mg/m³, 25 ppm
· ,	_ong-term value: 123 mg/m³, 25 ppm
526-73-8 1,2,3-tr	
	_ong-term value: 125 mg/m ³ , 25 ppm
	_ong-term value: 123 mg/m³, 25 ppm
98-82-8 Cumene	
	_ong-term value: 245 mg/m³, 50 ppm Skin
	_ong-term value: 245 mg/m³, 50 ppm Skin
	_ong-term value: (246) NIC-5 mg/m³, (50) NIC-1 ppm NIC-A3
	Short-term value: 75 ppm ∟ong-term value: 25 ppm ARC 2B
	_ong-term value: 245 mg/m³, 50 ppm Skin
LMPE (Mexico)	_ong-term value: 50 ppm
Keep away from f Immediately remo Wash hands befo Do not inhale gas Avoid contact with Engineering com Breathing equip Use suitable resp Use suitable resp For spills, respira Protection of ha	we and hygienic measures: foodstuffs, beverages and feed. by all soiled and contaminated clothing. by bre breaks and at the end of work. by fumes / aerosols. h the eyes and skin. htrols: No relevant information available. ment: biratory protective device in case of insufficient ventilation. biratory protective device when aerosol or mist is formed. tory protection may be advisable. nds:

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner- Right Side

(Cont'd. of page 5)

· Eye protection:



Safety glasses

• Body protection: Protective work clothing

- · Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures No relevant information available.

9 Physical and chemical prope	erties
Information on basic physical a	and chemical properties
· Appearance:	
Form:	Liquid
Color:	Light yellow
· Odor:	Petroleum-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
 Melting point/Melting range: 	Not determined.
 Boiling point/Boiling range: 	>35 °C (>95 °F)
· Flash point:	40.6 °C (105.1 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air, vapor mixtures are possible.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
• Oxidizing properties:	Non-oxidizing.
· Vapor pressure:	Not determined.
· Density:	
Relative density:	0.77
Vapor density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity	•
Dynamic:	Not determined.
Kinematic at 40 °C (104 °F):	$1.4 \text{ mm}^2/\text{s}$
	(Cont'd. on page 7

(Cont'd. of page 6)

R

R

(Cont'd. on page 8)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200)

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner- Right Side

· Other information

No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions
- Flammable liquid and vapor.

Used empty containers may contain product gases which form explosive mixtures with air. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. Reacts with oxidizing agents.

- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers
- · Hazardous decomposition products Carbon monoxide and carbon dioxide

11 Toxicological information

- Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.

· Carcinogenic categories

75-56-9 propylene oxide 91-20-3 Naphthalene

· IARC (International Agency for Research on Cancer):

Present in trace quantities: all except 98-82-8.

98-82-8	Cumene	2B
71-43-2	Benzene	1
75-07-0	acetaldehyde	2B
	propylene oxide	2B
91-20-3	Naphthalene	2B
100-41-4	Ethylbenzene	2B
100-42-5		2B
· NTP (Nat	ional Toxicology Program):	
Present ir	n trace quantities: all except 98-82-8.	
98-82-8	Cumene	R
71-43-2	Benzene	K
75-07-0	acetaldehyde	R

(Cont'd. of page 7)

R R

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200)

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner- Right Side

100-42-5 styrene 110-00-9 furan

• OSHA-Ca (Occupational Safety & Health Administration):

Present in trace quantities.

71-43-2 Benzene

Probable route(s) of exposure:

Ingestion.

Inhalation. Eye contact.

Skin contact.

Skin contact.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: May be fatal if swallowed and enters airways.

12 Ecological information

· Toxicity

· Aquatic toxicity

128-39-2 2,6-di-tert-butylphenol

LC50 0.89 mg/l (Oncorhynchus mykiss)

• Persistence and degradability The product is partially biodegradable. Significant residuals remain.

- \cdot Bioaccumulative potential: Does not accumulate in organisms
- \cdot Mobility in soil: No relevant information available.
- · Ecotoxical effects:

• Remark: Due to mechanical actions of the product (e.g. agglutinations), damages may occur.

- · Additional ecological information
- · General notes: Avoid transfer into the environment.

· Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

(Cont'd. on page 9)

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner- Right Side

(Cont'd. of page 8)

Transport information	
UN-Number	
DOT	NA1993
ADR/RID/ADN, IMDG, IATA	UN1268
UN proper shipping name	
DOT	Combustible liquid, n.o.s. (petroleum distillates)
ADR/RID/ADN, IMDG	PETROLEUM PRODUCTS, N.O.S.
ΙΑΤΑ	Petroleum products, n.o.s.
Transport hazard class(es)	
DOT	
Class	3
Label	3
ADR/RID/ADN	
ADRINIDIADN	
Class	3 (F1)
Label	3
IMDG, IATA	
Class	3
Label	3
Packing group	
DOT, ADR/RID/ADN, IMDG, IATA	111
Environmental hazards	
Marine pollutant:	No
-	
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
EMS Number:	F-E,S-E
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	Classified as combustible under US DOT regulation
	Labeling is only required for single packages 119
	gal / 450 L.

according to OSHA HCS (29CFR 1910.1200)

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner- Right Side

(Cont'd. of page 9)

 • ADR/RID/ADN

 • Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

 • IMDG

 • Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

 • IMDG

 • Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

 • IATA

 • IMTA

 • Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each / 10 L net.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

95-63-6 1,2,4-trimethylbenzene

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

• Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Present in trace quantities.

75-07-0	acetaldehyde	10000
75-56-9	propylene oxide	10000
110-00-9	furan	5000

Proposition 65 (California)

Chemicals known to cause cancer:
 Present in trace quantities: all excent 08, 82

Present in trace quantities: all except 98-82-8. 98-82-8 Cumene

71-43-2 Benzene

75-07-0 acetaldehyde

75-56-9 propylene oxide

(Cont'd. on page 11)

according to OSHA HCS (29CFR 1910.1200)

Revision: 27 January 2022

ade name:	Rislone® Gasoline Cleaner- Right Side	
		(Cont'd. of page
91-20-3	Naphthalene	· · -
100-41-4	Ethylbenzene	
100-42-5		
110-00-9	furan	
· Chemica	Is known to cause developmental toxicity for females:	
None of the	he ingredients are listed.	
	Is known to cause developmental toxicity for males: n trace quantities.	
71-43-2	Benzene	
Present ir	Is known to cause developmental toxicity: n trace quantities.	
71-43-2	Benzene	
108-88-3	Toluene	
· EPA (Env	vironmental Protection Agency):	
95-63-6	1,2,4-trimethylbenzene	II
108-67-8	mesitylene	II
526-73-8	1,2,3-trimethylbenzene	II
98-82-8	Cumene	D, CB
	ernational Agency for Research on Cancer): trace quantities: all except 98-82-8.	·
	Cumene	2
71-43-2	Benzene	1
	acetaldehyde	2
	propylene oxide	2
	Naphthalene	2
	Ethylbenzene	2
100-42-5		2
110-00-9	furan	2

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

(Cont'd. on page 12)

Revision: 27 January 2022

	(Cont'd. of page 1
Date of preparation / last revision Nov	vember 13, 2019 / -
Abbreviations and acronyms: ADR: European Agreement concerning the Intern IMDG: International Maritime Code for Dangerous DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administrat TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Carc. 2: Carcinogenicity – Categorn 2 STOT SE 3: Specific target organ toxicity (single STOT RE 2: Specific target organ toxicity (repeat Asp. Tox. 1: Aspiration hazard – Category 1	ational Carriage of Dangerous Goods by Road s Goods American Chemical Society) ion Category 2A exposure) – Category 3
overview/home.do) Website, Chemical Abstracts Registry, / Patty's Industrial Hygiene, 6th ed., Rose	V Services (ofmpub.epa.gov/sor internet/registry/substreg/home American Chemical Society (www.cas.org) e, Vernon, ed. ISBN: 978-0-470-07488-6 Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN
SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-392 Website: www.chemtelinc.com	