SAFETY DATA SHEET



Issuing Date No data available Revision date 18-Nov-2020 Revision Number 4

1. Identification

Product identifier

Product Name 4720 Rislone Cat Complete

Other means of identification

UN/ID no. 1993

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Consumer use

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Rislone 10386 North Holly Road Holly, MI 48442

Telephone: (810) 603-1321

Emergency telephone number

Emergency Telephone Chemtel 1-800-255-3924

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration hazard	Category 1
Flammable liquids	Category 3

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

Harmful if inhaled

Causes skin irritation

Causes serious eve irritation

May cause genetic defects

May cause cancer

May cause damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways

Flammable liquid and vapor



Appearance Brown liquid

Physical state Liquid

Odor Petroleum distillates

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Call a POISON CENTER or doctor if you feel unwell

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed

Toxic to aquatic life with long lasting effects

Toxic to aquatic life

Unknown acute toxicity

3.29292 % of the mixture consists of ingredient(s) of unknown toxicity

- 3.29292 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 3.29292 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 3.29292 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 3.29292 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 3.29292 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Weight-%	Trade secret
Petroleum distillates, hydrotreated light	64742-47-8	60-80	*
Butoxyethanol	111-76-2	1-5	*
Xylene	1330-20-7	1-5	*
Petroleum naphtha, light aromatic	64742-95-6	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice IF exposed or concerned: Get medical advice/attention. Immediate medical attention is

required. Show this safety data sheet to the doctor in attendance.

Inhalation Aspiration into lungs can produce severe lung damage. Avoid direct contact with skin. Use

barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur. Remove to fresh air. If breathing has stopped, give artificial respiration. Get

 $medical \ attention \ immediately.$

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If symptoms persist, call a physician.

Ingestion ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical advice/attention. Do NOT induce vomiting. Clean mouth with water and dried of the words plants of water. Never sing anything by mouth to an unconscious paragraph.

drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Self-protection of the first aider Remove all sources of ignition. Avoid direct contact with skin. Use barrier to give

mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing vapors or mists. Use personal protective

equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Dizziness. Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Because of the danger of aspiration, emesis or gastric lavage should not be employed

unless the risk is justified by the presence of additional toxic substances.

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions See section 8 for more information. Keep people away from and upwind of spill/leak.

> ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Avoid breathing vapors or mists. Use personal

protective equipment as required.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area

•

equipped with sprinklers. Use according to package label instructions. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Store away from other materials. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
1,2,4 Trimethylbenzene	No data available	-	TWA: 25 ppm
95-63-6			TWA: 125 mg/m ³
Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	
		(vacated) S*	
	0==1	S*	
Xylene	STEL: 150 ppm	TWA: 100 ppm	-
1330-20-7	TWA: 100 ppm	TWA: 435 mg/m ³	
		(vacated) TWA: 100 ppm	
		(vacated) TWA: 435 mg/m ³ (vacated) STEL: 150 ppm	
		(vacated) STEL: 130 ppm (vacated) STEL: 655 mg/m ³	
Ethylbenzene	TWA: 20 ppm	TWA: 100 ppm	IDLH: 800 ppm
100-41-4	1 W. 20 ppm	TWA: 435 mg/m ³	TWA: 100 ppm
100 11 1		(vacated) TWA: 100 ppm	TWA: 435 mg/m ³
		(vacated) TWA: 435 mg/m ³	STEL: 125 ppm
		(vacated) STEL: 125 ppm	STEL: 545 mg/m ³
		(vacated) STEL: 545 mg/m ³	3
Cumene	TWA: 50 ppm	TWA: 50 ppm	IDLH: 900 ppm
98-82-8		TWA: 245 mg/m ³	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 245 mg/m ³
		(vacated) TWA: 245 mg/m ³	
		(vacated) S*	
		S*	

Appropriate engineering controls

Engineering controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

4720 Rislone Cat Complete

Eye/face protection Tight sealing safety goggles.

Hand protection Impervious gloves. Wear suitable gloves.

Skin and body protectionChemical resistant apron. Antistatic boots. Long sleeved clothing. Wear suitable protective

clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Contaminated work clothing should not be allowed out of the workplace. Regular cleaning

of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical stateLiquidAppearanceBrown liquidColorBrown

Odor Petroleum distillates
Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownMelting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash point 55.0 °C / 131.0 °F

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 0.80 - 0.82

Water solubility No data available None known Solubility in other solvents No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

Explosive properties
Oxidizing properties
No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid Heat, flames and sparks. Excessive heat.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Aspiration into lungs can produce severe lung damage. May cause pulmonary edema.

Pulmonary edema can be fatal. May cause irritation of respiratory tract. Specific test data for the substance or mixture is not available. Harmful by inhalation. (based on components).

Eye contact Irritating to eyes. Specific test data for the substance or mixture is not available. Causes

serious eye irritation. (based on components).

Skin contact Repeated exposure may cause skin dryness or cracking. Causes skin irritation. Specific

test data for the substance or mixture is not available. (based on components).

Ingestion Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may

cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Dizziness. Redness. May cause redness and tearing of the eyes.

Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 3,379.90 mg/kg
ATEmix (dermal) 1,976.10 mg/kg
ATEmix (inhalation-dust/mist) 3.97 mg/l
ATEmix (inhalation-vapor) 44.0318 mg/l

Unknown acute toxicity 3.29292 % of the mixture consists of ingredient(s) of unknown toxicity

3.29292 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

3.29292 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

3.29292 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

3.29292 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

3.29292 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50

Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
1,2,4 Trimethylbenzene 95-63-6	= 3280 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 18 g/m ³ (Rat) 4 h
Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Xylene 1330-20-7	= 3500 mg/kg (Rat)	> 1700 mg/kg (Rabbit) > 4350 mg/kg (Rabbit)	= 29.08 mg/L (Rat) 4 h = 5000 ppm (Rat) 4 h
Petroleum naphtha, light aromatic 64742-95-6	= 8400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 3400 ppm (Rat) 4 h
Naphtha (petroleum), hydrotreated heavy 64742-48-9	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	-
Ethylbenzene 100-41-4	= 3500 mg/kg (Rat)	= 15400 mg/kg (Rabbit)	= 17.2 mg/L (Rat) 4 h
Cumene 98-82-8	= 1400 mg/kg (Rat)	= 12300 μL/kg (Rabbit)	> 3577 ppm (Rat) 6 h = 39000 mg/m ³ (Rat) 4 h
Naphtha (petroleum), heavy aromatic 64742-94-5	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m ³ (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity Classification based on data available for ingredients. Contains a known or suspected

mutagen.

Carcinogenicity Classification based on data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

	in a general and	mere a sariy migre arrent are		
Chemical name	ACGIH	IARC	NTP	OSHA
Butoxyethanol	A3	Group 3	-	-
111-76-2				
Xylene 1330-20-7	•	Group 3	-	•
Ethylbenzene 100-41-4	А3	Group 2B	-	Х
Cumene 98-82-8	-	Group 2B	Reasonably Anticipated	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicityNo information available.

STOT - single exposure No information available.

STOT - repeated exposure May cause damage to organs.

Target organ effects liver, kidney, Respiratory system, Eyes, Skin, Central nervous system, blood,

Hematopoietic System.

Aspiration hazard May be fatal if swallowed and enters airways.

Other adverse effects No information available.

Interactive effects None.

12. Ecological information

Ecotoxicity

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
B		1050 45 # (00)	microorganisms	
Petroleum distillates,	-	LC50: =45mg/L (96h,	-	-
hydrotreated light		Pimephales promelas)		
64742-47-8		LC50: =2.2mg/L (96h,		
		Lepomis macrochirus)		
		LC50: =2.4mg/L (96h,		
		Oncorhynchus mykiss)		
1,2,4 Trimethylbenzene	-	LC50: 7.19 - 8.28mg/L	-	EC50: =6.14mg/L (48h,
95-63-6		(96h, Pimephales		Daphnia magna)
		promelas)		
Butoxyethanol	-	LC50: =1490mg/L (96h,	-	EC50: >1000mg/L (48h,
111-76-2		Lepomis macrochirus)		Daphnia magna)
		LC50: =2950mg/L (96h,		. ,
		Lepomis macrochirus)		
Xylene	-		EC50 = 0.0084 mg/L 24 h	EC50: =3.82mg/L (48h,
1330-20-7		Pimephales promelas)		water flea) LC50:
1000 20 1		LC50: 2.661 - 4.093mg/L		=0.6mg/L (48h,
		(96h, Oncorhynchus		Gammarus lacustris)
		mykiss) LC50: 13.5 -		Cammaras lacastrio)
		17.3mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 13.1 - 16.5mg/L		
		(96h, Lepomis		
		macrochirus) LC50:		
		=19mg/L (96h, Lepomis		
		macrochirus) LC50: 7.711		
		- 9.591mg/L (96h,		
		Lepomis macrochirus)		
		LC50: 23.53 - 29.97mg/L		
		(96h, Pimephales		
		promelas) LC50:		
		=780mg/L (96h, Cyprinus		
		carpio) LC50: >780mg/L		
		(96h, Cyprinus carpio)		
		LC50: 30.26 - 40.75mg/L		
<u> </u>		(96h, Poecilia reticulata)		
Petroleum naphtha, light	-	LC50: =9.22mg/L (96h,	-	EC50: =6.14mg/L (48h,
aromatic		Oncorhynchus mykiss)		Daphnia magna)
64742-95-6				
Naphtha (petroleum),	-	LC50: =2200mg/L (96h,	-	-
hydrotreated heavy		Pimephales promelas)		
64742-48-9				

	I ====		I 	
Ethylbenzene	EC50: =4.6mg/L (72h,		EC50 = 9.68 mg/L 30 min	
100-41-4	Pseudokirchneriella	(96h, Oncorhynchus	EC50 = 96 mg/L 24 h	Daphnia magna)
	subcapitata) EC50:	mykiss) LC50: =4.2mg/L		
	>438mg/L (96h,	(96h, Oncorhynchus		
	Pseudokirchneriella	mykiss) LC50: 7.55 -		
	subcapitata) EC50: 2.6 -	11mg/L (96h, Pimephales		
	11.3mg/L (72h,	promelas) LC50:		
	Pseudokirchneriella	=32mg/L (96h, Lepomis		
	subcapitata) EC50: 1.7 -	macrochirus) LC50: 9.1 -		
	7.6mg/L (96h,	15.6mg/L (96h,		
	Pseudokirchneriella	Pimephales promelas)		
	subcapitata)	LC50: =9.6mg/L (96h,		
		Poecilia reticulata)		
Cumene	EC50: =2.6mg/L (72h,	LC50: 6.04 - 6.61mg/L	EC50 = 0.89 mg/L 5 min	EC50: =0.6mg/L (48h,
98-82-8	Pseudokirchneriella	(96h, Pimephales	EC50 = 1.10 mg/L 15 min	Daphnia magna) EC50:
	subcapitata)	promelas) LC50:	EC50 = 1.48 mg/L 30 min	7.9 - 14.1mg/L (48h,
		=4.8mg/L (96h,	EC50 = 172 mg/L 24 h	Daphnia magna)
		Oncorhynchus mykiss)		
		LC50: =2.7mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =5.1mg/L (96h,		
		Poecilia reticulata)		
Naphtha (petroleum),	-	LC50: =19mg/L (96h,	-	EC50: =0.95mg/L (48h,
heavy aromatic		Pimephales promelas)		Daphnia magna)
64742-94-5		LC50: =2.34mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: =1740mg/L (96h,		
		Lepomis macrochirus)		
		LC50: =45mg/L (96h,		
		Pimephales promelas)		
		LC50: =41mg/L (96h,		
		Pimephales promelas)		

Persistence and degradability

No information available.

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
1,2,4 Trimethylbenzene	3.63
95-63-6	
Butoxyethanol	0.81
111-76-2	
Xylene	3.15
1330-20-7	
Ethylbenzene	3.118
100-41-4	
Cumene	3.55
98-82-8	
Naphtha (petroleum), heavy aromatic	6.1
64742-94-5	

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

·

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

Chemical name	California Hazardous Waste Status
Xylene	Toxic
1330-20-7	Ignitable
Ethylbenzene	Toxic
100-41-4	Ignitable
Cumene	Toxic
98-82-8	Ignitable

14. Transport information

<u>DOT</u>

<u>U</u>N/ID no. 1993

Proper shipping name Flammable liquids, n.o.s. (2-Butoxyethanol, Xylene)

Hazard class 3 Packing group 3

IATA

UN 1993

UN proper shipping name Flammable liquids, n.o.s. (2-Butoxyethanol, Xylene)

Transport hazard class(es) 3
Packing group 3

<u>IMDG</u>

UN 1993

UN proper shipping name Flammable liquids, n.o.s. (2-Butoxyethanol, Xylene)

Transport hazard class(es) 3
Packing group 3

15. Regulatory information

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
	Quantities			Substances
Xylene 1330-20-7	100 lb	-	-	Х
Ethylbenzene 100-41-4	1000 lb	X	X	Х

<u>CERCLA</u>
This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Xylene 1330-20-7	100 lb	-
Ethylbenzene 100-41-4	1000 lb	-
Cumene 98-82-8	5000 lb	-

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Ethylbenzene - 100-41-4	Carcinogen	
Cumene - 98-82-8	Carcinogen	
Benzene - 71-43-2	Carcinogen	
	Developmental	
	Male Reproductive	
Naphthalene - 91-20-3	Carcinogen	
Propylene oxide - 75-56-9	Carcinogen	
Furan - 110-00-9	Carcinogen	
Acetaldehyde - 75-07-0	Carcinogen	

U.S. State Right-to-Know Regulations

US State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,2,4 Trimethylbenzene 95-63-6	Х	Х	Х
Butoxyethanol 111-76-2	Х	X	Х
Xylene 1330-20-7	X	X	Х
Ethylbenzene 100-41-4	Х	X	Х
Cumene 98-82-8	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 3 Flammability 2 Instability 0 Physical and chemical

properties -

HMIS Health hazards 3 * Flammability 2 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Revision date 18-Nov-2020

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet