Page: 1/10

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28.07.2016 Revision: 28.07.2016

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- · Trade name: Rislone® Head Gasket Repair & Block Seal
- · Product code: 21100
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture: Sealant
- 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Rislone P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321



#### · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States. The product is not classified as hazardous according to the CLP regulation.

#### · 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to OSHA GHS regulations within the United States. This product does not have a classification according to the CLP regulation.

- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- Hazard-determining components of labelling: None.
- · Hazard statements None.
- · Precautionary statements Not Regulated.
- 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Cont'd. on page 2)

Page: 2/10

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28.07.2016 Revision: 28.07.2016

Trade name: Rislone® Head Gasket Repair & Block Seal

(Cont'd. from page 1)

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

· Components:		
CAS: 1344-09-8	silicic acid, sodium salt	10-25%
EINECS: 215-687-4	♦ Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	
CAS: 9004-34-6	Cellulose	<2%
EINECS: 232-674-9	substance with a Community workplace exposure limit	
CAS: 7440-50-8	copper	<1%
EINECS: 231-159-6	substance with a Community workplace exposure limit	

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Slight irritant effect on eyes.

Slight irritant effect on skin and mucous membranes.

Gastric or intestinal disorders.

Nausea in case of ingestion.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Cont'd. on page 3)

Page: 3/10

### **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28.07.2016 Revision: 28.07.2016

Trade name: Rislone® Head Gasket Repair & Block Seal

(Cont'd. from page 2)

#### 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### **SECTION 6: Accidental release measures**

### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

#### 6.2 Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

(Cont'd. on page 4)

Page: 4/10

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28.07.2016 Revision: 28.07.2016

Trade name: Rislone® Head Gasket Repair & Block Seal

(Cont'd. from page 3)

#### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:				
9004-34-6 Cellulose				
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction			
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction			
TLV (USA)	Long-term value: 10 mg/m³			
7440-50-8 copper				
PEL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume			
REL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume			
TLV (USA)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume; as Cu			

- **DNELs:** No further relevant information available.
- · PNECs: No further relevant information available.

#### 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

#### Protection of hands:

Wear protective gloves to handle contents of damaged or leaking units.

Gloves are advised for repeated or prolonged contact.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

### · Eye protection:



Safety glasses

#### Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

· Limitation and supervision of exposure into the environment: No special requirements.

(Cont'd. on page 5)

Page: 5/10

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28.07.2016 Revision: 28.07.2016

Trade name: Rislone® Head Gasket Repair & Block Seal

(Cont'd. from page 4)

· Risk management measures: No special requirements.

SECTION 9: Physical and chemical properties					
9.1 Information on basic physical and chemical properties					
Appearance	Proposition and the second and the s				
Form:	Suspension				
Colour:	Red-brown				
· Odour:	Mild				
· Odour threshold:	Not determined.				
· pH-value at 20 °C (68 °F):	<11				
· Melting point/Melting range:	Not determined.				
· Boiling point/Boiling range:	>104 °C (>219 °F)				
· Flash point:	Not applicable.				
· Flammability (solid, gaseous):	Not applicable.				
· Auto/Self-ignition temperature:	Not determined.				
· Decomposition temperature:	Not determined.				
· Danger of explosion:	Product does not present an explosion hazard.				
· Explosion limits					
Lower:	Not determined.				
Upper:	Not determined.				
· Oxidising properties	Not determined.				
· Vapour pressure:	Not determined.				
Density at 20 °C (68 °F):	1,37 g/cm³ (11,433 lbs/gal)				
· Relative density:	Not determined.				
· Vapour density:	Not determined.				
· Evaporation rate:	Not determined.				
· Solubility in / Miscibility with					
water:	Fully miscible.				
Partition coefficient (n-octanol/water): Not determined.					
· Viscosity					
Dynamic:	Not determined.				
Kinematic:	Not determined.				
9.2 Other information	No further relevant information available.				

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

(Cont'd. on page 6)

Page: 6/10

### **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28.07.2016 Revision: 28.07.2016

Trade name: Rislone® Head Gasket Repair & Block Seal

(Cont'd. from page 5)

- 10.2 Chemical stability Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and oxidising agents.

- · 10.4 Conditions to avoid Avoid acids.
- · 10.5 Incompatible materials No further relevant information available.
- · 10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide

Toxic metal oxide smoke

#### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation: Slight irritant effect on skin and mucous membranes.
- · Serious eye damage/irritation: Slight irritant effect on eyes.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation

Eve contact.

Skin contact.

- · Repeated dose toxicity: No further relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

#### Page: 7/10

## **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28.07.2016 Revision: 28.07.2016

Trade name: Rislone® Head Gasket Repair & Block Seal

(Cont'd. from page 6)

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informatio	<u>'</u>	
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	Not Regulated	
· 14.2 UN proper shipping name · DOT, ADR, IMDG, IATA	Not Regulated	
· 14.3 Transport hazard class(es)		
· DOT, ADR, IMDG, IATA		
Class	Not Regulated	

Page: 8/10

### **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28.07.2016 Revision: 28.07.2016

Trade name: Rislone® Head Gasket Repair & Block Seal

		(Cont'd. from page 7)
· 14.4 Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to An of Marpol and the IBC Code	nex II Not applicable.	

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

7440-50-8 copper

D

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

(Cont'd. on page 9)

Page: 9/10

### **Safety Data Sheet**

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28.07.2016 Revision: 28.07.2016

Trade name: Rislone® Head Gasket Repair & Block Seal

(Cont'd. from page 8)

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

LDLo: Lowest Lethal Dose Observed

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

#### · Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

(Cont'd. on page 10)

Page: 10/10

## Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28.07.2016 Revision: 28.07.2016

Trade name: Rislone® Head Gasket Repair & Block Seal

(Cont'd. from page 9)

1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com