
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 01.03.2016

Revision: 01.03.2016



2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200). Skin Sens. 1 H317 May cause an allergic skin reaction. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS). The product is classified and labelled according to the CLP regulation. Hazard pictograms

GHS07

· Signal word Warning

· Hazard-determining components of labelling:

5-chloro-2-methyl-2H-isothiazol-3-one

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing mist/vapours/spray.

- P280 Wear protective gloves / eye protection.
- P272 Contaminated work clothing should not be allowed out of the workplace.

(Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 01.03.2016

Revision: 01.03.2016

Trade name: Rislone® Super Radiator Flush (Cont'd. from page 1) P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. NFPA ratings (scale 0 - 4) Health = 2Fire = 10 Reactivity = 0 · HMIS-ratings (scale 0 - 4) 2 Health = 2 HEALTH 1 Fire = 1 FIRE REACTIVITY O Reactivity = 0 * - Indicates a long term health hazard from repeated or prolonged exposures. 2.3 Other hazards There are no other hazards not otherwise classified that have been identified. · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Components:

CAS: 68131-39-5 alcohols, C12-15, ethoxylated NLP: 500-195-7

< 1% line Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Additional information: For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

	· Notable Trace Components (≤ 0,1% w/w)	
CAS: 26172-55-4 5-chloro-2-methyl-2H-isothiazol-3-one		
	EINECS: 247-500-7 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Skin Corr. 1B, H314 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1, H317	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 01.03.2016

Revision: 01.03.2016

Trade name: Rislone® Super Radiator Flush

(Cont'd. from page 2)

• After eye contact: Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

• **4.2 Most important symptoms and effects, both acute and delayed** Nausea

Cramp

Allergic reactions

• Hazards: May cause sensitisation by skin contact.

• **4.3 Indication of any immediate medical attention and special treatment needed** Medical supervision for at least 48 hours.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Contains 5-chloro-2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

SECTION 5: Firefighting measures

[•] 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation

• 6.2 Environmental precautions Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 01.03.2016

Revision: 01.03.2016

Trade name: Rislone® Super Radiator Flush

(Cont'd. from page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

- Further information about storage conditions: Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• **DNELs:** No further relevant information available.

• **PNECs:** No further relevant information available.

[•] 8.2 Exposure controls

Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Cont'd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 01.03.2016

Revision: 01.03.2016

Trade name: Rislone® Super Radiator Flush

(Cont'd. from page 4)

• Eye protection:



Safety glasses

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment:

No further relevant information available.

• Risk management measures: No further relevant information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physic	cal and chemical properties	
 Appearance Form: Colour: Odour: Odour threshold: 	Liquid Light yellow Light Not determined.	
 pH-value at 20 °C (68 °F): Melting point/Melting range: Boiling point/Boiling range: 	7,8-9,8 Not determined. 103 °C (217 °F)	
· Flash point:	>94 °C (>201 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure:	Not determined.	
 Density at 20 °C (68 °F): Relative density: Vapour density: Evaporation rate: 	1,0 ± 0,1 g/cm ³ (8,345 ± 0,835 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with water: 	Fully miscible.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
	(Cont'd	. on page 6)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 01.03.2016

Revision: 01.03.2016

Trade name: Rislone® Super Radiator Flush

(Cont'd. from page 5)

 Viscosity Dynamic: Kinematic:
 9.2 Other information

Not determined. Not determined. No further relevant information available.

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

[•] 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong oxidising agents.

Reacts with strong acids and alkali.

10.4 Conditions to avoid No further relevant information available.

* 10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide Nitrogen oxides Chlorine compounds

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation: Slight irritant effect on skin and mucous membranes.
- · Serious eye damage/irritation: Slight irritant effect on eyes.
- Respiratory or skin sensitisation:

May cause an allergic skin reaction.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation.

Eye contact.

(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 01.03.2016

Revision: 01.03.2016

Trade name: Rislone® Super Radiator Flush

(Cont'd. from page 6)

Skin contact.

- · Repeated dose toxicity: Repeated exposure may result in skin sensitivity.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- * 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- * 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

[•] 13.1 Waste treatment methods

· Recommendation

Contact waste processors for recycling information.

Can be disposed of with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Cont'd. on page 8)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 01.03.2016

Revision: 01.03.2016

Trade name: Rislone® Super Radiator Flush

(Cont'd. from page 7)

SECTION 14: Transport information		
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	Not Regulated	
 14.2 UN proper shipping name DOT, ADR, IMDG, IATA 	Not Regulated	
 14.3 Transport hazard class(es) 		
· DOT, ADR, IMDG, IATA · Class	Not Regulated	
 14.4 Packing group DOT, ADR, IMDG, IATA 	Not Regulated	
 14.5 Environmental hazards: Marine pollutant: 	No	
¹ 14.6 Special precautions for user	Not applicable.	
¹ 14.7 Transport in bulk according to An of Marpol and the IBC Code	nex II Not applicable.	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA) · SARA · Section 355 (extremely hazardous substances): None of the ingredients are listed. · Section 313 (Specific toxic chemical listings): None of the ingredients are listed. · TSCA (Toxic Substances Control Act): All ingredients are listed. · Proposition 65 (California): · Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. Chemicals known to cause developmental toxicity: None of the ingredients are listed. (Cont'd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 01.03.2016

Revision: 01.03.2016

Trade name: Rislone® Super Radiator Flush

(Cont'd. from page 8)

Carcinogenic Categories EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

[.] Canada

• Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0,1%)

None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients are listed.

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

(Cont'd. on page 10)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 01.03.2016

Sources

Revision: 01.03.2016

Trade name: Rislone® Super Radiator Flush

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

(Cont'd. from page 9) Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/

overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com