

Safety Data Sheet

according to Australia WHS and NZ HSNO Regulations

Printing date: 21 September 2018

Revision: 21 January 2022

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Rislone® Hy-per Lube Oil Supplement
- **Product code:** 44201
- **Recommended use and restriction on use**
- **Recommended use:** Additive
- **Restrictions on use:** No further relevant information available.

- **Details of the supplier of the Safety Data Sheet**

- **Manufacturer/Supplier:**

Rislone
P.O. Box 187
Holly, MI 48442 USA
Phone: (810) 603-1321



- **Distributor:**

Smits Group Pty Ltd
59 Greenmount Dr, East Tamaki, Auckland, New Zealand NZ
Telephone: +09 274 6871
AUS Telephone 1800883 888

- **Emergency telephone number:**

ChemTel Inc.
(800) 255-3924 (North America)
(801) 1 (813)248-0585 (International)

Emergencies within Australia - 131126 (NSW Poison Control Centre)

Emergencies within New Zealand - 0800 764 766 (National Poison Control Centre)

2 Hazards identification

- **Classification (Australia, New Zealand)**

Australia NOHSC – Non -Hazardous Substance (Classified according to Worksafe Australia NOHSC 2011 National Code of Practice)

New Zealand HSNO - Hazardous (Classified according to the Minimum Degrees of Hazard Regulations 2001)

- **Hazard statements (New Zealand HSNO Classification)**

HSNO 9.1C Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements**

- **Hazard pictograms** Not Regulated

- **Signal word** Not Regulated

- **Hazard statements**

Hazard Statements are only applicable to New Zealand and not to Australia.
H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

Precautionary Statements are only applicable to New Zealand and not to Australia.
P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards** There are no other hazards not otherwise classified that have been identified.

(Cont'd. on page 2)

Safety Data Sheet

according to Australia WHS and NZ HSNO Regulations

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

(Cont'd. from page 1)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**

- **Components:**

CAS: 64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	≤1%
EINECS: 265-156-6	⚠ Asp. Tox. 1, H304	
CAS: 128-37-0	Butylated hydroxytoluene	≤1%
EINECS: 204-881-4	⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

- **Additional information:**

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.
For the wording of the listed Hazard Statements refer to section 16.

4 First aid measures

- **Description of first aid measures**

- **After inhalation:**

Supply fresh air; consult doctor in case of complaints.
Provide oxygen treatment if affected person has difficulty breathing.

- **After skin contact:**

Wash with soap and water.
Seek medical treatment in case of complaints.

- **After eye contact:**

Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** Do not induce vomiting; call for medical help immediately.

- **Most important symptoms and effects, both acute and delayed**

Gastric or intestinal disorders when ingested.

Coughing

Cramp

Nausea in case of ingestion.

- **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

5 Firefighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- **For safety reasons unsuitable extinguishing agents:** None.

- **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

- **Advice for firefighters**

(Cont'd. on page 3)

Safety Data Sheet

according to Australia WHS and NZ HSNO Regulations

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

(Cont'd. from page 2)

- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Use personal protective equipment as required.
Particular danger of slipping on leaked/spilled product.
- **Environmental precautions**
Avoid release to the environment.
Prevent from spreading (e.g. by damming-in or oil barriers).
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Remove from the water surface (e.g. skim or suck off).
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Avoid breathing mist/vapours/spray.
Avoid contact with the eyes and skin.
Keep out of reach of children.
Open and handle receptacle with care.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:** No further relevant information available.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

128-37-0 Butylated hydroxytoluene

NES (Australia)	Long-term value: 10 mg/m ³
WES (Australia)	Long-term value: 10 mg/m ³

(Cont'd. on page 4)

Safety Data Sheet

according to Australia WHS and NZ HSNO Regulations

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

(Cont'd. from page 3)

REL (USA)	Long-term value: 10 mg/m ³
TLV (USA)	Long-term value: 2* mg/m ³ *as inhalable fraction and vapor
WES (New Zealand)	Long-term value: 10 mg/m ³

- **Exposure controls**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Avoid breathing mist/vapours/spray.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

- **Respiratory protection:**

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

- **Protection of hands:**



Protective gloves

Not required under normal conditions of use.

Gloves are advised for repeated or prolonged contact.

Wear protective gloves to handle contents of damaged or leaking units.

- **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment:** No special requirements.

- **Risk management measures:** No special requirements.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **Appearance**

Form: Liquid

Colour: Amber coloured

- **Odour:** Characteristic

Hydrocarbon.

- **Odour threshold:** Not determined.

- **pH-value:** Not determined.

- **Melting point/freezing point:** Not determined.

- **Initial boiling point and boiling range:** Not determined.

- **Flash point:** 192 °C (377.6 °F) (COC)

(Cont'd. on page 5)

Safety Data Sheet

according to Australia WHS and NZ HSNO Regulations

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

(Cont'd. from page 4)

· Flammability (solid, gas):	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Oxidising properties	Non-oxidising.
· Vapour pressure:	Not determined.
· Density:	
Relative density:	0.8984
Vapour density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic at 100 °C (212 °F):	80-130 cSt
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Reacts with strong oxidising agents.
Reacts with strong acids.
- **Conditions to avoid** Avoid acids.
- **Incompatible materials** Strong acids.
- **Hazardous decomposition products**
Under fire conditions only:
Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**

(Cont'd. on page 6)

Safety Data Sheet

according to Australia WHS and NZ HSNO Regulations

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

(Cont'd. from page 5)

128-37-0 Butylated hydroxytoluene

Oral	LD50	>6000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

- **Primary irritant effect**
- **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

- **Probable routes of exposure:**
 - Ingestion.
 - Inhalation.
 - Eye contact.
 - Skin contact.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:**
 - Harmful to aquatic life with long lasting effects.

128-37-0 Butylated hydroxytoluene

LC50	1.1 mg/l (fish)
EC50	0.48 mg/l (daphnia)

- **Persistence and degradability** The product is partially biodegradable. Significant residuals remain.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Avoid release to the environment.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
 - Contact waste processors for recycling information.
 - The user of this material has the responsibility to dispose of unused material, residues and containers in

(Cont'd. on page 7)

Safety Data Sheet

according to Australia WHS and NZ HSNO Regulations

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

(Cont'd. from page 6)

compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|-----------------|
| · UN-Number | |
| · ADG, DOT, IATA, IMDG | Not Regulated |
| · UN proper shipping name | |
| · ADG, DOT, IATA, IMDG | Not Regulated |
| · Transport hazard class(es) | |
| · ADG, DOT, IATA, IMDG | |
| · Class | Not Regulated |
| · Packing group | |
| · ADG, DOT, IATA, IMDG | Not Regulated |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

- **Australia**

- **Australian Inventory of Chemical Substances**

All ingredients are listed.

- **Standard for the Uniform Scheduling of Medicines and Poisons**

Hydrocarbon Liquids

S5

- **New Zealand Inventory of Chemicals (NZIOC)**

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any

(Cont'd. on page 8)

Safety Data Sheet

according to Australia WHS and NZ HSNO Regulations

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

(Cont'd. from page 7)

specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

ADG: Australian Code for the Transport of Dangerous Goods by Road & Rail

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **Sources**

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com