according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022



Safety Data Sheet according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022

	(Cont'd. from page
· Signal word D	
· Hazard statem	
	ble liquid and vapour.
	armful in contact with skin.
	armful if inhaled.
	nild skin irritation.
	atal if swallowed and enters airways.
	to aquatic life with long lasting effects.
 Precautionary 	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	
P331	Do NOT induce vomiting.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin v water/shower.
P304+P312	
P332+P313	If skin irritation occurs: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internatio regulations.
	Is There are no other hazards not otherwise classified that have been identified. T and vPvB assessment

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Components:

components.		
CAS: 64742-47-8 EINECS: 265-149-8	Distillates (petroleum), hydrotreated light Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 5, H313	40-50%
CAS: 64742-95-6	Solvent naphtha (petroleum), light arom. Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 Acute Tox. 5, H313	<5%
	Polyolefin alkyl phenol alkyl amine 🚯 Skin Irrit. 2, H315	<5%
	(Cont'd	. on page 3)

according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022

Trade name: Rislone® Gas Fuel System Cleaner - Right Side

CAS: 95-63-6	1,2,4-trimethylbenzene (Cont'd. fi	rom page 2) <2.5%	
EINECS: 202-436-9	 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Acute Tox. 5, H303; Aquatic Acute 2, H401 		
	mesitylene Flam. Liq. 3, H226 Aquatic Chronic 2, H411 STOT SE 3, H335	<1.1%	
	2,6-di-tert-butylphenol Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Irrit. 2, H315	<1%	
	1,2,3-trimethylbenzene Flam. Liq. 3, H226 STOT RE 2, H373; Asp. Tox. 1, H304 STOT SE 3, H335-H336	<1%	
EINECS: 202-704-5	Cumene Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Acute Tox. 4, H302; STOT SE 3, H335 Acute Tox. 5, H333	<1%	
• Additional information: For the wording of the listed Hazard Statements refer to section 16.			

4 First aid measures

[•] Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

A person vomiting while lying on their back should be turned onto their side.

Most important symptoms and effects, both acute and delayed

Coughing Dizziness

Breathing difficulty

Gastric or intestinal disorders.

May be harmful in contact with skin.

May be harmful if inhaled.

(Cont'd. on page 4)

according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022

Trade name: Rislone® Gas Fuel System Cleaner - Right Side

(Cont'd. from page 3)

Causes mild skin irritation.

· Hazards: Danger of impaired breathing.

Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

If swallowed or in case of vomiting, danger of entering the lungs.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary oedema.

5 Firefighting measures

• Extinguishing media

Suitable extinguishing agents:

Foam

Alcohol resistant foam

Gaseous extinguishing agents

Carbon dioxide

Fire-extinguishing powder

Water haze or fog

· For safety reasons unsuitable extinguishing agents:

Water with full jet

Water spray

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Cool endangered receptacles with water fog or haze.

Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Remove from the water surface (e.g. skim or suck off).

Send for recovery or disposal in suitable receptacles.

(Cont'd. on page 5)

according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022

Trade name: Rislone® Gas Fuel System Cleaner - Right Side (Cont'd. from page 4) Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage · Handling: · Precautions for safe handling Keep out of reach of children. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Avoid breathing mist/vapours/spray. Avoid contact with the eyes and skin. Information about fire - and explosion protection: Keep respiratory protective device available. Keep ignition sources away - Do not smoke. Conditions for safe storage, including any incompatibilities · Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame. Store in cool, dry conditions in well sealed receptacles. · Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidising agents. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection · Control parameters · Ingredients with limit values that require monitoring at the workplace: 95-63-6 1,2,4-trimethylbenzene REL (USA) Long-term value: 125 mg/m³, 25 ppm TLV (USA) Long-term value: 123 mg/m³, 25 ppm 108-67-8 mesitylene Long-term value: 125 mg/m³, 25 ppm REL (USA) TLV (USA) Long-term value: 123 mg/m³, 25 ppm 526-73-8 1,2,3-trimethylbenzene REL (USA) Long-term value: 125 mg/m³, 25 ppm TLV (USA) Long-term value: 123 mg/m³, 25 ppm 98-82-8 Cumene Short-term value: 375 mg/m³. 75 ppm WES (Australia) Long-term value: 125 mg/m³, 25 ppm Sk PEL (USA) Long-term value: 245 mg/m³, 50 ppm Skin

(Cont'd. on page 6)

Safety Data Sheet according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022

ade name: Rislon	e® Gas Fuel System Cleaner - Right Side
	(Cont'd. from p
REL (USA)	Long-term value: 245 mg/m³, 50 ppm Skin
TLV (USA)	Long-term value: (246) NIC-5 mg/m³, (50) NIC-1 ppm NIC-A3
WES (New Zealar	nd) Short-term value: 375 mg/m³, 75 ppm Long-term value: 125 mg/m³, 25 ppm skin
Keep away from fo Immediately remo Wash hands befor Do not inhale gase Avoid contact with Respiratory prote Use suitable respi Use suitable respi	<i>ve</i> and hygienic measures: bodstuffs, beverages and feed. ve all soiled and contaminated clothing. re breaks and at the end of work. es / fumes / aerosols. the eyes and skin. ection: ratory protective device in case of insufficient ventilation. ratory protective device when aerosol or mist is formed. ory protection may be advisable.
Protective	e gloves I has to be impermeable and resistant to the product/ the substance/ the preparatio
• Eye protection:	
Limitation and No further relevan	Protective work clothing supervision of exposure into the environment: t information available. ent measures: No further relevant information available.
Physical and	chemical properties
[•] Information on • Appearance Form: Colour:	basic physical and chemical properties Liquid Light yellow
· Odour: · Odour threshold	Petroleum-like
	Not determined.

40.6 °C (105.1 °F)

· Flash point:

(Cont'd. on page 7)

according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022

ade name: Rislone® Gas Fuel System	Cleaner - Right Side
	(Cont'd. from page
· Flammability (solid, gas):	Not applicable.
Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Explosive properties:	Product is not explosive. However, formation of explosive ai vapour mixtures are possible.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
• Oxidising properties	Non-oxidising.
Vapour pressure:	Not determined.
Density:	
Relative density:	0.77
Vapour density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic at 40 °C (104 °F):	1.4 mm²/s
[•] Other information	No further relevant information available.

10 Stability and reactivity

[.] Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Flammable liquid and vapour.

Used empty containers may contain product gases which form explosive mixtures with air. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised. Reacts with oxidising agents.

- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidisers

• Hazardous decomposition products Carbon monoxide and carbon dioxide

11 Toxicological information

[·] Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: None.

(Cont'd. on page 8)

according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022

	(Cont'd. fro	om pag
	rritant effect	
	osion/irritation: Based on available data, the classification criteria are not met. eye damage/irritation: Based on available data, the classification criteria are not met.	
	bry or skin sensitisation: Based on available data, the classification criteria are not met	
	ernational Agency for Research on Cancer):	
Present in	n trace quantities: all except 98-82-8.	
98-82-8	Cumene	2
71-43-2	Benzene	1
75-07-0	acetaldehyde	2
75-56-9	propylene oxide	2
91-20-3	Naphthalene	2
100-41-4	Ethylbenzene	2
100-42-5	styrene	2
· Carcinog · Reprodu · STOT-sir	I mutagenicity: Based on available data, the classification criteria are not met. enicity: Based on available data, the classification criteria are not met. ctive toxicity: Based on available data, the classification criteria are not met. ngle exposure: Based on available data, the classification criteria are not met. beated exposure: Based on available data, the classification criteria are not met. n hazard: May be fatal if swallowed and enters airways.	
· Aspiratio	ical information	
· Aspiratio		
• Aspiratio		
Aspiratio		

• Mobility in soil No further relevant information available.

Ecotoxical effects:

• Remark: Due to mechanical actions of the product (e.g. agglutinations), damages may occur.

- Additional ecological information:
- · General notes: Avoid transfer into the environment.
- [•] Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

(Cont'd. on page 9)

according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022

Trade name: Rislone® Gas Fuel System Cleaner - Right Side

(Cont'd. from page 8)

[·] Waste treatment methods

· Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[•] Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT	NA1993
ADR/RID/ADN, IMDG, IATA	UN1268
UN proper shipping name	
DOT	Combustible liquid, n.o.s. (petroleum distillates)
ADR/RID/ADN, IMDG	PETROLEUM PRODUCTS, N.O.S.
ΙΑΤΑ	Petroleum products, n.o.s.
Transport hazard class(es)	
DOT	
Class	3
Label	3
ADR/RID/ADN	
Class	3 (F1)
Label	3
IMDG, IATA	
Class	3
Label	3
Packing group	
DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards:	
	(Cont'd. on page

Safety Data Sheet according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022

Trade name: Rislone® Gas Fuel System Cleaner - Right Side			
	(Cont'd. from page 9)		
· Marine pollutant:	No		
 Special precautions for user Danger code (Kemler): EMS Number: 	Warning: Flammable liquids. 30 F-E,S-E		
 Transport in bulk according to Annex II on Marpol and the IBC Code 	of Not applicable.		
[•] Transport/Additional information:			
·DOT	Classified as combustible under US DOT regulations. Labeling is only required for single packages 119 US gal / 450 L.		
· ADR/RID/ADN			
Limited Quantity for packages less than	30 kg gross and inner packagings less than 5 L each.		
·IMDG			
Limited Quantity for packages less than	30 kg gross and inner packagings less than 5 L each.		
• IATA Limited Quantity for packages less than L net.	30 kg gross and inner packagings less than 5 L each / 10		

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

IARC (International Agency for Research on Cancer)

Present in trace quantities: all except 98-82-8.

98-82-8	Cumene	2B		
71-43-2	Benzene	1		
	acetaldehyde	2B		
	propylene oxide	2B		
91-20-3	Naphthalene	2B		
100-41-4	Ethylbenzene	2B		
100-42-5	styrene	2B		
110-00-9	furan	2B		
· Australia	Australia			
· Australian Inventory of Chemical Substances				
(Cont'd. on page 11)				

according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022

Trade name: Rislone® Gas Fuel System Cleaner - Right Side

(Cont'd. from page 10)

S5

All ingredients are listed or exempt.

Standard for the Uniform Scheduling of Medicines and Poisons

Hydrocarbon Liquids

· New Zealand HSR002584

New Zealand Inventory of Chemicals (NZIOC)

All ingredients are listed or exempt.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H303 May be harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H313 May be harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H333 May be harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H401 Toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 5: Acute toxicity – Category 5 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Corr. 3: Skin corrosion/irritation - Category 3 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

(Cont'd. on page 12)

according to Australia WHS and NZ HSNO Regulations

Revision: 27 January 2022

Trade name: Rislone® Gas Fuel System Cleaner - Right Side

(Cont'd. from page 11) Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com