

SAFETY DATA SHEET

Issuing Date 11 November 2020 Revision Date 13 November 2020

Revision Number 2

Canada / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publicly available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Rislone® Hy-per Fuel Max Octane

Other means of identification

Product Code(s) HPF700C

Recommended use of the chemical and restrictions on use

Recommended Use Fuel additive

Restrictions on use No information available

Details of the supplier of the safety data sheet

Initial supplier identifier Rislone

Address P.O. Box 187
Holly
Michigan
48442
USA

Telephone Phone:810.603.1321



Emergency telephone number

Company Emergency Phone Number ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

2. HAZARDS IDENTIFICATION

Classification



Acute toxicity - Oral	Category 2
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable liquids	Category 3

GHS Label elements, including precautionary statements

Danger

Hazard statements

- Fatal if swallowed
- Toxic in contact with skin
- Fatal if inhaled
- May cause genetic defects
- May cause cancer
- Causes damage to organs
- May cause damage to organs through prolonged or repeated exposure
- May be fatal if swallowed and enters airways
- Flammable liquid and vapor



Precautionary Statements - Prevention

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Wear protective gloves/protective clothing/eye protection/face protection
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- Ground and bond container and receiving equipment
- Use non-sparking tools
- Take action to prevent static discharges
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Keep container tightly closed
- Use explosion-proof electrical/ ventilating/ lighting/ equipment

Precautionary Statements - Response

- Specific treatment (see supplemental first aid instructions on this label)
- IF exposed or concerned: Call a POISON CENTER or doctor

Skin

- Call a POISON CENTER or doctor if you feel unwell
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

Ingestion



IF SWALLOWED: Immediately call a POISON CENTER or doctor
 Rinse mouth
 Do NOT induce vomiting

Fire

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Toxic to aquatic life Toxic to aquatic life with long lasting effects

Unknown acute toxicity 89.262 % of the mixture consists of ingredient(s) of unknown toxicity
 83.48 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
 89.262 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 89.262 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 89.262 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 89.262 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Paraffinic, naphthenic solvent	64742-47-8	83.48	-	-
Third Party Formulation (TP # 1422862)	-	0 - 10%	-	-
Third Party Formulation (TP # 1422862)	-	0 - 10%	-	-
Third Party Formulation (TP # 1422862)	-	0 - 10%	-	-
Third Party Formulation (TP # 1422862)	-	0 - 10%	-	-

4. FIRST AID MEASURES

Description of first aid measures

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in



attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation	If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Aspiration into lungs can produce severe lung damage. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention.
Ingestion	Get immediate medical advice/attention. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Aspiration hazard if swallowed - can enter lungs and cause damage. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Dizziness.

Indication of any immediate medical attention and special treatment needed

Note to physicians Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Hazardous Combustion Products	Carbon oxides.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	Yes.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not breathe vapor or mist.

Other Information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Control parameters

Exposure Limits

Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
Third Party Formulation (TP # 1422862)	TWA: 0.2 mg/m ³ Skin	TWA: 0.2 mg/m ³ Skin	TWA: 0.2 mg/m ³ Skin	TWA: 0.2 mg/m ³ Skin
Third Party Formulation (TP # 1422862)	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³ Skin	TWA: 10 ppm Skin	TWA: 10 ppm Skin	TWA: 10 ppm Skin

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Do not breathe vapor or mist.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Amber
Odor Petroleum
Color No information available
Odor Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	UNKNOWN		
Melting / freezing point	No data available	None known	
Boiling point / boiling range	No data available	None known	
Flash Point	59 C		



Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.848	
Water Solubility	Immiscible in water	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	Not Applicable	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other Information

Explosive properties	No information available.
Oxidizing properties	No information available.
Softening Point	No information available.
Molecular Weight	No information available.
VOC Content (%)	No information available.
Liquid Density	No information available.
Bulk Density	No information available.
Particle Size	No information available.
Particle Size Distribution	No information available.

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Excessive heat.
Incompatible materials	None known based on information supplied.
Hazardous Decomposition Products	Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Inhalation	Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on components). Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.

Skin contact	Specific test data for the substance or mixture is not available. Toxic in contact with skin. (based on components). Repeated exposure may cause skin dryness or cracking.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. Fatal if swallowed. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Coughing and/ or wheezing. Difficulty in breathing. Dizziness.
-----------------	--

Numerical measures of toxicity**Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	14.30 mg/kg
ATEmix (dermal)	260.00 mg/kg
ATEmix (inhalation-gas)	18.60 ppm
ATEmix (inhalation-dust/mist)	0.01 mg/L
ATEmix (inhalation-vapor)	0.09 mg/L

Unknown acute toxicity	89.262 % of the mixture consists of ingredient(s) of unknown toxicity
	83.48 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
	89.262 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
	89.262 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
	89.262 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
	89.262 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Paraffinic, naphthenic solvent	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Third Party Formulation (TP # 1422862)	> 5000 mg/kg (Rat)	> 2 mL/kg (Rabbit)	> 590 mg/m ³ (Rat) 4 h
Third Party Formulation (TP # 1422862)	= 58 mg/kg (Rat)	= 140 mg/kg (Rabbit)	= 0.076 mg/L (Rat) 4 h
Third Party Formulation (TP # 1422862)	= 3280 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 18 g/m ³ (Rat) 4 h
Third Party Formulation (TP # 1422862)	= 1110 mg/kg (Rat)	= 1120 mg/kg (Rabbit)	> 340 mg/m ³ (Rat) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	Contains a known or suspected mutagen. Classification based on data available for ingredients. May cause genetic defects.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Third Party Formulation (TP # 1422862)	A3	Group 2B	Reasonably Anticipated	X

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
STOT - single exposure	Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life. Toxic to aquatic life with long lasting effects. .

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Paraffinic, naphthenic solvent	.?	96h LC50: = 2.2 mg/L (Lepomis macrochirus) 96h LC50: = 2.4 mg/L (Oncorhynchus mykiss) 96h LC50: = 45 mg/L (Pimephales promelas)	No data available	.?
Third Party Formulation (TP # 1422862)	.?	96h LC50: = 1740 mg/L (Lepomis macrochirus) 96h LC50: = 19 mg/L (Pimephales promelas) 96h LC50: = 2.34 mg/L (Oncorhynchus mykiss) 96h LC50: = 41 mg/L (Pimephales promelas) 96h LC50: = 45 mg/L (Pimephales promelas)	No data available	48h EC50: = 0.95 mg/L (Daphnia magna)
Third Party Formulation (TP # 1422862)	.?	96h LC50: = 0.21 mg/L (Cyprinus carpio)	No data available	.?
Third Party Formulation (TP # 1422862)	.?	96h LC50: 7.19 - 8.28 mg/L (Pimephales promelas)	No data available	48h EC50: = 6.14 mg/L (Daphnia magna)
Third Party Formulation (TP # 1422862)	.?	96h LC50: 0.91 - 2.82 mg/L (Oncorhynchus mykiss) 96h LC50: 5.74	EC50 = 0.93 mg/L 30 min EC50 > 20 mg/L 18 h	48h EC50: 1.09 - 3.4 mg/L (Daphnia magna) 48h EC50: = 1.96 mg/L

		- 6.44 mg/L (Pimephales promelas) 96h LC50: = 1.6 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.99 mg/L (Pimephales promelas) 96h LC50: = 31.0265 mg/L (Lepomis macrochirus)	(Daphnia magna) 48h LC50: = 2.16 mg/L (Daphnia magna)
--	--	---	---

Persistence and Degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Third Party Formulation (TP # 1422862)	6.1
Third Party Formulation (TP # 1422862)	3.63
Third Party Formulation (TP # 1422862)	3.6

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

14. TRANSPORT INFORMATION

TDG

UN-No. UN1992
Proper Shipping Name FLAMMABLE LIQUID, TOXIC, N.O.S.
Hazard Class 3
Subsidiary class 6.1
Packing Group III
Description UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S. (PARAFFINIC, NAPHTHENIC SOLVENT, 1,2,4 TRIMETHYLBENZENE), 3 (6.1), III, LTD QTY

DOT

Proper Shipping Name CONSUMER COMMODITY
Hazard Class ORM-D
Description CONSUMER COMMODITY, ORM-D

MEX

UN-No. UN1992
Proper Shipping Name FLAMMABLE LIQUID, TOXIC, N.O.S.
Hazard Class 3



Subsidiary class	6.1
Packing Group	III
Description	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S. (PARAFFINIC, NAPHTHENIC SOLVENT, 1,2,4 TRIMETHYLBENZENE), 3 (6.1), III

ICAO

UN-No.	UN1992
Proper Shipping Name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Hazard Class	3
Subsidiary class	6.1
Packing Group	III
Description	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S. (PARAFFINIC, NAPHTHENIC SOLVENT, 1,2,4 TRIMETHYLBENZENE), 3 (6.1), III, LTD QTY

IATA

UN-No.	UN1992
Proper Shipping Name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Hazard Class	3
Subsidiary class	6.1
Packing Group	III
ERG Code	3P
Description	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S. (PARAFFINIC, NAPHTHENIC SOLVENT, 1,2,4 TRIMETHYLBENZENE), 3 (6.1), III, LTD QTY

IMDG/IMO

UN-No.	UN1992
Proper Shipping Name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Hazard Class	3
Subsidiary class	6.1
Packing Group	III
EmS-No.	F-E, S-D
Description	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S. (PARAFFINIC, NAPHTHENIC SOLVENT, 1,2,4 TRIMETHYLBENZENE), 3 (6.1), III, (59°C C.C.), LTD QTY

RID

UN-No.	UN1992
Proper Shipping Name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Hazard Class	3
Packing Group	III
Classification code	FT1
Description	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S. (PARAFFINIC, NAPHTHENIC SOLVENT, 1,2,4 TRIMETHYLBENZENE), 3 (6.1), III
ADR/RID-Labels	6.1

ADR

UN-No.	UN1992
Proper Shipping Name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Hazard Class	3
Packing Group	III
Classification code	FT1
Tunnel restriction code	(D/E)
Description	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S. (PARAFFINIC, NAPHTHENIC SOLVENT, 1,2,4 TRIMETHYLBENZENE), 3 (6.1), III, (D/E)
Labels	6.1

ADN

UN-No.	UN1992
Proper Shipping Name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Hazard Class	3
Packing Group	III
Classification code	FT1
Special Provisions	274, 802
Description	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S. (PARAFFINIC, NAPHTHENIC SOLVENT, 1,2,4 TRIMETHYLBENZENE), 3 (+ 6.1), III
Hazard Labels	3 + 6.1
Limited Quantity	5 L
Ventilation	VE01, VE02

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA	- United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL	- Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	- Japan Existing and New Chemical Substances
KECL	- Korean Existing and Evaluated Chemical Substances
PICCS	- Philippines Inventory of Chemicals and Chemical Substances
AICS	- Australian Inventory of Chemical Substances

16. OTHER INFORMATION

NFPA	Health hazards 4	Flammability 2	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 4 *	Flammability 2	Physical hazards 0	Personal Protection X

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 11-Nov-2020

Revision Date 13-Nov-2020



Revision Note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet