according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 28 July 2016

Revision: 03 February 2022

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier Trade name: Rislone® Head Gasket Sealant & Block Seal · Product code: 21100 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture: Sealant • 1.3 Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Rislone P.O. Box 187 **RÍSLONE** Holly, MI 48442 USA Phone: (810) 603-1321 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585 **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 The product is not classified as hazardous according to OSHA GHS regulations within the United States. The product is not classified as hazardous according to the CLP regulation.

# 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is not classified as hazardous according to OSHA GHS regulations within the United States. This product does not have a classification according to the CLP regulation. Hazard pictograms Not Regulated Signal word Not Regulated Hazard-determining components of labelling: None. Hazard statements None. Precautionary statements Not Regulated. 2.3 Other hazards There are no other hazards not otherwise classified that have been identified. Results of PBT and vPvB assessment PBT: Not applicable.

· **vPvB:** Not applicable.

(Cont'd. on page 2)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 28 July 2016

Revision: 03 February 2022

#### Trade name: Rislone® Head Gasket Sealant & Block Seal

(Cont'd. from page 1)

3.2 Mixtures			
Components:			
CAS: 1344-09-8 EINECS: 215-687-4	silicic acid, sodium salt ♦ Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318	10-25%	
CAS: 9004-34-6 EINECS: 232-674-9	Cellulose substance with a Community workplace exposure limit	<2%	
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	<1%	

#### **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

#### · After skin contact:

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

#### **4.2** Most important symptoms and effects, both acute and delayed

Slight irritant effect on eyes.

Slight irritant effect on skin and mucous membranes.

Gastric or intestinal disorders.

Nausea in case of ingestion.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: None.

#### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Cont'd. on page 3)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 28 July 2016

Revision: 03 February 2022

(Cont'd. from page 2)

#### Trade name: Rislone® Head Gasket Sealant & Block Seal

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

#### **SECTION 6: Accidental release measures**

#### • 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

#### 6.2 Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about fire - and explosion protection: No special measures required.

# 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

· Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

(Cont'd. on page 4)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28 July 2016

Trade name: Rislone® Head Gasket Sealant & Block Seal

Revision: 03 February 2022

(Cont'd. from page 3)

SECTION	8: Exposure controls/personal protection				
8.1 Contro	· 8.1 Control parameters				
· Ingredients	with limit values that require monitoring at the workplace:				
9004-34-6 0	9004-34-6 Cellulose				
PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction				
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction				
TLV (USA)	Long-term value: 10 mg/m <sup>3</sup>				
7440-50-8 0	copper				
PEL (USA)	Long-term value: 1* 0,1** mg/m <sup>3</sup> as Cu *dusts and mists **fume				
REL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume				
TLV (USA)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume; as Cu				
	further relevant information available. further relevant information available.				
The usual p Keep away Wash hand Do not inha Avoid conta <b>Respirator</b> Not required Use suitable For spills, re <b>Protection</b> Wear protec Gloves are	ctive gloves to handle contents of damaged or leaking units. advised for repeated or prolonged contact. naterial has to be impermeable and resistant to the product/ the substance/ the preparation.				
Sat	fety glasses				
Protection r	action: d under normal conditions of use. nay be required for spills. and supervision of exposure into the environment: No special requirements. (Cont'd. on page 5)				

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 28 July 2016

Trade name: Rislone® Head Gasket Sealant & Block Seal

· Risk management measures: No special requirements.

SECTION 9: Physical and chemical properties						
9.1 Information on basic physical and chemical properties						
	· Appearance					
Form:	Suspension					
Colour:	Red-brown					
Odour:	Mild					
· Odour threshold:	Not determined.					
· pH-value at 20 °C (68 °F):	<11					
<ul> <li>Melting point/Melting range:</li> </ul>	Not determined.					
<ul> <li>Boiling point/Boiling range:</li> </ul>	>104 °C (>219 °F)					
· Flash point:	Not applicable.					
· Flammability (solid, gaseous):	Not applicable.					
· Auto/Self-ignition temperature:	Not determined.					
· Decomposition temperature:	Not determined.					
· Danger of explosion:	Product does not present an explosion hazard.					
· Explosion limits						
Lower:	Not determined.					
Upper:	Not determined.					
Oxidising properties	Not determined.					
· Vapour pressure:	Not determined.					
· Density at 20 °C (68 °F):	1,37 g/cm³ (11,433 lbs/gal)					
· Relative density:	Not determined.					
· Vapour density:	Not determined.					
Evaporation rate:	Not determined.					
· Solubility in / Miscibility with						
water:	Fully miscible.					
· Partition coefficient (n-octanol/wat	Partition coefficient (n-octanol/water): Not determined.					
· Viscosity						
Dynamic:	Not determined.					
Kinematic:	Not determined.					
<sup>•</sup> 9.2 Other information	No further relevant information available.					

# **SECTION 10: Stability and reactivity**

• **10.1 Reactivity** No further relevant information available.

(Cont'd. on page 6)

Revision: 03 February 2022

(Cont'd. from page 4)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 28 July 2016

Revision: 03 February 2022

#### Trade name: Rislone® Head Gasket Sealant & Block Seal

(Cont'd. from page 5)

• **10.2 Chemical stability** Stable under normal temperatures and pressures.

#### Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

#### 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and oxidising agents.

10.4 Conditions to avoid Avoid acids.

• **10.5 Incompatible materials** No further relevant information available.

#### 10.6 Hazardous decomposition products

Carbon monoxide and carbon dioxide

Toxic metal oxide smoke

#### **SECTION 11: Toxicological information**

11.1 Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect

• Skin corrosion/irritation: Slight irritant effect on skin and mucous membranes.

· Serious eye damage/irritation: Slight irritant effect on eyes.

• Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### • NTP (National Toxicology Program):

None of the ingredients are listed.

#### **OSHA-Ca** (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### · Probable routes of exposure:

Ingestion.

Inhalation

Eye contact.

Skin contact.

· Repeated dose toxicity: No further relevant information available.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met.

**STOT-single exposure:** Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 28 July 2016

Revision: 03 February 2022

#### Trade name: Rislone® Head Gasket Sealant & Block Seal

(Cont'd. from page 6)

## **SECTION 12: Ecological information**

#### <sup>•</sup> 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

\* 12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

• Additional ecological information:

#### · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

\* **12.6 Other adverse effects** No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### <sup>•</sup> 13.1 Waste treatment methods

#### · Recommendation

Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of larger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number		
DOT, ADR, IMDG, IATA	Not Regulated	
<sup>·</sup> 14.2 UN proper shipping name <sup>·</sup> DOT, ADR, IMDG, IATA	Not Regulated	
14.3 Transport hazard class(es)		
· DOT, ADR, IMDG, IATA		
Class	Not Regulated	

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28 July 2016

Revision: 03 February 2022

#### Trade name: Rislone® Head Gasket Sealant & Block Seal

	(Cont'd. from pa	age 7)
<ul> <li>14.4 Packing group</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Not Regulated	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.	
<ul> <li>14.7 Transport in bulk according to Ann of Marpol and the IBC Code</li> </ul>	ex II Not applicable.	

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation spec	cific for the substance
or mixture	
· United States (USA) · SARA	
SARA Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
7440-50-8 copper	D
· IARC (International Agency for Research on Cancer)	
None of the ingredients are listed.	
<ul> <li>NIOSH-Ca (National Institute for Occupational Safety and Health)</li> </ul>	
None of the ingredients are listed.	
	(Cont'd. on page 9)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA

GHS

Printing date: 28 July 2016

Revision: 03 February 2022

#### Trade name: Rislone® Head Gasket Sealant & Block Seal

(Cont'd. from page 8)

#### · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· National regulations:

· Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

11314 Causes severe skill buills and eye dan

H318 Causes serious eye damage.

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health LDLo: Lowest Lethal Dose Observed Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. (Cont'd. on page 10)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date: 28 July 2016

Revision: 03 February 2022

Trade name: Rislone® Head Gasket Sealant & Block Seal

(Cont'd. from page 9)

1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com