according to NOM 018-STPS-2015

Revision: 27 January 2022

1 Identification of the dangerous chemical or mixture and of the supplier or manufacturer

- Product identifier
- · Trade name: Rislone® Gasoline Cleaner Left Side
- · Product code: 24700
- · Recommended use and restriction on use
- · Recommended use: Treatment for gasoline.
- · Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

Rislone

P.O. Box 187

Holly, MI 48442 USA Phone: (810) 603-1321



ChemTel Inc.

(800) 255-3924 (North America) (801) 1 (813)248-0585 (International)



2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Lig. 3 H226 Flammable liquid and vapor.

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS02 GHS07

· Signal word: Warning

· Hazard-determining components of labeling:

2-butoxyethanol

· Hazard statements:

H226 Flammable liquid and vapor.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Cont'd. on page 2)

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner - Left Side

	(Cont'd. of page 1)
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P330	Rinse mouth.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international
 	regulations.

- · Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
111-76-2 2-butoxyethanol		>80%
Acute Tox. 4, H302; Acute T Irrit. 2, H319 Flam. Liq. 4, H227	ox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye	
67-63-0 Propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE Acute Tox. 5, H333		<10%

Additional information:

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

· Description of first aid measures

(Cont'd. on page 3)

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner - Left Side

(Cont'd. of page 2)

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

· Most important symptoms and effects, both acute and delayed:

Coughing

Dizziness

Breathing difficulty

Causes serious eye irritation.

Causes skin irritation.

- · Danger: Harmful if swallowed, in contact with skin or if inhaled.
- · Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Foam

Alcohol resistant foam

Gaseous extinguishing agents

Carbon dioxide

Fire-extinguishing powder

Water

- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide, carbon dioxide.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information:

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered receptacles with water spray.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

(Cont'd. on page 4)

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner - Left Side

(Cont'd. of page 3)

Use respiratory protective device against the effects of fumes/dust/aerosol.

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

· Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Remove from the water surface (e.g. skim or suck off).

Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Keep out of reach of children.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid breathing mist, vapors, or spray.

Avoid contact with the eves and skin.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

Keep ignition sources away - Do not smoke.

· Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Store in cool, dry conditions in well sealed receptacles.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

111-76-2 2-butoxyethanol

PEL (USA) LMPE-PPT: 240 mg/m³, 50 ppm

Skin

REL (USA) LMPE-PPT: 24 mg/m³, 5 ppm

(Cont'd. on page 5)

Page: 5/11

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner - Left Side

(Cont'd. of page 4) Skin TLV (USA) LMPE-PPT: 97 mg/m³, 20 ppm LMPE (Mexico) LMPE-PPT: 20 ppm A3, IBE 67-63-0 Propan-2-ol PEL (USA) LMPE-PPT: 980 mg/m³, 400 ppm LMPE-CT o Pico: 1225 mg/m3, 500 ppm REL (USA) LMPE-PPT: 980 mg/m³, 400 ppm TLV (USA) LMPE-CT o Pico: 984 mg/m³, 400 ppm LMPE-PPT: 492 mg/m³, 200 ppm BEI LMPE (Mexico) LMPE-CT o Pico: 400 ppm LMPE-PPT: 200 ppm A4. IBE · Ingredients with biological limit values: 111-76-2 2-butoxyethanol BEI (USA) 200 mg/g creatinine

Medium: urine Time: end of shift

Parameter: Butoxyacetic acid with hydrolysis

67-63-0 Propan-2-ol

BEI (USA) 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

· Exposure controls

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:

(Cont'd. on page 6)

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner – Left Side

(Cont'd. of page 5)



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

9 Physical and chemical proper	rties	
· Information on basic physical and chemical properties		
· Appearance:	r i r i r i r i r i r i r i r i r i r i	
Form:	Liquid	
Color:	Light yellow	
· Odor:	Petroleum-like	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	Not determined.	
· Flash point:	40.2 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density at 25 °C:	0.78-0.80	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Other information	No relevant information available.	

according to NOM 018-STPS-2015

Trade name: Rislone® Gasoline Cleaner - Left Side

(Cont'd. of page 6)

Revision: 27 January 2022

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided:

Keep away from heat and direct sunlight.

Avoid open flame, ignition sources, contact with incompatible substances.

· Possibility of hazardous reactions

Flammable liquid and vapor.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Reacts with oxidizing agents.

- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers
- · Hazardous decomposition products Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

•		y Estimate)
Oral	LD50	1591 mg/kg (ra

Orai	LDSU	1591 mg/kg (rai)
		1076-2151 mg/kg (rat)
Inhalative	LC50/4h	11.5 mg/l

111-76-2 2-butoxyethanol

111-70-22	2-Duloxye	andioi
Oral	LD50	1480 mg/kg (rat)
Dermal	LD50	1001-2000 mg/kg (rat) (Estimated)
Inhalative	LC50/4h	450 ppm (rat)
		· ,

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Causes eye irritation.
- · Sensitization: No sensitizing effects known.
- · IARC (International Agency for Research on Cancer):

Present in trace quantities.

100-41-4	Ethylbenzene	2B
91-20-3	Naphthalene	2B

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

(Cont'd. on page 8)

Page: 8/11

Safety Data Sheet according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner - Left Side

(Cont'd. of page 7)

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: Does not accumulate in organisms
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Avoid transfer into the environment.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

· DOT · ADR/RID/ADN, IMDG, IATA	NA1993
ADR/RID/ADN IMDG IATA	
ADIVINIDIADIN, INIDO, IATA	UN1993
UN proper shipping name	
DOT	Combustible liquid, n.o.s. (Isopropanol, 2 butoxyethanol)
ADR/RID/ADN, IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL, 2 butoxyethanol)

Revision: 27 January 2022

Safety Data Sheet according to NOM 018-STPS-2015

cording to NOW 016-51P5-2015

Trade name: Rislone® Gasoline Cleaner - Left Side

(Cont'd. of page 8) · DOT · Class 3 · Label 3 · ADR/RID/ADN · Class 3 (F1) · Label · IMDG, IATA 3 · Class · Label 3 · Packing group · DOT, ADR/RID/ADN, IMDG, IATA Ш · Environmental hazards Not applicable. · Special precautions for user Warning: Flammable liquids Danger code (Kemler): 30 · EMS Number: F-E,S-E · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT Classified as combustible under US DOT regulations. Labeling is only required for single packages 119 US gal / 450 L. · ADR/RID/ADN Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L. · IMDG Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L. (Cont'd. on page 10)

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner - Left Side

(Cont'd. of page 9)

·IATA



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each / 10 L net.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

· EPA (Environmental Protection Agency):

111-76-2 2-butoxyethanol

NL

IARC (International Agency for Research on Cancer):

Present in trace quantities.

97-56-3	4-o-tolylazo-o-toluidine	2B
100-41-4	Ethylbenzene	2B
91-20-3	Naphthalene	2B

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapor.

H227 Combustible liquid.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H333 May be harmful if inhaled.

H336 May cause drowsiness or dizziness.

· Abbreviations and acronyms:

(Cont'd. on page 11)

Page: 11/11

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner - Left Side

(Cont'd. of page 10)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com