

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

1 Identification of the dangerous chemical or mixture and of the supplier or manufacturer

- **Product identifier**
- **Trade name:** Rislone® Gasoline Cleaner – Right Side
- **Product code:** 24700
- **Recommended use and restriction on use**
- **Recommended use:** Treatment for gasoline.
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Rislone
P.O. Box 187
Holly, MI 48442 USA
Phone: (810) 603-1321
- **Emergency telephone number:**
ChemTel Inc.
(800) 255-3924 (North America)
(801) 1 (813)248-0585 (International)



2 Hazard(s) identification

- **Classification of the substance or mixture**
Flam. Liq. 3 H226 Flammable liquid and vapor.
Acute Tox. 5 H313 May be harmful in contact with skin.
Acute Tox. 5 H333 May be harmful if inhaled.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS02 GHS08

- **Signal word:** Danger
- **Hazard-determining components of labeling:**
Distillates (petroleum), hydrotreated light
1,2,4-trimethylbenzene
Solvent naphtha (petroleum), light arom.
1,2,3-trimethylbenzene
Cumene
- **Hazard statements:**
H226 Flammable liquid and vapor.
H313 May be harmful in contact with skin.
H333 May be harmful if inhaled.
H304 May be fatal if swallowed and enters airways.
- **Precautionary statements:**

(Cont'd. on page 2)

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner – Right Side

(Cont'd. of page 1)















P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
P331	Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P312	IF INHALED: Call a POISON CENTER/doctor if you feel unwell.
P370+P378	In case of fire: Use for extinction: CO ₂ , powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards** There are no other hazards not otherwise classified that have been identified.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Components:**

64742-47-8	Distillates (petroleum), hydrotreated light  Asp. Tox. 1, H304  Flam. Liq. 4, H227; Acute Tox. 5, H313	40-50%
64742-95-6	Solvent naphtha (petroleum), light arom.  Flam. Liq. 3, H226  Asp. Tox. 1, H304  STOT SE 3, H336 Acute Tox. 5, H313	<5%
	Polyolefin alkyl phenol alkyl amine  Skin Irrit. 2, H315	<5%
95-63-6	1,2,4-trimethylbenzene  Flam. Liq. 3, H226  Asp. Tox. 1, H304  Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Acute Tox. 5, H303	<3%
108-67-8	mesitylene  Flam. Liq. 3, H226  STOT SE 3, H335	<1.1%
526-73-8	1,2,3-trimethylbenzene  Flam. Liq. 3, H226  STOT RE 2, H373; Asp. Tox. 1, H304  STOT SE 3, H335-H336	<1%

(Cont'd. on page 3)

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner – Right Side

(Cont'd. of page 2)

98-82-8	Cumene	<1%
	<ul style="list-style-type: none"> ⚠ Flam. Liq. 3, H226 ⚠ Asp. Tox. 1, H304 ⚠ Acute Tox. 4, H302; STOT SE 3, H335 ⚠ Acute Tox. 5, H333 	

· **Additional information:**

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

· **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

· **Most important symptoms and effects, both acute and delayed:**

Coughing

Dizziness

Breathing difficulty

Gastric or intestinal disorders

May be harmful in contact with skin.

May be harmful if inhaled.

Causes mild skin irritation.

· **Danger:** Danger of impaired breathing.

· **Indication of any immediate medical attention and special treatment needed:**

If swallowed, gastric irrigation with added, activated carbon.

If swallowed or in case of vomiting, danger of entering the lungs.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

Foam

Alcohol resistant foam

Gaseous extinguishing agents

(Cont'd. on page 4)

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner – Right Side

(Cont'd. of page 3)

- Carbon dioxide
- Fire-extinguishing powder
- Water fog / haze
- **For safety reasons unsuitable extinguishing agents:**
 - Water stream.
 - Water spray
- **Special hazards arising from the substance or mixture**
 - Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
 - Wear self-contained respiratory protective device.
 - Wear fully protective suit.
- **Additional information:**
 - Cool endangered containers with water fog.
 - Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
 - Use respiratory protective device against the effects of fumes/dust/aerosol.
 - Keep away from ignition sources.
 - Wear protective equipment. Keep unprotected persons away.
 - Ensure adequate ventilation.
 - Particular danger of slipping on leaked/spilled product.
- **Environmental precautions**
 - Do not allow to enter sewers/ surface or ground water.
 - Prevent from spreading (e.g. by damming-in or oil barriers).
 - Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up**
 - Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).
 - Remove from the water surface (e.g. skim or suck off).
 - Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
 - Keep out of reach of children.
 - Ensure good ventilation/exhaustion at the workplace.
 - Open and handle receptacle with care.
 - Avoid breathing mist, vapors, or spray.
 - Avoid contact with the eyes and skin.
- **Information about protection against explosions and fires:**
 - Keep respiratory protective device available.

(Cont'd. on page 5)

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner – Right Side

(Cont'd. of page 4)

Keep ignition sources away - Do not smoke.

- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
Avoid storage near extreme heat, ignition sources or open flame.
Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Store away from oxidizing agents.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

95-63-6 1,2,4-trimethylbenzene

REL (USA)	LMPE-PPT: 125 mg/m ³ , 25 ppm
TLV (USA)	LMPE-PPT: 123 mg/m ³ , 25 ppm

108-67-8 mesitylene

REL (USA)	LMPE-PPT: 125 mg/m ³ , 25 ppm
TLV (USA)	LMPE-PPT: 123 mg/m ³ , 25 ppm

526-73-8 1,2,3-trimethylbenzene

REL (USA)	LMPE-PPT: 125 mg/m ³ , 25 ppm
TLV (USA)	LMPE-PPT: 123 mg/m ³ , 25 ppm

98-82-8 Cumene

REL (USA)	LMPE-PPT: 245 mg/m ³ , 50 ppm
	Skin

REL (USA)	LMPE-PPT: 245 mg/m ³ , 50 ppm
	Skin

TLV (USA)	LMPE-PPT: (246) NIC-5 mg/m ³ , (50) NIC-1 ppm
	NIC-A3

LMPE (Mexico)	LMPE-PPT: 50 ppm
---------------	------------------

- **Exposure controls**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Use suitable respiratory protective device in case of insufficient ventilation.
Use suitable respiratory protective device when aerosol or mist is formed.
For spills, respiratory protection may be advisable.
- **Protection of hands:**

(Cont'd. on page 6)

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner – Right Side

(Cont'd. of page 5)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Eye protection:**



Safety glasses

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment**

No relevant information available.

· **Risk management measures** No relevant information available.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

Form: Liquid

Color: Light yellow

· **Odor:** Petroleum-like

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** >35 °C

· **Flash point:** 40.6 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Auto-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits**

Lower: Not determined.

Upper: Not determined.

· **Oxidizing properties:** Non-oxidizing.

· **Vapor pressure:** Not determined.

· **Density:**

Relative density: 0.77

Vapor density: Not determined.

Evaporation rate: Not determined.

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

(Cont'd. on page 7)

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner – Right Side

(Cont'd. of page 6)

- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity**
 - Dynamic:** Not determined.
 - Kinematic at 40 °C:** 1.4 mm²/s
- **Other information** No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Flammable liquid and vapor.
Used empty containers may contain product gases which form explosive mixtures with air.
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.
Reacts with oxidizing agents.
- **Conditions to avoid** Excessive heat.
- **Incompatible materials** Oxidizers
- **Hazardous decomposition products** Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Based on available data, the classification criteria are not met.
- **On the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** Based on available data, the classification criteria are not met.
- **IARC (International Agency for Research on Cancer):**
Present in trace quantities: all except 98-82-8.

98-82-8	Cumene	2B
71-43-2	Benzene	1
75-07-0	acetaldehyde	2B
75-56-9	propylene oxide	2B
91-20-3	Naphthalene	2B
100-41-4	Ethylbenzene	2B
100-42-5	styrene	2B

- **Probable route(s) of exposure:**
Ingestion.
Inhalation.
Eye contact.
Skin contact.

(Cont'd. on page 8)

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner – Right Side

(Cont'd. of page 7)

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** May be fatal if swallowed and enters airways.

12 Ecological information

· Toxicity

· Aquatic toxicity

128-39-2 2,6-di-tert-butylphenol

LC50 | 0.89 mg/l (Oncorhynchus mykiss)

- **Persistence and degradability** The product is partially biodegradable. Significant residuals remain.
- **Bioaccumulative potential:** Does not accumulate in organisms
- **Mobility in soil:** No relevant information available.
- **Ecotoxic effects:**
- **Remark:** Due to mechanical actions of the product (e.g. agglutinations), damages may occur.
- **Additional ecological information**
- **General notes:** Avoid transfer into the environment.
- **Other adverse effects** No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT NA1993
· ADR/RID/ADN, IMDG, IATA UN1268

· UN proper shipping name

· DOT Combustible liquid, n.o.s. (petroleum distillates)
· ADR/RID/ADN, IMDG PETROLEUM PRODUCTS, N.O.S.
· IATA Petroleum products, n.o.s.

· Transport hazard class(es)

(Cont'd. on page 9)

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner – Right Side

(Cont'd. of page 8)

· DOT



· Class 3
· Label 3

· ADR/RID/ADN



· Class 3 (F1)
· Label 3

· IMDG, IATA



· Class 3
· Label 3

· Packing group

· DOT, ADR/RID/ADN, IMDG, IATA III

· Environmental hazards

· Marine pollutant: No

· Special precautions for user

Warning: Flammable liquids

· Danger code (Kemler): 30

· EMS Number: F-E,S-E

· Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

· DOT Classified as combustible under US DOT regulations. Labeling is only required for single packages 119 US gal / 450 L.

· ADR/RID/ADN



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· IMDG



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

(Cont'd. on page 10)

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner – Right Side

(Cont'd. of page 9)

· IATA



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each / 10 L net.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

95-63-6 | 1,2,4-trimethylbenzene

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

· Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Present in trace quantities.

75-07-0	acetaldehyde	10000
75-56-9	propylene oxide	10000
110-00-9	furan	5000

· EPA (Environmental Protection Agency):

95-63-6	1,2,4-trimethylbenzene	II
108-67-8	mesitylene	II
526-73-8	1,2,3-trimethylbenzene	II
98-82-8	Cumene	D, CBD

· IARC (International Agency for Research on Cancer):

Present in trace quantities: all except 98-82-8.

98-82-8	Cumene	2B
71-43-2	Benzene	1
75-07-0	acetaldehyde	2B
75-56-9	propylene oxide	2B
91-20-3	Naphthalene	2B
100-41-4	Ethylbenzene	2B
100-42-5	styrene	2B
110-00-9	furan	2B

(Cont'd. on page 11)

Safety Data Sheet

according to NOM 018-STPS-2015

Revision: 27 January 2022

Trade name: Rislone® Gasoline Cleaner – Right Side

(Cont'd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Relevant phrases

- H226 Flammable liquid and vapor.
- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H303 May be harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H313 May be harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H333 May be harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.

• Abbreviations and acronyms:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bio-accumulable, Toxic
- vPvB: very Persistent and very Bioaccumulative

• Sources

- Website, European Chemicals Agency (echa.europa.eu)
- Website, US EPA Substance Registry Services (ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do)
- Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
- Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
- Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.
- Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com