
according to NOM 018-STPS-2015

Revision: 14 August 2019



according to NOM 018-STPS-2015

Revision: 14 August 2019

Trade name: Rislone Diesel Additive - Left Side

(Cont'd. of page 1)

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. P331 P308+P313 IF exposed or concerned: Get medical advice/attention. P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. P403 P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. _____ · Other hazards There are no other hazards not otherwise classified that have been identified. · Results of PBT and vPvB assessment: • **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Component		
64742-47-8	Distillates (petroleum), hydro- treated light Asp. Tox. 1, H304 Acute Tox. 5, H313	60-80%
27247-96-7	2-Ethylhexyl Nitrate Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Flam. Liq. 4, H227	<10%
64742-94-5	Solvent naphtha (petroleum), heavy arom. Asp. Tox. 1, H304 Flam. Liq. 4, H227	<10%
64742-95-6	Solvent naphtha (petroleum), light arom. Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 5, H313	<5%
95-63-6	1,2,4-trimethylbenzene Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 Acute Tox. 5, H303	<3%
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	<3%
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	<3%
91-20-3	Naphthalene Carc. 2, H351 Acute Tox. 4, H302 Acute Tox. 5, H313	<3%

(Cont'd. on page 3)

according to NOM 018-STPS-2015

Revision: 14 August 2019

(Cont'd. of page 2)

Trade name: Rislone Diesel Additive - Left Side

For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately remove any clothing soiled by the product.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation is experienced, consult a doctor.

- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- A person vomiting while lying on their back should be turned onto their side.
- Most important symptoms and effects, both acute and delayed: Breathing difficulty Coughing
- · Danger:
- Danger of impaired breathing.

May be fatal if swallowed and enters airways.

May cause cancer. Route of exposure: Inhalation.

- Indication of any immediate medical attention and special treatment needed:
- If swallowed or in case of vomiting, danger of entering the lungs.
- Medical supervision for at least 48 hours.
- If necessary oxygen respiration treatment.
- Later observation for pneumonia and pulmonary edema.
- If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents: Foam Carbon dioxide Fire-extinguishing powder Gaseous extinguishing agents Water fog / haze
- For safety reasons unsuitable extinguishing agents: Water stream.
- Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- · Additional information: Eliminate all ignition sources if safe to do so.

(Cont'd. on page 4)

according to NOM 018-STPS-2015

Revision: 14 August 2019

Trade name: Rislone Diesel Additive - Left Side

(Cont'd. of page 3)

Accidental release	emeasures
Personal precaution	ns, protective equipment and emergency procedures
	oping on leaked/spilled product.
	nent. Keep unprotected persons away.
Ensure adequate ventil	
Keep away from ignition	
Protect from heat.	
	piratory protective device against the effects of fumes/dust/aerosol.
Environmental prec	
	ewers/ surface or ground water.
	prities in case of seepage into water course or sewage system.
	ial for containment and cleaning up
	ustible liquid-binding material (sand, diatomite, acid binders, universal binders).
	sposal in suitable receptacles.
Reference to other	
	nation on safe handling.
See Section 13 for disp	nation on personal protection equipment.
' Handling and stor	
Tianunny and Stor	age
· Handling	
Precautions for safe h	
Avoid splashes or spra	
Use only in well ventilat	
Keep ignition sources a	otection against explosions and fires:
Flammable liquid and v	
•	
	storage, including any incompatibilities
	net by storerooms and receptacles:
Store in a cool location.	
	reme heat, ignition sources or open flame.
Store away from foodst	prage in one common storage facility:
Store away from oxidizi	

Store away from oxidizing agents.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control	parameters
-----------	------------

· Components with limit values that require monitoring at the workplace:

95-63-6 1,2,4-trimethylbenzene			
REL (USA)	LMPE-PPT: 125 mg/m ³ , 25 ppm		
TLV (USA)	LMPE-PPT: 123 mg/m ³ , 25 ppm		
91-20-3 Naphthalene			
		(Cont'd. on page 5)	

according to NOM 018-STPS-2015

Revision: 14 August 2019

(Cont'd. on page 6)

ade name: Risl	one Diesel Additive - Left S	lide	
			(Cont'd. of pag
PEL (USA)	LMPE-PPT: 50 mg/m ³ , 10 p	ppm	
REL (USA)	LMPE-CT o Pico: 75 mg/m ³	³ , 15 ppm	
	LMPE-PPT: 50 mg/m ³ , 10 p	pm	
TLV (USA)	LMPE-PPT: 52 mg/m ³ , 10 p	maa	
()	Skin; BEI	•	
LMPE (Mexico)	LMPE-CT o Pico: 15 ppm		
(/	LMPE-PPT: 10 ppm		
	A4, PIEL		
The usual preca Keep away from Wash hands be Do not inhale ga Avoid contact w • Breathing equi • Protection of h	foodstuffs, beverages and f fore breaks and at the end o ses / fumes / aerosols. th the eyes and skin. pment: Suitable respiratory ands: ve gloves ial has to be impermeable a	ing chemicals should be follov eed. f work. protective device recommende	
Safety	glasses		
Body protectio Limitation an	n: Protective work clothing	ng the use of protective eyewe I re into the environment	ar.
9 Physical and	chemical properties		
· Information o · Appearance:	n basic physical and ch	emical properties	
Form:	Lia	Juid	
Color:		ear to light yellow.	

Mineral-oil-like

Not determined.

Not determined.

Not determined.

Not determined.

Flammable.

64 °C

· Odor:

· pH-value:

· Flash point:

· Odor threshold:

• Melting point/Melting range:

· Boiling point/Boiling range:

· Flammability (solid, gaseous):

according to NOM 018-STPS-2015

Revision: 14 August 2019

	(Cont'd. of page s
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Non-oxidizing.
· Vapor pressure:	Not determined.
· Density:	
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- \cdot Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Flammable liquid and vapor.

Used empty containers may contain product gases which form explosive mixtures with air. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

- **Conditions to avoid** Keep ignition sources away Do not smoke.
- · Incompatible materials Oxidizing agents.

· Hazardous decomposition products Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

Safety Data Sheet according to NOM 018-STPS-2015

Revision: 14 August 2019

Trade name: Rislone Diesel Additive - Left Side
 • On the eye: Based on available data, the classification criteria are not met. • Sensitization: Based on available data, the classification criteria are not met.
· IARC (International Agency for Research on Cancer):
91-20-3 Naphthalene
Probable route(s) of exposure:
Ingestion.
Inhalation.
Eye contact.
Skin contact.
 Germ cell mutagenicity: Based on available data, the classification criteria are not met.
 Carcinogenicity: Suspected of causing cancer. Route of exposure: Inhalation.
 Reproductive toxicity: Based on available data, the classification criteria are not met.
 STOT-single exposure: Based on available data, the classification criteria are not met.
 STOT-repeated exposure: Based on available data, the classification criteria are not met.
 Aspiration hazard: May be fatal if swallowed and enters airways.
40 Feelewiselinformation
12 Ecological information
· Toxicity
 Aquatic toxicity Toxic to aquatic life with long lasting effects.
27247-96-7 2-Ethylhexyl Nitrate
LC50 2 mg/l (zebra fish) (96hr)
64742-94-5 Solvent naphtha (petroleum), heavy arom.
LC50 3.6 mg/l (Oncorhynchus mykiss)
91-20-3 Naphthalene
LC50 1-10 mg/l (daphnia)
Persistence and degradability No relevant information available.
Bioaccumulative potential: No relevant information available.
 Mobility in soil: No relevant information available. Ecotoxical effects:
Remark: Toxic for fish
Additional ecological information
· General notes:
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.
• Other adverse effects No relevant information available.
Other adverse effects no relevant information available.
13 Disposal considerations
· Waste treatment methods

· Recommendation:

Recommendation: The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and (Cont'd. on page 8)

according to NOM 018-STPS-2015

Revision: 14 August 2019

Trade name: Rislone Diesel Additive - Left Side

(Cont'd. of page 7)

disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

Uncleaned packagings
 Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number	
· DOT	NA1993
· ADR/RID/ADN, IMDG, IATA	UN3082
 UN proper shipping name 	
·DOT	Combustible liquid, n.o.s. (stoddard solvent, propan- ol)
· ADR/RID/ADN	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (2-Ethylhexyl Nitrate, 1,2,4-trimethy benzene)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (1,2,4-trimethylbenzene, 2-Ethylhex Nitrate)
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (1,2,4-trimethylbenzene, 2-Ethylhe) Nitrate)
· Transport hazard class(es)	
· DOT	
· Class · Label	3 3
· ADR/RID/ADN	
· Class · Label	9 (M6) 9
· IMDG, IATA	
· Class	9
· Label	9
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	III
- ,, - -, - -,	(Cont'd. on page

Safety Data Sheet according to NOM 018-STPS-2015

Revision: 14 August 2019

h and tree) Miscellaneous dangerous substances and
ble.
ble.
ble.
ted when carried in single or combinatio containing a net quantity of 5 L or less for kg or less for solids per the following: 4(c)(2) 75 0.2.7 ial provision A197
as combustible under US DOT regulations only required for single packages 119 U

· SARA		
· Section 302 (extremely hazardous substances):		
None of the ingredients are listed.		
· Section 355 (extremely hazardous substances):		
None of the ingredients are listed.		
· Section 313 (Specific toxic chemical listings):		
95-63-6 1,2,4-trimethylbenzene		
91-20-3 Naphthalene		
• TSCA (Toxic Substances Control Act)		
All components have the value ACTIVE.		
· EPA (Environmental Protection Agency):		
95-63-6 1,2,4-trimethylbenzene		
91-20-3 Naphthalene	C, CBD	
· IARC (International Agency for Research on Cancer):		
91-20-3 Naphthalene	2B	
	i	

(Cont'd. on page 10)

according to NOM 018-STPS-2015

Revision: 14 August 2019

Trade name: Rislone Diesel Additive - Left Side

(Cont'd. of page 9)

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H226 Flammable liquid and vapor. H227 Combustible liquid. H302 Harmful if swallowed. H303 May be harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H313 May be harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. Route of exposure: Inhalation. Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration. 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com