Printing date: 12 October 2018 Revision: 24 January 2022

## 1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Rislone® Hy-per Cool Super Coolant

· Product code: 41300

· Application of the substance / the mixture: Coolant / Anti-freeze.

· Uses advised against: No further relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Rislone

P.O. Box 187

Holly, MI 48442 USA Phone: (810) 603-1321

· Distributor:

Keizin Automotive

Unit B6, Glen Murray Ind. Park

PO Box 201728, Durban North, 4016

South Africa

Emergency telephone number:

ChemTel Inc.

(800) 255-3924 (North America) (801) 1 (813)248-0585 (International)



### 2 Hazards identification

· Classification of the substance or mixture

Eye Dam. 1 H318 Causes serious eye damage.

Repr. 2 H361 Suspected of damaging fertility or the unborn child. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms





**GHS05 GHS08** 

· Signal word Danger

· Hazard-determining components of labelling:

Potassium 2-ethylhexanoate

· Hazard statements

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P201 Obtain special instructions before use.

(Cont'd. on page 2)

Printing date: 12 October 2018 Revision: 24 January 2022

Trade name: Rislone® Hy-per Cool Super Coolant

(Cont'd. from page 1)

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P308+P313 If exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Components:	
3164-85-0 Potassium 2-ethylhexanoate  Repr. 2, H361 Eye Dam. 1, H318 Skin Irrit. 2, H315	<5%
2492-26-4 sodium benzothiazol-2-yl sulphide  Met. Corr.1, H290; Skin Corr. 1C, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1, H317	<1%
9036-19-5 2-(2-[4-(1,1,3,3-Tetramethylbutyl)phenoxy]ethoxy)ethanol  Eye Dam. 1, H318 Aquatic Chronic 2, H411 Acute Tox. 4, H302 Aquatic Acute 2, H401	<1%
· SVHC	

9036-19-5 Polyethylene glycol octylphenyl ether

### 4 First aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

After skin contact:

Wash with soap and water.

Seek medical treatment in case of complaints.

· After eye contact:

Remove contact lenses if worn.

(Cont'd. on page 3)

Printing date: 12 October 2018 Revision: 24 January 2022

Trade name: Rislone® Hy-per Cool Super Coolant

(Cont'd. from page 2)

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders when ingested.

Coughing

Cramp

Nausea in case of ingestion.

Strong irritant with the danger of severe eye injury.

Allergic reactions

- · Hazards: Suspected of damaging fertility or the unborn child.
- Indication of any immediate medical attention and special treatment needed

Contains sodium benzothiazol-2-yl sulphide. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

## 5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Use personal protective equipment as required.

Particular danger of slipping on leaked/spilled product.

- Environmental precautions Avoid release to the environment.
- Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- Handling:
- · Precautions for safe handling

(Cont'd. on page 4)

Printing date: 12 October 2018 Revision: 24 January 2022

Trade name: Rislone® Hy-per Cool Super Coolant

(Cont'd. from page 3)

Avoid breathing mist/vapours/spray.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Open and handle receptacle with care.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility: No further relevant information available.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Avoid breathing mist/vapours/spray.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment: No special requirements.
- · Risk management measures: No special requirements.

## 9 Physical and chemical properties

- Information on basic physical and chemical properties
- · Appearance

Form: Liquid

(Cont'd. on page 5)

Printing date: 12 October 2018 Revision: 24 January 2022

Trade name: Rislone® Hy-per Cool Super Coolant

		(Carettal frame many 4
		(Cont'd. from page 4
Colour:	Green	
· Odour: · Odour threshold:	Odourless Not determined.	
· Odour threshold:	Not determined.	
· pH-value:	Slightly alkaline	
Melting point/freezing point:	Not determined.	
Initial boiling point and boiling range	: ~100 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidising properties	Non-oxidising.	
· Vapour pressure:	Not determined.	
· Density:		
Relative density:	1.0-1.1	
Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
water:	Soluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

- · **Reactivity** No further relevant information available.
- Chemical stability Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidising agents.

Reacts with strong acids.

- · Conditions to avoid Avoid acids.
- · Incompatible materials Strong acids.
- Hazardous decomposition products

Under fire conditions only:

(Cont'd. on page 6)

Printing date: 12 October 2018 Revision: 24 January 2022

Trade name: Rislone® Hy-per Cool Super Coolant

(Cont'd. from page 5)

Sulphur oxides (SOx)
Carbon monoxide and carbon dioxide

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Strong irritant with the danger of severe eye injury.
- · Respiratory or skin sensitisation:

Contains sodium benzothiazol-2-yl sulphide. May produce an allergic reaction.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Probable routes of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Suspected of damaging fertility or the unborn child.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

## 9036-19-5 Polyethylene glycol octylphenyl ether

EC50 4.8-8.9 mg/l (pimephales promelas) (static test, 96H)

- · Persistence and degradability No further relevant information available.
- $\cdot \ \textbf{Bioaccumulative potential} \ \ \text{No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Avoid release to the environment.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

(Cont'd. on page 7)

Printing date: 12 October 2018 Revision: 24 January 2022

Trade name: Rislone® Hy-per Cool Super Coolant

(Cont'd. from page 6)

- Waste treatment methods
- · Recommendation

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards: · Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annomary	ex II of Not applicable.	

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

(Cont'd. on page 8)

Page: 8/8

## Safety Data Sheet According to South African National Standard 10234:2007

Revision: 24 January 2022 Printing date: 12 October 2018

Trade name: Rislone® Hy-per Cool Super Coolant

(Cont'd. from page 7)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H401 Toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Repr. 2: Reproductive toxicity - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com