Safety Data Sheet According to South African National Standard 10234:2007

Printing date: 21 September 2018

Revision: 21 January 2022

1 Identification of the substance/mixture and of the company/undertaking
· Product identifier
 Trade name: <u>Rislone® Hy-per Lube Oil Supplement</u> Product code: 44201 Application of the substance / the mixture: Additive Uses advised against: No further relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Rislone P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321
 Distributor: Keizin Automotive Unit B6, Glen Murray Ind. Park PO Box 201728, Durban North, 4016 South Africa
Emergency telephone number: ChemTel Inc. (800) 255-3924 (North America) (801) 1 (813)248-0585 (International)
Keizin Automotive Ltd 27 (31) 569 2221
2 Hazards identification
· Classification of the substance or mixture
Aquatic Acute 3 H402 Harmful to aquatic life.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
 Label elements GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms Not Regulated Signal word Not Regulated Hazard statements
H412 Harmful to aquatic life with long lasting effects. • Precautionary statements P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
 Other hazards There are no other hazards not otherwise classified that have been identified. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.
(Cont'd. on page 2)

According to South African National Standard 10234:2007

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

(Cont'd. from page 1)

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Components:

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic	≤1%		
🚸 Asp. Tox. 1, H304			
128-37-0 Butylated hydroxytoluene	≤1%		
Aquatic Acute 1, H400; Aquatic Chronic 1, H410			
Additional information. For the wording of the listed Llagand Otatemants refer to continue 40			

· Additional information: For the wording of the listed Hazard Statements refer to section 16.

4 First aid measures

[•] Description of first aid measures

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

- Provide oxygen treatment if affected person has difficulty breathing.
- After skin contact:

Wash with soap and water.

Seek medical treatment in case of complaints.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Do not induce vomiting; call for medical help immediately.

· Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders when ingested.

Coughing

Cramp

Nausea in case of ingestion.

· Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5 Firefighting measures

Extinguishing media

• Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: None.

• Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

(Cont'd. on page 3)

According to South African National Standard 10234:2007

Printing date: 21 September 2018

-

Revision: 21 January 2022

	(Cont'd. from pa
Personal precautions, protective equipment and emergency proc	edures
Ensure adequate ventilation	
Use personal protective equipment as required.	
Particular danger of slipping on leaked/spilled product.	
Environmental precautions	
Avoid release to the environment.	
Prevent from spreading (e.g. by damming-in or oil barriers).	
Inform respective authorities in case of seepage into water course or sewage	system.
Methods and material for containment and cleaning up	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal bi	nders, sawdust).
Remove from the water surface (e.g. skim or suck off).	
Send for recovery or disposal in suitable receptacles.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	

Handling:

· Precautions for safe handling

Avoid breathing mist/vapours/spray.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Open and handle receptacle with care.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

• Information about storage in one common storage facility: No further relevant information available.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

128-37-0 Butylated hydroxytoluene		
	Long-term value: 10 mg/m ³	
REL (USA)	Long-term value: 10 mg/m ³	
TLV (USA)	Long-term value: 2* mg/m ³ *as inhalable fraction and vapor	

• Exposure controls

• General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

(Cont'd. on page 4)

According to South African National Standard 10234:2007

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

(Cont'd. from page 3)

Avoid breathing mist/vapours/spray.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

· Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

Not required under normal conditions of use. Gloves are advised for repeated or prolonged contact. Wear protective gloves to handle contents of damaged or leaking units.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment: No special requirements.

· Risk management measures: No special requirements.

Physical and chemical prope	erties			
Information on basic physical and chemical properties				
Appearance				
Form:	Liquid			
Colour:	Amber coloured			
Odour:	Characteristic			
.	Hydrocarbon.			
Odour threshold:	Not determined.			
pH-value:	Not determined.			
Melting point/freezing point:	Not determined.			
Initial boiling point and boiling ran	ge: Not determined.			
Flash point:	192 °C (COC)			
Flammability (solid, gas):	Not applicable.			
Auto/Self-ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
Explosive properties:	Product does not present an explosion hazard.			
Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
Oxidising properties	Non-oxidising.			
		(Cont'd. on page		

According to South African National Standard 10234:2007

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

		(Cont'd. from page 4
· Vapour pressure:	Not determined.	
· Density:		
Relative density:	0.8984	
Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octano	I/water: Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic at 100 °C:	80-130 cSt	
[·] Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidising agents.

Reacts with strong acids.

Conditions to avoid Avoid acids.

· Incompatible materials Strong acids.

Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

128-37-0 Butylated hydroxytoluene

 Oral
 LD50
 >6000 mg/kg (rat)

 Dermal
 LD50
 >2000 mg/kg (rat)

· Primary irritant effect

• Skin corrosion/irritation: Based on available data, the classification criteria are not met.

• Serious eye damage/irritation: Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

(Cont'd. on page 6)

Safety Data Sheet According to South African National Standard 10234:2007

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

(Cont'd. from page 5)

· Probable routes of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

128-37-0 Butylated hydroxytoluene

LC50 1.1 mg/l (fish)

EC50 0.48 mg/l (daphnia)

Persistence and degradability The product is partially biodegradable. Significant residuals remain.
 Bioaccumulative potential No further relevant information available.

• Mobility in soil No further relevant information available.

Additional ecological information:

· General notes: Avoid release to the environment.

[•] Results of PBT and vPvB assessment

· **PBT:** Not applicable.

vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

[•] Waste treatment methods

· Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

[·] UN-Number

(Cont'd. on page 7)

According to South African National Standard 10234:2007

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

		(Cont'd. from page 6)
· DOT, ADR, IMDG, IATA	Not Regulated	
 [.] UN proper shipping name [.] DOT, ADR, IMDG, IATA 	Not Regulated	
 Transport hazard class(es) 		
· DOT, ADR, IMDG, IATA · Class	Not Regulated	
 Packing group DOT, ADR, IMDG, IATA 	Not Regulated	
 Environmental hazards: Marine pollutant: 	No	
• Special precautions for user	Not applicable.	
 Transport in bulk according to Anno Marpol and the IBC Code 	ex II of Not applicable.	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H304 May be fatal if swallowed and enters airways. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

(Cont'd. on page 8)

According to South African National Standard 10234:2007

Printing date: 21 September 2018

Revision: 21 January 2022

Trade name: Rislone® Hy-per Lube Oil Supplement

(Cont'd. from page 7) Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com