Acc. to OSHA HCS (29 CFR 1910.1200)

Revision: 09 December 2021 Printing date: 09 December 2021 **1** Identification Product identifier · Trade name: Rislone® Power Steering Stop Whine with Leak Repair · Product code: 4604 · Recommended use and restriction on use · Recommended use: Oil additive · Restrictions on use: No relevant information available. · Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Rislone **RÍSLONE** P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321 · Emergency telephone number: ChemTel Inc. 255-3924 (North America) (800) (801) 1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture Skin Sens. 1 H317 May cause an allergic skin reaction. [•] Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS07 · Signal word: Warning · Hazard statements: H317 May cause an allergic skin reaction. · Precautionary statements: Avoid breathing mist, vapors, or spray. P261 P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves. P302+P352 If on skin: Wash with plenty of soap and water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P363 Wash contaminated clothing before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. **Other hazards** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

(Cont'd. on page 2)

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09 December 2021

Revision: 09 December 2021

4604 Rislone® Power Steering Stop Whine with Leak Repair

	(Cont'd. of page
· Chemical	characterization: Mixtures
Componer	
61791-44-4	ethanol, 2,2'-iminobis-, N-tallow alkylderivs. Met. Corr.1, H290; Skin Corr. 1C, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Sens. 1B, H317
Note L: The less than 3 lubricating index meth For the liste	information: e classification as a carcinogen need not apply if it can be shown that the substance contain % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unus base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refraction od', Institute of Petroleum, London. This product meets these requirements. ed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. ding of the listed Hazard Statements, refer to section 16.
First-aid	measures
	on of first aid measures
	ation: Supply fresh air; consult doctor in case of complaints.
After skin	
	y remove any clothing soiled by the product.
	y wash with water and soap and rinse thoroughly.
	ion or rash occurs: Get medical advice/attention.
· After eye c	
	ntact lenses if worn.
	ed eye for several minutes under running water. If symptoms persist, consult a doctor.
After swall	
	nouth and then drink plenty of water.
	ce vomiting; immediately call for medical help.
	rtant symptoms and effects, both acute and delayed:
Allergic rea	
	at effect on eyes. case of ingestion.
	ntestinal disorders when ingested.
	of any immediate medical attention and special treatment needed:
	and mucous membrane with antihistamine and corticoid preparations.
	hanol, 2,2'-iminobis-, N-tallow alkylderivs May produce an allergic reaction.
Fire-figh	ing measures
	hing media
Extinauis	tinguishing agents:
• Extinguis • Suitable ex	
Suitable ex	
• Suitable ex Foam	(tinguishing agents
Suitable ex Foam Gaseous e	ktinguishing agents kide
Suitable ex Foam Gaseous e Carbon dio	

For safety reasons unsuitable extinguishing agents: Water
 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

(Cont'd. on page 3)

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09 December 2021

Revision: 09 December 2021

4604 Rislone® Power Steering Stop Whine with Leak Repair

(Cont'd. of page 2)

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Particular danger of slipping on leaked/spilled product.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers).

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Remove from the water surface (e.g. skim or suck off).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

• Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep containers tightly sealed.

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

(Cont'd. on page 4)

Revision: 09 December 2021

Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09 December 2021

4604 Rislone® Power Steering Stop Whine with Leak Repair (Cont'd. of page 3) · Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Exposure controls General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. · Engineering controls: No relevant information available. **Breathing equipment:** Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Eye protection: Safety glasses · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No relevant information available. · Risk management measures No relevant information available.

Physical and chemical properties						
Information on basic physical and chemical properties						
Appearance:						
Form:	Liquid					
Color:	Red					
· Odor:	Petroleum-like					
· Odor threshold:	Not determined.					
· pH-value:	Not determined.					
• Melting point/Melting range:	Not determined.					
Boiling point/Boiling range:	Not determined.					
· Flash point:	246 °C (474.8 °F)					
· Flammability (solid, gaseous):	Not applicable.					
· Auto-ignition temperature:	Not determined.					
		(Cont'd. on page				

Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09 December 2021

Revision: 09 December 2021

4604 Rislone® Power Steering Stop Whine with Leak Repair

		(Cont'd. of page 4
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	0.886	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic at 40 °C (104 °F):	475 mm²/s	
Other information	No relevant information available.	

10 Stability and reactivity

• **Reactivity:** No relevant information available.

· Chemical stability:

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition, do not overheat.

[•] Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and oxidizing agents.

- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers
- [•] Hazardous decomposition products

Carbon monoxide and carbon dioxide Hydrocarbons

11 Toxicological information

[·] Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

- LD/LC50 values that are relevant for classification: None.
- Primary irritant effect:

• On the skin: Slight irritant effect on skin and mucous membranes.

(Cont'd. on page 6)

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09 December 2021

Revision: 09 December 2021

4604 Rislone® Power Steering Stop Whine with Leak Repair

(Cont'd. of page 5)

• On the eye: Slight irritant effect on eyes.

 \cdot Sensitization: Sensitization possible through skin contact.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Repeated dose toxicity: Repeated exposure may result in skin sensitivity.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- [·] Toxicity
- Aquatic toxicity The material is harmful to the environment.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Ecotoxical effects:
- Remark: Due to mechanical actions of the product (e.g. agglutinations), damages may occur.
- [•] Additional ecological information

· General notes: Avoid release to the environment.

• Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Contact waste processors for recycling information.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 7)

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09 December 2021

Revision: 09 December 2021

4604 Rislone® Power Steering Stop Whine with Leak Repair

(Cont'd. of page 6)

[·] Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

4 Transport information		
[·] UN-Number [·] DOT, ADR, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
[·] Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
 Packing group DOT, ADR, IMDG, IATA 	Not regulated.	
· Environmental hazards · Marine pollutant:	No	
• Special precautions for user	Not applicable.	
 Transport in bulk according to Anne MARPOL73/78 and the IBC Code 	x II of Not applicable.	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for females:

(Cont'd. on page 8)

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 09 December 2021

Revision: 09 December 2021

4604 Rislone® Power Steering Stop Whine with Leak Repair

(Cont'd. of page 7)

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision December 09, 2021 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com