According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date 12 October 2014 Revision: 09 August 2022

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- Trade name: Rislone® Compression Repair with Ring Seal
- **Article number:** 4447, 44447
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Oil additive.
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Rislone P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321

· Distributor:

Keizin Automotive Ltd Unit B6, Glen Murray Ind. Park 13 Moreland Drive, Redhill 4051 PO Box 201728, Durban North, 4016 South Africa



ChemTel Inc. (800)255-3924, +1 (813)248-0585

Keizin Automotive Ltd. 27 (31) 569 2221



2 Hazards identification

· Classification (Australia, New Zealand)

Australia NOHSC - Hazardous Substance (Classified according to Worksafe Australia NOHSC 2011 National Code of Practice)

Australia ADG - Non-Dangerous Goods (Classified according to National Transport Commission Australian Dangerous Goods Code)

New Zealand HSNO - Hazardous (Classified according to the Minimum Degrees of Hazard Regulations

· Hazard statements (New Zealand HSNO Classification)

HSNO 6.5B Skin Sens. 1 H317 May cause an allergic skin reaction.

Eye Irrit. 2B HSNO 6.4A H320 Causes eye irritation.

HSNO 9.1D Aquatic Chronic 4 H413 May cause long lasting effects to aquatic life.

· Hazard pictograms



- Signal word Warning
- · Hazard statements

The following Hazard Statements are only applicable to New Zealand, and are not applicable to Australia: H413.

(Contd. on page 2)

According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date 12 October 2014 Revision: 09 August 2022

Trade name: Rislone® Compression Repair with Ring Seal

(Contd. of page 1)

H320 Causes eye irritation.

H317 May cause an allergic skin reaction.

H413 May cause long lasting harmful effects to aquatic life.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing mist/vapours/spray.
P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Hazard description:
- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous	components:	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic, <3% dimethyl sulfoxide) Aquatic Chronic 4, H413	>75%
25038-36-2	Ethylene/propylene/diene terpolymer © Eye Irrit. 2A, H319	< 10%
68649-42-3	Zinc Dialkyldithiophosphate Eye Dam. 1, H318 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Skin Sens. 1, H317 Aquatic Acute 2, H401	< 10%
	Proprietary Anionic Polyacrylamide © Eye Irrit. 2A, H319	< 10%

4 First aid measures

- · Description of first aid measures
- · General information: Take affected persons out into the fresh air.
- After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date 12 October 2014 Revision: 09 August 2022

Trade name: Rislone® Compression Repair with Ring Seal

(Contd. of page 2)

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· Most important symptoms and effects, both acute and delayed

Nausea

Cramp

Dizziness

Coughing

· Hazards

Condition may deteriorate with alcohol consumption.

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

Monitor circulation.

Medical supervision for at least 48 hours.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Alcohol resistant foam

Fire-extinguishing powder

Gaseous extinguishing agents

Water haze or fog

· For safety reasons unsuitable extinguishing agents:

Water with full jet

Water spray

Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information Cool endangered receptacles with water fog or haze.

(Contd. on page 4)

According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date 12 October 2014 Revision: 09 August 2022

Trade name: Rislone® Compression Repair with Ring Seal

(Contd. of page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

Store receptacle in a well ventilated area.

Keep container tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs** No further relevant information available.
- · PNECs No further relevant information available.

(Contd. on page 5)

According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date 12 October 2014 Revision: 09 August 2022

Trade name: Rislone® Compression Repair with Ring Seal

(Contd. of page 4)

- · Additional information: The lists valid during the making were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable: Rubber gloves
- Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- Appearance:

Form: Liquid

Colour: Amber coloured

(Contd. on page 6)

Safety Data Sheet
According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date 12 October 2014 Revision: 09 August 2022

Trade name: Rislone® Compression Repair with Ring Seal

	(Contd. of page
· Odour: · Odour threshold:	Solvent-like Not determined.
· pH-value:	Not determined.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Not Determined. Undetermined.
· Flash point:	>116 °C
· Flammability (solid, gaseous):	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not determined.
Density at 20 °C: Relative density Vapour density Evaporation rate	0.85 g/cm³ Not determined. Not determined. Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
· Solvent content: Organic solvents:	Not determined.
Solids content: Other information	Not determined. No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidising agents.

(Contd. on page 7)

According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date 12 October 2014 Revision: 09 August 2022

Trade name: Rislone® Compression Repair with Ring Seal

(Contd. of page 6)

Reacts with peroxides and other radical forming substances.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

- · Conditions to avoid Store away from oxidising agents.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

Hydrocarbons

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitisation: Sensitisation possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: The product contains materials that are harmful to the environment.
- Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Due to mechanical actions of the product (e.g. agglutinations) damages may occur.
- · Additional ecological information:
- General notes:

This statement was deduced from products with a similar structure or composition.

Avoid transfer into the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date 12 October 2014 Revision: 09 August 2022

Trade name: Rislone® Compression Repair with Ring Seal

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Delivery of waste oil to officially authorized collectors only.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADG, ADN, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADG, ADN, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADG, ADN, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADG, IMDG, IATA	Not Regulated	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 9)

According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date 12 October 2014 Revision: 09 August 2022

Trade name: Rislone® Compression Repair with Ring Seal

(Contd. of page 8)

· Proposition 65 (California):

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· Carcinogenic Categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients are listed.

· Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

TGA Schedule 5 poison (Hydrocarbon Liquids)

· HSNO Chemical Classification and Information Database (CCID)

None of the ingredients are listed.

New Zealand Inventory of Chemicals (NZIOC)

All ingredients are listed.

· Chemical safety assessment

New Zealand

Group Standard Allocation and EPA Approval Code:

Fuel Additives (Subsidiary Hazard) Group Standard 2006

HSNO Approval - HSR002585

HSNO Control & Classes: 6.4A, 6.5B, 9.1D Trigger quantities for this substance: Trigger Quantity

Approved Handler Not Required

(Contd. on page 10)

According to Australia NOHSC (2011) and NZ HSNO (2006) Codes of Practice

Printing date 12 October 2014 Revision: 09 August 2022

Trade name: Rislone® Compression Repair with Ring Seal

(Contd. of page 9)

Location Certificate Not Required

Tracking Trigger Quantities Not applicable

Signage Trigger Quantities 10 000L (9.1D)

Emergency Response Plan trigger Quantities 1 000L (6.5B)

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - AcuteHazard, Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com