

# Safety Data Sheet

In accordance with SANS

Revision: 21 October 2022

## 1. Identification

### Product identifier

**Trade name:** Rislone® Diesel Fuel System Treatment – Left Side  
**Product code:** 44740

### Recommended use and restriction on use

**Recommended use:** Treatment for diesel fuel

**Restrictions on use:** No further relevant information available.

### Details of the supplier of the Safety Data Sheet

#### Manufacturer/Supplier:

Rislone  
P.O. Box 187  
Holly, MI 48442 USA  
Phone: (810) 603-1321



#### Distributor:

Keizin Automotive  
Unit B6, Glen Murray Ind. Park  
PO Box 201728, Durban North, 4016  
South Africa

#### Emergency telephone number:

ChemTel Inc.  
(800) 255-3924 (North America)  
+1 (813) 248-0585 (International)

## 2. Hazards identification

### GHS Classification

Flammable liquids	Category 4 – (H227)
Aspiration hazard	Category 1 – (H304)
Germ cell mutagenicity	Category 1B – (H340)
Carcinogenicity	Category 1B – (H350)

### Label elements

Health hazard



**Signal word:** Danger

**Hazard Statements:**

# Safety Data Sheet

In accordance with SANS

Revision: 21 October 2022

**Trade Name: Rislone® Diesel Fuel System Treatment – Left Side**

H227 Combustible liquid.  
H304 May be fatal if swallowed and enters airways.  
H340 May cause genetic defects  
H350 May cause cancer

### Precautionary Statements- Prevention

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

### Precautionary Statements- Response

IF exposed or concerned: Get medical advice/attention  
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
Do NOT induce vomiting  
In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

### Precautionary Statements- Storage

Store locked up  
Store in a well-ventilated place. Keep cool

### Precautionary Statements- Disposal

Dispose of contents/container to an approved waste disposal plant

### Other hazards which do not result in classification

May be harmful if swallowed.  
May be harmful in contact with skin.  
Toxic to aquatic life with long lasting effects.

**General Hazards:** No information available.

## 3. Composition and information on ingredients

**Substance:** Not applicable.

### Chemical characterization: Mixtures

Chemical name	CAS No	Weight-%
Petroleum distillates, hydrotreated light	64742-47-8	80-100%
2-Ethylhexyl nitrate	27247-96-7	1-5%
Naphtha (petroleum), heavy aromatic	64742-94-5	1-5%
Petroleum naphtha, light aromatic	64742-95-6	1-5%
1,2,4 Trimethylbenzene	95-63-6	0.1-1%
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	0.1-1%
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	0.1-1%
2,6-Di-ter-butylphenol	128-39-2	0.1-1%
Third Party Formulation	-	0-10%

In accordance with SANS

Revision: 21 October 2022

**Trade Name: Rislone® Diesel Fuel System Treatment – Left Side****Note****4. First-aid measures****Description of first aid measures****General advice:**

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. Immediate medical attention is required.

**Emergency telephone number**

Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

**After inhalation:**

Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.

**After eye contact:**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.

**After skin contact:**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

**After ingestion:**

Aspiration hazard if swallowed- can enter lungs and cause damage. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

**Self-protection of the first aider:**

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

**Most important symptoms and effects, both acute and delayed:**

Difficulty in breathing.

Coughing and/or wheezing.

Dizziness.

**Indication of any immediate medical attention and special treatment needed****Note to physicians:**

Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.

**5. Fire-fighting measures****Extinguishing media****Suitable extinguishing agents:**

Dry chemical

Carbon dioxide (CO<sub>2</sub>)

# Safety Data Sheet

Page 4 of 14

In accordance with SANS

Revision: 21 October 2022

**Trade Name: Rislone® Diesel Fuel System Treatment – Left Side**

Water spray

Alcohol resistant foam

**For safety reasons unsuitable extinguishing agents:** No information available.

**Special hazards arising from the substance or mixture:**

Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray.

**Hazardous combustion products:** Carbon oxides.

**Advice for firefighters**

**Protective equipment:**

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment

**Hazchem code:** •3Z

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions**

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Ensure adequate ventilation.

**Other information:** Refer to protective measures listed in Sections 7 and 8.

**For emergency responders:** Use personal protection recommended in Section 8.

**Environmental precautions:**

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.

**Methods and material for containment and cleaning up**

**Methods for containment**

Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.

**Methods for cleanup**

Take precautionary measures against static discharges. Dam up. Soap up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Precautions to prevent secondary hazards**

**Prevention of secondary hazards:** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. Handling and storage

**Handling:**

**Precautions for safe handling**

Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static

# Safety Data Sheet

In accordance with SANS

Revision: 21 October 2022

## Trade Name: Rislone® Diesel Fuel System Treatment – Left Side

discharges. Use with local exhaust ventilation. Hand in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

### General hygiene considerations:

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

### Conditions for safe storage, including any incompatibilities

#### Storage conditions:

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with particular national regulation. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

**Incompatible materials:** None known based on information supplied.

## 8. Exposure controls/personal protection

### Control parameters

#### Exposure limits

Chemical name	Australia	ACGIH TLV
Petroleum distillates, hydrotreated light 64742-47-8		TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> (as oil mist)
1,2,4 Trimethylbenzene 95-63-6		TWA: 10 ppm
Petroleum distillates, hydrotreated light paraffinic 64742-55-8		TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> (as oil mist)
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral STEL: TWA: 10 mg/m <sup>3</sup> , as oil mist, mineral
Third Party Formulation	10 ppm TWA 52 mg/m <sup>3</sup> TWA 15 ppm STEL 79 mg/m <sup>3</sup> STEL	TWA: 10 ppm S*

**Legend:** See section 16 for terms and abbreviations

Chemical name	Australia	ACGIH
Third Party Formulation		- (1-Naphthol with hydrolysis plus 2-Naphthol with hydrolysis)- end of shift

### Appropriate engineering controls

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing safety goggles.

#### Skin and body protection

Wear suitable protective clothing.

#### Hand protection

Wear suitable gloves.

# Safety Data Sheet

In accordance with SANS

Revision: 21 October 2022

Trade Name: Rislone® Diesel Fuel System Treatment – Left Side

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** No information available.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

#### General information

<b>Appearance</b>	
<b>Form</b>	Liquid
<b>Colour</b>	Green
<b>Odour</b>	Petroleum
<b>Odour threshold</b>	Not determined.
<b>Change in condition</b>	
<b>Melting point/Melting range</b>	Not determined.
<b>Boiling point/Boiling range</b>	150°C (302°F)
<b>Flammability (solid, gaseous)</b>	Flammable.
<b>Explosive properties</b>	No information available.
<b>Explosion limits</b>	
<b>Lower</b>	Not determined.
<b>Upper</b>	Not determined.
<b>Oxidising properties</b>	Non-oxidising.
<b>Flash point</b>	62°C (144°F)
<b>Auto/Self-ignition temperature</b>	Not determined.
<b>Decomposition temperature</b>	Not determined.
<b>pH-value</b>	Not determined.
<b>Viscosity</b>	
<b>Dynamic</b>	Not determined.
<b>Kinematic</b>	Not determined.
<b>Solubility in/Miscibility with water</b>	Immiscible
<b>Partition coefficient (n-octanol/water) at 20°C</b>	Not determined.
<b>Vapour pressure</b>	Not determined.
<b>Density</b>	
<b>Relative density</b>	0.82
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Particle characteristics</b>	Not determined.
<b>Other information</b>	No further relevant information available.

In accordance with SANS

Revision: 21 October 2022

**Trade Name: Rislone® Diesel Fuel System Treatment – Left Side**

## 10. Stability and Reactivity

**Reactivity** No information available.**Chemical stability** Stable under normal conditions.**Sensitivity to Mechanical Impact:** None**Sensitivity to Static Discharge:** Yes**Possibility of hazardous reactions:** None under normal processing**Hazardous Polymerization:** Hazardous polymerization does not occur.**Conditions to avoid:** Heat, flames and sparks.**Incompatible materials** None known based on information supplied.**Hazardous decomposition products** Carbon oxides

## 11. Toxicological information

### Information on toxicological effects

**Acute toxicity:** Based on available data, the classification criteria are not met.

### Product information

#### Inhalation:

Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.

#### Eye contact:

Specific test data for the substance or mixture is not available. May cause irritation.

#### Skin contact:

Repeated exposure may cause skin dryness or cracking. May be harmful in contact with skin.

#### Ingestion:

Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

#### Symptoms:

Difficulty breathing.

Coughing and/or wheezing.

Dizziness.

### Numerical measures of toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Mg/kg (rat) Estimated

# Safety Data Sheet

In accordance with SANS

Revision: 21 October 2022

Trade Name: Rislone® Diesel Fuel System Treatment – Left Side

## Component information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light	>5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	>5.2 mg/L (Rat) 4h
2-Ethylhexyl nitrate	>9600 mg/kg (Rat)	>4800 mg/kg (Rabbit)	>14 mg/L (Rat) 4h
Naphtha (petroleum), heavy aromatic	>5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	>590 mg/m <sup>3</sup> (Rat) 4h
Petroleum naphtha, light aromatic	=8400 mg/kg (Rat)	>2000 mg/kg (Rabbit)	=3400 ppm (Rat) 4h
1,2,4 Trimethylbenzene	=3280 mg/kg (Rat)	>3160 mg/kg (Rabbit)	=18 g/m <sup>3</sup> (Rat) 4h
Petroleum distillates, hydrotreated light paraffinic	-	-	=3900 mg/m <sup>3</sup> (Rat) 4h
Petroleum distillates, hydrotreated heavy paraffinic	>15 g/kg (Rat)	>5000 mg/kg (Rabbit)	-
2,6-Di-tert-butylphenol	>5000 mg/kg (Rat)	>10 g/kg (Rabbit)	-
Third Party Formulation	=1110 mg/kg (Rat)	=1120 mg/kg (Rabbit)	>0.4 mg/L (Rat) 4h

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation:** No information available.

**Serious eye damage/irritation:** No information available.

**Respiratory or skin sensitisation:** No information available.

**Germ cell mutagenicity:** Contains a known or suspected mutagen. Classification based on data available for ingredients. May cause genetic defects.

**Carcinogenicity:** Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia
Petroleum naphtha, light aromatic	Carc. 1A
Petroleum distillates, hydrotreated light paraffinic	Carc. 1B
Petroleum distillates, hydrotreated heavy paraffinic	Carc. 1B
Third Party Formulation	Carc. 2

**Reproductive toxicity:** No information available.

**STOT-single exposure:** No information available.

**STOT-repeated exposure:** No information available.

**Aspiration hazard:** May be fatal if swallowed and enters airways.

## 12. Ecological information

### Ecotoxicity

**Ecotoxicity:** Toxic to aquatic life with long lasting effects

**Unknown aquatic toxicity:** 0% of the mixture consists of component(s) of unknown hazards to the aquatic environment.



# Safety Data Sheet

In accordance with SANS

Revision: 21 October 2022

Trade Name: Rislone® Diesel Fuel System Treatment – Left Side

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated light	No data available	96h LC50: =2.2 mg/L (Lepomis macrochirus) 96h LC50: =2.4 mg/L (Oncorhynchus mykiss) 96h LC50: =45 mg/L (Pimephales promelas)	No data available	No data available
2-Ethylhexyl nitrate	No data available	96h LC50: =2 mg/L (Danio rerio)	EC50 = 100 mg/L 15 min	No data available
Naphtha (petroleum), heavy aromatic	No data available	96h LC50: =1740 mg/L (Lepomis macrochirus) 96h LC50: =19 mg/L (Pimephales promelas) 96h LC50: =2.34 mg/L (Oncorhynchus mykiss) 96h LC50: =41 mg/L (Pimephales promelas) 96h LC50: =45 mg/L (Pimephales promelas)	No data available	48h EC50: =0.95 mg/L (Daphnia magna)
Petroleum naphtha, light aromatic	No data available	96h LC50: =9.22 mg/L (Oncorhynchus mykiss)	No data available	48h EC50: =6.14 mg/L (Daphnia magna)
1,2,4 Trimethylbenzene	No data available	96h LC50: 7.19-8.28 mg/L (Pimephales promelas)	No data available	48h EC50: =6.14 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated light paraffinic	No data available	96h LC50: >5000 mg/L (Oncorhynchus mykiss)	No data available	48h EC50: >1000 mg/L (Oncorhynchus mykiss)
Petroleum distillates, hydrotreated heavy paraffinic	No data available	96h LC50: >5000 mg/L (Oncorhynchus mykiss)	No data available	48h EC50: >1000 mg/L (Daphnia magna)
2,6-Di-tert-butylphenol	No data available	No data available	No data available	48h EC50: =0.45 mg/L (Daphnia magna)
Third Party Formulation	No data available	96h LC50:0.91-2.82 mg/L (Oncorhynchus mykiss) 96h LC50: 5.74-6.44 mg/L (Pimephales promelas) 96h LC50: =1.6 mg/L (Oncorhynchus mykiss) 96h LC50: =1.99 mg/L (Pimephales promelas)	EC50 =0.93 mg/L 30 min EC50 >20 mg/L 18 h	48h EC50: 1.09-3.4 mg/L (Daphnia magna) 48h EC50: =1.96 mg/L (Daphnia magna) 48h LC50: =2.16 mg/L (Daphnia magna)

# Safety Data Sheet

In accordance with SANS

Revision: 21 October 2022

**Trade Name: Rislone® Diesel Fuel System Treatment – Left Side**

		96h LC50: =31.0265 mg/L (Lepomis macrochirus)		
--	--	---	--	--

**Persistence and degradability:** No information available**Bioaccumulative potential****Component information**

Chemical name	Partition coefficient
2-Ethylhexyl nitrate	5.24
Naphtha (petroleum), heavy aromatic	6.5
1,2,4 Trimethylbenzene	3.63
2,6-Di-tert-butylphenol	4.5
Third Party Formulation	3.4

**Mobility in soil:** No information available**Mobility:** No information available**Other adverse effects:** No information available

## 13. Disposal considerations

**Waste treatment methods****Waste from residues/unused products**

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging:**

Do not reuse empty containers.

## 14. Transport information

**ADG** Not applicable  
**Hazchem code** •3Z**IATA** Not applicable**IMDG/IMO** Not applicable  
**Hazard Class** N/A**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

No information available.

## 15. Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

# Safety Data Sheet

In accordance with SANS

Revision: 21 October 2022

Trade Name: Rislone® Diesel Fuel System Treatment – Left Side

## National regulations

### Australia

See section 8 for national exposure control parameters

### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

The below table provides the relevant information for classification of this product according to the regulation. This information should be used to appropriately determine if a classification is relevant to the overall product.

Chemical name	Weight-%	Poison Schedule Number	Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)
Petroleum distillates, hydrotreated light	88.2533	5	5: including Kerosene, Diesel [distillate], Mineral turpentine, White petroleum spirit, Toluene, Xylene and light mineral and paraffin oils but except their derivative; except a) Toluene and Xylene when included in Schedule 6, b) Benzene and liquid aromatic hydrocarbons when included in Schedule 7, c) food grade and pharmaceutical grade White mineral oil, d) in solid or semi-solid preparations, e) in preparations containing <=25% of designated solvents, f) in preparations packed in pressurized spray packs, g) in adhesives packed in containers containing <=50 grams of adhesive, h) in writing correction fluids and thinners for writing correction fluids packed in containers having a capacity of <=20mL, or i) in other preparations when packed in containers with a capacity of <=2mL
Third Party Formulation	0-10%	6	6: except its derivatives; except in liquid hydrocarbons

## National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Naphtha (petroleum), heavy aromatic	20 MW Threshold category 2b total 60000 MWH Threshold category 2b total 1 tonne/h Threshold category 2a total 25 tonne/yr Threshold category 1a total 400 tonne/yr Threshold category 2a total 2000 tonne/yr Threshold category 2b total
1,2,4 Trimethylbenzene	20 MW Threshold category 2b total 60000 MWH Threshold category 2b total 1 tonne/h Threshold category 2a total 25 tonne/yr Threshold category 1a total 400 tonne/yr Threshold category 2a total

# Safety Data Sheet

In accordance with SANS

Revision: 21 October 2022

**Trade Name: Rislone® Diesel Fuel System Treatment – Left Side**

	2000 tonne/yr Threshold category 2b total
Third Party Formulation	20 MW Threshold category 2b total 60000 MWH Threshold category 2b total 1 tonne/h Threshold category 2a total 25 tonne/yr Threshold category 1a total 400 tonne/yr Threshold category 2a total 2000 tonne/yr Threshold category 2b total

## International inventories

<b>TSCA</b>	Contact supplier for inventory compliance status.
<b>DSL/NDSL</b>	Contact supplier for inventory compliance status.
<b>EINECS/ELINCS</b>	Contact supplier for inventory compliance status.
<b>ENCS</b>	Contact supplier for inventory compliance status.
<b>IECSC</b>	Contact supplier for inventory compliance status.
<b>KECL</b>	Contact supplier for inventory compliance status.
<b>PICCS</b>	Contact supplier for inventory compliance status.
<b>AICS</b>	Contact supplier for inventory compliance status.

## Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances

## International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer:** Not applicable**The Stockholm Convention on Persistent Organic Pollutants:** Not applicable**The Rotterdam Convention:** Not applicable

## 16. Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Date of preparation of latest revision of SDS

October 5, 2022: Revised SDS to comply with The Model Work Health and Safety Regulation, and the Globally Harmonized System of Classification and Labelling of Chemicals 7<sup>th</sup> Revised Edition.

### Abbreviations and acronyms:

TWA Ceiling	TWA (time-weighted average) Maximum limit value	STEL	STEL (Short Term Exposure Limit)
C	Carcinogen	-	Skin designation

# Safety Data Sheet

In accordance with SANS

Revision: 21 October 2022

**Trade Name: Rislone® Diesel Fuel System Treatment – Left Side**

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID) Japan GHS Classification  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

SDS Prepared by:  
Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

### Document Review: ATTENTION!

**Standard for Uniform Scheduling of Medicines and Poisons (SUSMP):** The below table provides the relevant information for classification of this product according to the regulation. This information should be used to appropriately determine if a classification is relevant to the overall product.

**Poison Schedule Number: 6**

**Source Information: Present**

Chemical name	Poison Schedule Number	Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)
Petroleum distillates, hydrotreated light	5	5: including Kerosene, Diesel [distillate], Mineral turpentine, White petroleum spirit, Toluene, Xylene and light mineral and paraffin oils but except their derivative; except a) Toluene and Xylene when included in Schedule 6, b) Benzene and liquid aromatic hydrocarbons when included in Schedule 7, c) food grade and pharmaceutical grade White mineral oil, d) in solid or semi-solid preparations, e) in preparations containing <=25% of designated solvents, f) in preparations packed in pressurized spray packs, g) in adhesives packed in containers each containing <=50 grams of adhesive, h) in writing correction fluids and thinners for writing correction fluids

# Safety Data Sheet

In accordance with SANS

Revision: 21 October 2022

**Trade Name: Rislone® Diesel Fuel System Treatment – Left Side**

		packed in containers having a capacity of <=20 mL, or i) in other preparations when packed in containers with a capacity of <=2 mL
Third Party Formulation	6	6: except its derivatives; except in liquid hydrocarbons

Flammable liquids                      Category 4  
H227- Combustible liquid  
Other hazards                            May be harmful if swallowed. May be harmful in contact with skin. Toxic to aquatic life. Combustible liquid.  
Composition                              99.749  
Inhalation Statement                    Liquid or Aerosol  
Health hazards                            Health hazard  
Health hazards                            Health hazard  
Environmental hazards                    Environment  
Packing Group in Arabic Number 999