according to JIS Z7253

RÍSLONE

Revision: April 06, 2020

1 Identification

· Product identifier

- Trade name: Rislone Diesel Additive Left Side
- · Product code: 61740
- · Application of the substance / the mixture Treatment for diesel fuel.
- · Uses advised against No relevant information available.
- Details of the supplier of the Safety Data Sheet
 Manufacturer/Supplier:
 Rislone
 P.O. Box 187

Holly, MI 48442 USA Phone: (810) 603-1321

 Emergency telephone number: ChemTel Inc.
 (800)255-3924 (North America)
 +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 4	H227	Combustible liquid.
Carc. 2	H351	Suspected of causing cancer. Route of exposure: Inhalation.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.
Aquatic Acute 3	H402	Harmful to aquatic life.
Aquatic Chronic 2	H411	Toxic to aquatic life with long lasting effects.

[·] Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



Signal word: Danger
Hazard-determining components of labeling: Distillates (petroleum), hydro-treated light Naphthalene Solvent naphtha (petroleum), heavy arom. Solvent naphtha (petroleum), light arom.
Hazard statements: H227 Combustible liquid. H351 Suspected of causing cancer. Route of exposure: Inhalation. H304 May be fatal if swallowed and enters airways. H402 Harmful to aquatic life. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements: P201 Obtain special instructions before use.

(Cont'd. on page 2)

according to JIS Z7253

Revision: April 06, 2020

Trade name: Rislone Diesel Additive - Left Side

(Cont'd. from page 1) P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from flames and hot surfaces. No smoking. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. P308+P313 If exposed or concerned: Get medical advice/attention. P370+P378 In case of fire: Use to extinguish: CO2, powder or water spray. Collect spillage. P391 P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Other hazards There are no other hazards not otherwise classified that have been identified. · Results of PBT and vPvB assessment: · **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

64742-47-8	Distillates (petroleum), hydro-treated light	60-80
	Asp. Tox. 1, H304 Flam. Liq. 4, H227	
27247-96-7	2-Ethylhexyl Nitrate	<10
	Aquatic Chronic 2, H411 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Flam. Liq. 4, H227	
64742-94-5	Solvent naphtha (petroleum), heavy arom.	<10
	 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; STOT SE 3, H336 Flam. Liq. 4, H227 	
64742-95-6	Solvent naphtha (petroleum), light arom.	<5%
	 Flam. Liq. 3, H226 Asp. Tox. 1, H304 	
95-63-6	1,2,4-trimethylbenzene	<2.5
	 Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 	
	Aquatic Acute 2, H401	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	<2.5
	🚸 Asp. Tox. 1, H304	
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	<2.5
	🕹 Asp. Tox. 1, H304	

according to JIS Z7253

Revision: April 06, 2020

Trade name: Rislone Diesel Additive - Left Side

(Cont'd. 91-20-3 Naphthalene	from page 2)
 Flam. Sol. 2, H228 Carc. 2, H351 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302 	
104-76-7 2-Ethyl-1-hexanol Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 Flam. Liq. 4, H227; Aquatic Acute 3, H402	<1%
• Additional information: For the wording of the listed Hazard Statements, refer to section 16.	

4 First-aid measures

[•] Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately remove any clothing soiled by the product.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

· Most important symptoms and effects, both acute and delayed:

Breathing difficulty

Coughing

· Danger:

Danger of impaired breathing.

May be fatal if swallowed and enters airways.

May cause cancer. Route of exposure: Inhalation.

Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents:

Foam

Carbon dioxide Fire-extinguishing powder

Gaseous extinguishing agents

Water fog / haze

• For safety reasons unsuitable extinguishing agents: Water stream.

(Cont'd. on page 4)

according to JIS Z7253

Revision: April 06, 2020

Trade name: Rislone Diesel Additive - Left Side

(Cont'd. from page 3)

• Special hazards arising from the substance or mixture No relevant information available.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information: Eliminate all ignition sources if safe to do so.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Flammable gas-air mixtures may be formed in empty containers/receptacles. Flammable liquid and vapor.

[•] Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles: Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

• **Specific end use(s)** No relevant information available.

according to JIS Z7253

Revision: April 06, 2020

Trade name: Rislone Diesel Additive - Left Side

(Cont'd. from page 4)

8 Exposure controls/personal protection

Control parameters

• Components with limit values that require monitoring at the workplace:

95-63-6 1,2,4-trimethylbenzene

OEL (Japan) Long-term value: 120 mg/m³, 25 ppm

104-76-7 2-Ethyl-1-hexanol

OEL (Japan) Long-term value: 5.3 mg/m³, 1 ppm

• Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment

No relevant information available.

Information on basic physical Appearance:	and chemical properties	
Form:	Liquid	
Color:	Clear to light yellow.	
Odor:	Mineral-oil-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	64 °C	
	04 0	(Cont'd. on pa

according to JIS Z7253

Revision: April 06, 2020

	(Cont'd. from page
Flammability (solid, gaseous):	Flammable.
Auto-ignition temperature:	Not determined.
•	
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Non-oxidizing.
Vapor pressure:	Not determined.
Density:	
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No relevant information available.

10 Stability and reactivity

• **Reactivity:** No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Flammable liquid and vapor.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

• Conditions to avoid Keep ignition sources away - Do not smoke.

· Incompatible materials Oxidizing agents.

· Hazardous decomposition products Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification: None.

(Cont'd. on page 7)

Safety Data Sheet according to JIS Z7253

Revision: April 06, 2020

(Cont'd. on page 8)

ade name: Rislone Diesel Additive - Left Side	
 Primary irritant effect: On the skin: Based on available data, the classification criteria are not met. On the eye: Based on available data, the classification criteria are not met. Sensitization: Based on available data, the classification criteria are not met. 	(Cont'd. from page 6)
· IARC (International Agency for Research on Cancer):	
91-20-3 Naphthalene	2B
 Probable route(s) of exposure: Ingestion. Inhalation. Eye contact. Skin contact. Germ cell mutagenicity: Based on available data, the classification criteria are not met Carcinogenicity: Suspected of causing cancer. Route of exposure: Inhalation. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. 	
2 Ecological information · Toxicity · Aquatic toxicity	
Toxic to aquatic life with long lasting effects.	
27247-96-7 2-Ethylhexyl Nitrate	
LC50 2 mg/l (zebra fish) (96hr)	
64742-94-5 Solvent naphtha (petroleum), heavy arom.	
LC50 3.6 mg/l (Oncorhynchus mykiss)	
91-20-3 Naphthalene	
LC50 1-10 mg/l (daphnia)	
 Persistence and degradability No relevant information available. Bioaccumulative potential: No relevant information available. Mobility in soil: No relevant information available. Ecotoxical effects: Remark: Toxic for fish 	
 Additional ecological information General notes: Do not allow product to reach ground water, water course or sewage system, even in sn Danger to drinking water if even extremely small quantities leak into the ground. 	nall quantities.
Also poisonous for fish and plankton in water bodies. • Results of PBT and vPvB assessment • PBT: Not applicable.	
 • vPvB: Not applicable. • Other adverse effects No relevant information available. 	

according to JIS Z7253

Revision: April 06, 2020

Trade name: Rislone Diesel Additive - Left Side

(Cont'd. from page 7)

[•] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT	NA1993
ADR/RID/ADN, IMDG, IATA	UN3082
UN proper shipping name	
DOT	Combustible liquid, n.o.s. (1,2,4-trimethylbenzer Naphthalene, crude)
ADR/RID/ADN	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (2-Ethylhexyl Nitrate, 1,2,4-trimeth benzene)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (1,2,4-trimethylbenzene, 2-Ethylhe: Nitrate)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (1,2,4-trimethylbenzene, 2-Ethylhe: Nitrate)
Transport hazard class(es)	
DOT	
CORRECT	
Class	3
	3 3
Label	
Label	
Label ADR/RID/ADN	
Label ADR/RID/ADN	3
Label ADR/RID/ADN Class Label	3 9 (M6)
Label ADR/RID/ADN	3 9 (M6)

Safety Data Sheet according to JIS Z7253

Revision: April 06, 2020

Trade name: Rislone Diesel Additive - Left Side		
	(Cont'd. from page 8)	
· Class · Label	9 9	
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	III	
 Environmental hazards Marine pollutant: 	Symbol (fish and tree)	
 Special precautions for user Hazard identification number (Kemler code): EMS Number: 	Warning: Miscellaneous dangerous substances and articles 90 F-E, <u>S-E</u>	
 Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code 	f Not applicable.	
[•] Transport/Additional information:	Not regulated when carried in single or combination packaging containing a net quantity of 5 L or less for liquids or 5 kg or less for solids per the following: DOT: 171.4(c)(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197	
· DOT	Classified as combustible under US DOT regulations. Labeling is only required for single packages ≥119 US gal / 450 L.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Substance Control Law

· Existing Ch	nemical Substances	
64742-47-8	Distillates (petroleum), hydro-treated light	
27247-96-7	2-Ethylhexyl Nitrate	2-3598
64742-94-5	Solvent naphtha (petroleum), heavy arom.	
64742-95-6	Solvent naphtha (petroleum), light arom.	
95-63-6	1,2,4-trimethylbenzene	3-7, 3-3427
	Distillates (petroleum), hydrotreated heavy paraffinic	
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	
91-20-3	Naphthalene	4-311
104-76-7	2-Ethyl-1-hexanol	2-217
64742-94-5	Solvent naphtha (petroleum), heavy arom.	
· Specified Chemical Substances		
None of the ingredients are listed.		
		(Cont'd. on page 10

Safety Data Sheet according to JIS Z7253

Revision: April 06, 2020

Monitoring /Type II Monitoring (before amendment) /Type III	(Cont'd. from
Chemical Substances	Monitoring (Berore america
95-63-6 1,2,4-trimethylbenzene	旧第三種監視化学
91-20-3 Naphthalene	旧第二種監視化学
Priority Assessment Chemical Substances	
95-63-6 1,2,4-trimethylbenzene	
91-20-3 Naphthalene	
Chemical Substances Relating to a Public Notice Pursuant to Article 4 of the Former Act	The Provisions of Paragrap
27247-96-7 2-Ethylhexyl Nitrate	
Biodegradation and Bioconcentration of Existing Chemical Subst	tances
95-63-6 1,2,4-trimethylbenzene	
91-20-3 Naphthalene	
104-76-7 2-Ethyl-1-hexanol	
Toxicity Tests Results	
95-63-6 1,2,4-trimethylbenzene	
PRTR Class 1 designated substances	
95-63-6 1,2,4-trimethylbenzene	
91-20-3 Naphthalene	
PRTR Class 2 designated substances	
None of the ingredients are listed.	
Poisonous and Deleterious Substances Control Act - Deleterious	s Substances
None of the ingredients are listed.	
Poisonous and Deleterious Substances Control Act - Poisonous	Substances
None of the ingredients are listed.	
Poisonous and Deleterious Substances Control Act - Specified P	Poisonous Substances
None of the ingredients are listed.	
Industrial Safety and Health Act Dangerous substances	
Explosive substances (Enforcement Ordinance Appendix 1 No. 1)	
None of the ingredients are listed.	
Combustible substances (Enforcement Ordinance Appendix 1 No	o. 2)
None of the ingredients are listed.	
Oxidizing substances (Enforcement Ordinance Appendix 1 No. 3)	
None of the ingredients are listed.	
Inflammable substances (Enforcement Ordinance Appendix 1 No.	. 4)
None of the ingredients are listed.	
Combustible gases (Enforcement Ordinance Appendix 1 No. 5)	
None of the ingredients are listed.	
Specified Chemical Substances	

according to JIS Z7253

Revision: April 06, 2020

(Cont'd. from page 10)

Trade name: Rislone Diesel Additive - Left Side

	N	lone	of the	e inared	ients a	are listed.
--	---	------	--------	----------	---------	-------------

· Group-2 substances

91-20-3 Naphthalene

· Group-3 substances

None of the ingredients are listed.

ĺ	 Hazardous Materials Requiring Notification (Appendix 9) 			
I	64742-47-8	Distillates (petroleum), hydro-treated light		
I	64742-95-6	Solvent naphtha (petroleum), light arom.		
I		1,2,4-trimethylbenzene		
I	64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic		
I	64742-55-8	Distillates (petroleum), hydrotreated light paraffinic		
İ	01 20 3	Naphthalene		

91-20-3 Naphthalene

Manufacturing licence–substances

None of the ingredients are listed.

• Ordinance on Prevention of Lead Poisoning (Enforcement Ordinance Appendix 4)

None of the ingredients are listed.

• Ordinance on Prevention of Tetraalkyl Lead Poisoning (Enforcement Ordinance Appendix 5) None of the ingredients are listed.

· Organic Solvent Poisoning Prevention Regulations (Enforcement Ordinance Appendix 6-2)

· First-class organic solvents, etc.

None of the ingredients are listed.

Second-class organic solvents, etc.

None of the ingredients are listed.

Third-class organic solvents, etc.

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative PRTR: Law concerning Pollutant Release and Transfer Register Flam. Liq. 3: Flammable liquids - Category 3 Flam. Liq. 4: Flammable liquids - Category 4 Flam. Sol. 2: Flammable solids - Category 2 Acute Tox. 4: Acute toxicity - oral - Category 4

according to JIS Z7253

Revision: April 06, 2020

Trade name: Rislone Diesel Additive - Left Side

(Cont'd. from page 11) Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2 Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com