according to 1907/2006/EC

Revision: 15 May 2023

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier · Trade name: Rislone Hy-per Cool Radiator Cleaner & Super Flush • **Product code:** 41240, 41201, 41212 • UFI: AN6P-D3UT-Y00C-D9T6 1.2 Relevant identified uses of the substance or mixture and uses advised against · Application of the substance / the mixture: Additive · Uses advised against: No further relevant information available. 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: RISLONE EU · Rydståv. 45 · S-424 91 OLOFSTORP · SWEDEN **RÍSLONE** · Telefon : +46 31 555088 · Website : www.risloneeu.com 1.4 Emergency telephone number: ChemTel Inc. (800) 255-3924 (North America) (801) 1 (813)248-0585 (International) SECTION 2: Hazards identification 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. <sup>•</sup> 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P264 Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection. P280 P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

(Cont'd. on page 2)

according to 1907/2006/EC

Revision: 15 May 2023

### Trade name: Rislone Hy-per Cool Radiator Cleaner & Super Flush

(Cont'd. from page 1)

P337+P313 If eye irritation persists: Get medical advice/attention.

• **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified. • **Results of PBT and vPvB assessment** 

• **PBT:** Not applicable.

· vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

### <sup>•</sup> 3.2 Mixtures

· Components:		
CAS: 9014-93-1	Dinonylphenyl polyoxyethylene	<2%
NLP: 500-209-1	🚸 Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 1310-58-3	Potassium hydroxide	<2%
EINECS: 215-181-3	Met. Corr.1, H290; Skin Corr. 1A, H314	
Index number: 019-002-00-8	🔥 Acute Tox. 4, H302	
Reg.nr.: 01-2119487136-33-XXXX	<b>`</b>	

• Additional information: For the wording of the listed Hazard Statements refer to section 16.

## **SECTION 4: First aid measures**

## · 4.1 Description of first aid measures

#### · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

#### • After skin contact:

Wash with soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

#### • After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Do not induce vomiting; call for medical help immediately.

# <sup>•</sup> 4.2 Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders when ingested.

Coughing

Cramp

Nausea in case of ingestion. Irritating to eves and skin.

imitating to eyes and skin.

• **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### <sup>•</sup> 5.1 Extinguishing media

#### • Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

(Cont'd. on page 3)

according to 1907/2006/EC

Revision: 15 May 2023

### Trade name: Rislone Hy-per Cool Radiator Cleaner & Super Flush

(Cont'd. from page 2)

• For safety reasons unsuitable extinguishing agents: None.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

### <sup>•</sup> 5.3 Advice for firefighters

### · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Use personal protective equipment as required.

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions Avoid release to the environment.
- 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

<sup>•</sup>7.1 Precautions for safe handling

Avoid breathing mist/vapours/spray.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Open and handle receptacle with care.

· Information about fire - and explosion protection: No special measures required.

## • 7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

• Information about storage in one common storage facility: No further relevant information available.

• 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

## <sup>•</sup> 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

# 1310-58-3 Potassium hydroxide

WEL (Great Britain) Short-term value: 2 mg/m<sup>3</sup>


OEL (Ireland) Short-term value: 2 mg/m<sup>3</sup>

• **DNELs:** No further relevant information available.

(Cont'd. on page 4)

according to 1907/2006/EC

Revision: 15 May 2023



9.1 Information on basic physic	cal and chemical properties	
Appearance		
Form:	Liquid	
Colour:	Blue	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Alkaline	
Melting point/freezing point:	Not determined.	
Initial boiling point and boiling ran	<b>ge:</b> ~100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Auto/Self-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidising properties	Non-oxidising.	

according to 1907/2006/EC

Revision: 15 May 2023

#### Trade name: Rislone Hy-per Cool Radiator Cleaner & Super Flush

		(Cont'd. from page 4)
· Vapour pressure:	Not determined.	
· Density:		
Relative density:	1,0-1,1	
Vapour density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
water:	Soluble.	
· Partition coefficient: n-octano	I/water: Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
<sup>•</sup> 9.2 Other information	No further relevant information available.	

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

- 10.2 Chemical stability Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong oxidising agents.

Reacts with strong acids.

· 10.4 Conditions to avoid Avoid acids.

• 10.5 Incompatible materials Strong acids.

• 10.6 Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

### 1310-58-3 Potassium hydroxide

Oral LD50 273 mg/kg (rat)

#### Primary irritant effect

· Skin corrosion/irritation:

Causes skin irritation.

# · Serious eye damage/irritation:

Causes serious eye irritation.

· Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

# · IARC (International Agency for Research on Cancer):

(Cont'd. on page 6)

according to 1907/2006/EC

Revision: 15 May 2023

### Trade name: Rislone Hy-per Cool Radiator Cleaner & Super Flush

(Cont'd. from page 5)

None of the ingredients are listed.

• **Probable routes of exposure:** Ingestion.

Inhalation.

Eve contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

• Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· STOT-single exposure: Based on available data, the classification criteria are not met.

· STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

· Additional ecological information:

· General notes: Avoid release to the environment.

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

\* 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

## <sup>•</sup> 13.1 Waste treatment methods

#### · Recommendation

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

•	14.1	UN-Number
	14.1	Ula-laullibel

· DOT, ADR/RID/ADN, IMDG, IATA

Not Regulated

14.2 UN proper shipping name

Not Regulated

(Cont'd. on page 7)

according to 1907/2006/EC

Revision: 15 May 2023

		(Cont'd. from pag
<sup>·</sup> 14.3 Transport hazard class(es)		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not Regulated	
<sup>·</sup> 14.4 Packing group <sup>·</sup> DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated	
<sup>·</sup> 14.5 Environmental hazards: <sup>·</sup> Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	

# **SECTION 15: Regulatory information**

<sup>•</sup> 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients are listed.

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

\* 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H290 May be corrosive to metals.H302 Harmful if swallowed.H314 Causes severe skin burns and eye damage.H315 Causes skin irritation.H319 Causes serious eye irritation.

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Cont'd. on page 8)

according to 1907/2006/EC

Revision: 15 May 2023

#### Trade name: Rislone Hy-per Cool Radiator Cleaner & Super Flush (Cont'd. from page 7) CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com