Printing date: 20 August 2018 Revision: 15 May 2023

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: Rislone Hy-Per Cool Super Flush & Cleaner

Product code: 41240, 41212

· Application of the substance / the mixture: Additive

· Uses advised against: No further relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Rislone P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321



· Distributor:

Keizin Automotive Unit B6, Glen Murray Ind. Park PO Box 201728, Durban North, 4016 South Africa

· Emergency telephone number:

ChemTel Inc.

(800) 255-3924 (North America) (801) 1 (813)248-0585 (International)

Keizin Automotive Ltd 27 (31) 569 2221

2 Hazards identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

(Cont'd. on page 2)

Page: 2/8

Safety Data Sheet According to South African National Standard 10234:2007

Printing date: 20 August 2018 Revision: 15 May 2023

Trade name: Rislone Hy-Per Lube Super Flush & Cleaner

(Cont'd. from page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

- Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Components:	
9014-93-1 Dinonylphenyl polyoxyethylene	<2%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319]
1310-58-3 Potassium hydroxide	<2%
Met. Corr.1, H290; Skin Corr. 1A, H314 Acute Tox. 4, H302	

Additional information: For the wording of the listed Hazard Statements refer to section 16.

4 First aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Wash with soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders when ingested.

Coughing

Cramp

Nausea in case of ingestion.

Irritating to eyes and skin.

Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents:

(Cont'd. on page 3)

Printing date: 20 August 2018 Revision: 15 May 2023

Trade name: Rislone Hy-Per Lube Super Flush & Cleaner

(Cont'd. from page 2)

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Use personal protective equipment as required.

Particular danger of slipping on leaked/spilled product.

- Environmental precautions Avoid release to the environment.
- Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
- Precautions for safe handling

Avoid breathing mist/vapours/spray.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Open and handle receptacle with care.

- Information about fire and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility: No further relevant information available.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

1310-58-3 Potassium hydroxide

(Cont'd. on page 4)

Printing date: 20 August 2018 Revision: 15 May 2023

Trade name: Rislone Hy-Per Lube Super Flush & Cleaner

(Cont'd. from page 3)

OEL (South Africa) Short-term value: 2 mg/m³
REL (USA) Ceiling limit: 2 mg/m³
TLV (USA) Ceiling limit: 2 mg/m³

- Exposure controls
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Avoid breathing mist/vapours/spray. Avoid contact with the eyes and skin.

· Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment: No special requirements.
- · Risk management measures: No special requirements.

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · Appearance

Form:
Colour:
Blue
Odourless
Odour threshold:
Not determined.

· pH-value: Alkaline

· **Melting point/freezing point:** Not determined.

· Initial boiling point and boiling range: ~100 °C

· Flash point: Not applicable.

• Flammability (solid, gas): Not applicable.

· Auto/Self-ignition temperature: Not determined.

• Decomposition temperature: Not determined.

• **Explosive properties:** Product does not present an explosion hazard.

· Explosion limits

(Cont'd. on page 5)

Page: 5/8

Safety Data Sheet According to South African National Standard 10234:2007

Printing date: 20 August 2018 Revision: 15 May 2023

Trade name: Rislone Hy-Per Lube Super Flush & Cleaner

		(Cont'd. from page 4
Lower: Upper: Oxidising properties	Not determined. Not determined. Non-oxidising.	
· Vapour pressure:	Not determined.	
Density: Relative density: Vapour density: Evaporation rate:	1.0-1.1 Not determined. Not determined.	
· Solubility in / Miscibility with water:	Soluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity Dynamic: Kinematic: Other information	Not determined. Not determined. No further relevant information available.	

10 Stability and reactivity

- · **Reactivity** No further relevant information available.
- Chemical stability Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Reacts with strong oxidising agents.

Reacts with strong acids.

- · Conditions to avoid Avoid acids.
- Incompatible materials Strong acids.
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

1310-58-3 Potassium hydroxide

Oral LD50 273 mg/kg (rat)

- Primary irritant effect
- · Skin corrosion/irritation: Irritant to skin and mucous membranes.
- · Serious eye damage/irritation: Irritating effect.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

(Cont'd. on page 6)

Printing date: 20 August 2018 Revision: 15 May 2023

Trade name: Rislone Hy-Per Lube Super Flush & Cleaner

(Cont'd. from page 5)

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Avoid release to the environment.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

Not Regulated

(Cont'd. on page 7)

Printing date: 20 August 2018 Revision: 15 May 2023

Trade name: Rislone Hy-Per Lube Super Flush & Cleaner

		(Cont'd. from page
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not Regulated	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA Class	Not Regulated	
Packing group DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards: · Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	Value of Not applicable.	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

(Cont'd. on page 8)

Page: 8/8

Safety Data Sheet According to South African National Standard 10234:2007

Printing date: 20 August 2018 Revision: 15 May 2023

Trade name: Rislone Hy-Per Lube Super Flush & Cleaner

(Cont'd. from page 7)

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com