

SAFETY DATA SHEET

Issuing Date 05 July 2023

Revision Date 05 July 2023

Revision Number 0

Canada / English

1. IDENTIFICATION

Product identifier

Product Name Rislone Gas Fuel Treatment- Left Side
Product Code(s) 34700

Recommended use of the chemical and restrictions on use

Recommended Use Fuel additive
Restrictions on use No information available

Details of the supplier of the safety data sheet

Initial supplier identifier Rislone
Address P.O. Box 187
Holly, MI 48442 USA

Telephone (810) 603-1321



Emergency telephone number

ChemTel Inc. (800) 255-3924 (North America)
+1 (813) 248-0585 (International)

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Vapors)	Category 3
Skin sensitization	Category 1
Carcinogenicity	Category 1B
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 4

GHS Label elements, including precautionary statements

Danger

Hazard statements

Toxic if inhaled
May cause an allergic skin reaction
May cause cancer

May damage fertility or the unborn child
Causes damage to organs
May cause damage to organs through prolonged or repeated exposure
Combustible Liquid

**Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Use only outdoors or in a well-ventilated area
Contaminated work clothing should not be allowed out of the workplace
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
Specific treatment (see supplemental first aid instructions on this label)
IF exposed or concerned: Call a POISON CENTER or doctor

Skin

IF ON SKIN: Wash with plenty of water and soap
If skin irritation or rash occurs: Get medical advice/attention
Take off contaminated clothing and wash it before reuse

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing
Call a POISON CENTER or doctor

Fire

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed
Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Causes mild skin irritation Harmful to aquatic life Harmful to aquatic life with long lasting effects

Unknown acute toxicity 98 % of the mixture consists of ingredient(s) of unknown toxicity
39.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

39.2 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	58.8	-	-
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	39.2	-	-
2-Butoxyethanol	111-76-2	1	-	-
Third Party Formulation (TP # 1710987)	-	0 - 10%	-	-
Third Party Formulation (TP # 1710987)	-	0 - 10%	-	-

Trade secret

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. Immediate medical attention is required.

Inhalation

Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Immediate medical attention is required.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms persist, call a physician.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. If symptoms persist, call a physician.

Ingestion

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapor or mist. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge Yes.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Do not breathe vapor or mist.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Handle product only in closed system or provide appropriate exhaust ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
2-Butoxyethanol 111-76-2	TWA: 20 ppm TWA: 97 mg/m ³	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles.

Hand protection

Wear suitable gloves.

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Orange
Odor	Petroleum
Color	No information available
Odor Threshold	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	UNKNOWN		
Melting / freezing point	No data available	None known	
Boiling point / boiling range	93 °C		
Flash Point	87 C		
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air		None known	
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Relative density	.77		
Water Solubility	Immiscible		
Solubility(ies)	No data available	None known	
Partition coefficient: n-octanol/water	0		
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	

Other Information

Explosive properties	No information available.
Oxidizing properties	No information available.
Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	No information available
Liquid Density	No information available
Bulk Density	No information available
Particle Size	No information available
Particle Size Distribution	No information available

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks. Excessive heat.

Incompatible materials None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	28,576.00 mg/kg
ATEmix (dermal)	66,880.00 mg/kg
ATEmix (inhalation-gas)	1,400.00 ppm
ATEmix (inhalation-dust/mist)	1.00 mg/L
ATEmix (inhalation-vapor)	4.35 mg/L

Unknown acute toxicity 98 % of the mixture consists of ingredient(s) of unknown toxicity

39.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

39.2 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

98 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Product Information

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated heavy paraffinic	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Petroleum distillates, hydrotreated light paraffinic	-	-	= 3900 mg/m ³ (Rat) 4 h
2-Butoxyethanol	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h

			= 486 ppm (Rat) 4 h
Third Party Formulation (TP # 1710987)	> 5000 mg/kg (Rat)	> 10 g/kg (Rabbit)	-
Third Party Formulation (TP # 1710987)	= 1670 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	A2	Group 1	Known	X
Petroleum distillates, hydrotreated light paraffinic 64742-55-8	A2	Group 1	Known	X
2-Butoxyethanol 111-76-2	A3	Group 3	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.
STOT - single exposure	Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if inhaled.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic	No data available	96h LC50: > 5000 mg/L (Oncorhynchus mykiss)	No data available	48h EC50: > 1000 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated light paraffinic	No data available	96h LC50: > 5000 mg/L (Oncorhynchus mykiss)	No data available	48h EC50: > 1000 mg/L (Daphnia magna)
2-Butoxyethanol	No data available	96h LC50: = 1490 mg/L (Lepomis macrochirus) 96h LC50: = 2950 mg/L (Lepomis macrochirus)	No data available	48h EC50: > 1000 mg/L (Daphnia magna)
Third Party Formulation (TP # 1710987)	No data available	No data available	No data available	48h EC50: = 0.45 mg/L (Daphnia magna)
Third Party Formulation (TP # 1710987)	No data available	96h LC50: = 0.0609 mg/L (Pimephales promelas)	No data available	No data available

Persistence and Degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
2-Butoxyethanol	0.81
Third Party Formulation (TP # 1710987)	4.5
Third Party Formulation (TP # 1710987)	7.1

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

TDG

UN-No. UN2810
Proper Shipping Name TOXIC LIQUID, ORGANIC, N.O.S.
Hazard Class 6.1
Packing Group III
Description UN2810, TOXIC LIQUID, ORGANIC, N.O.S. (2-BUTOXYETHANOL), 6.1, III

DOT

UN-No. UN2810
Proper Shipping Name TOXIC LIQUIDS, ORGANIC, N.O.S.
Hazard Class 6.1
Packing Group III
Description UN2810, TOXIC LIQUIDS, ORGANIC, N.O.S. (2-BUTOXYETHANOL), 6.1, III
Emergency Response Guide Number 153

MEX

UN-No. UN2810
Proper Shipping Name TOXIC LIQUID, ORGANIC, N.O.S.
Hazard Class 6.1
Packing Group III
Description UN2810, TOXIC LIQUID, ORGANIC, N.O.S. (2-BUTOXYETHANOL), 6.1, III

ICAO

UN-No. UN2810
Proper Shipping Name TOXIC LIQUID, ORGANIC, N.O.S.
Hazard Class 6.1
Packing Group III
Description UN2810, TOXIC LIQUID, ORGANIC, N.O.S. (2-BUTOXYETHANOL), 6.1, III

IATA

UN-No. UN2810
Proper Shipping Name TOXIC LIQUID, ORGANIC, N.O.S.
Hazard Class 6.1
Packing Group III
ERG Code 6L
Description UN2810, TOXIC LIQUID, ORGANIC, N.O.S. (2-BUTOXYETHANOL), 6.1, III

IMDG/IMO

UN-No. UN2810
Proper Shipping Name TOXIC LIQUID, ORGANIC, N.O.S.
Hazard Class 6.1
Packing Group III
EmS-No. F-A, S-A
Description UN2810, TOXIC LIQUID, ORGANIC, N.O.S. (2-BUTOXYETHANOL), 6.1, III

RID

UN-No. UN2810
Proper Shipping Name TOXIC LIQUID, ORGANIC, N.O.S.
Hazard Class 6.1
Packing Group III
Classification code T1
Description UN2810, TOXIC LIQUID, ORGANIC, N.O.S. (2-BUTOXYETHANOL), 6.1, III
ADR/RID-Labels 6.1

ADR

UN-No. UN2810
Proper Shipping Name TOXIC LIQUID, ORGANIC, N.O.S.
Hazard Class 6.1
Packing Group III
Classification code T1
Tunnel restriction code (E)
Description UN2810, TOXIC LIQUID, ORGANIC, N.O.S. (2-BUTOXYETHANOL), 6.1, III

ADN

UN-No.	UN2810
Proper Shipping Name	TOXIC LIQUID, ORGANIC, N.O.S.
Hazard Class	6.1
Packing Group	III
Classification code	T1
Special Provisions	274, 614, 802
Description	UN2810, TOXIC LIQUID, ORGANIC, N.O.S. (2-BUTOXYETHANOL), 6.1, III
Hazard Labels	6.1
Limited Quantity	5 L
Ventilation	VE02

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA	- United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL	- Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	- Japan Existing and New Chemical Substances
KECL	- Korean Existing and Evaluated Chemical Substances
PICCS	- Philippines Inventory of Chemicals and Chemical Substances
AICS	- Australian Inventory of Chemical Substances

16. OTHER INFORMATION

NFPA	Health hazards 3	Flammability 2	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 3 *	Flammability 2	Physical hazards 0	Personal Protection X
<i>Chronic Hazard Star Legend</i>	* = Chronic Health Hazard			

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 05-Jul-2023

Revision Date 05-Jul-2023

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet