

Rislone[®] UCL & Injector Cleaner

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Date of Issue: 02 January 2024 Ver

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

	JF THE SUBSTANCE/IMIXTURE AND OF THE COMPANY/UNDERTAKING		
1.1. Product Identifier			
Product Form	: Mixture		
Product Name	: Rislone [®] UCL & Injector Cleaner		
Product Code	: 51701, 51732, 51710, 44710, 4732		
UFI	: 7M0E-P0QP-J00T-8PJU		
	of the Substance or Mixture and Uses Advised Against		
1.2.1. Relevant Identified Uses			
Use of the Substance/Mixture	: Consumer product fuel cleaner		
1.2.2. Uses Advised Against			
No additional information available			
1.3. Details of the Supplier of	f the Safety Data Sheet		
Company	Importer		
Rislone	RISLONE Nordic AB		
P.O. Box 187	Rydståvägen. 45		
Holly, MI 48442 USA	424 91 OLOFSTORP, Sweden		
Phone: (810) 603-1321	Telefon : +46-(0)31 555088		
NEEDS CONTACT EMAIL ADDRESS	E-mail : <u>support@rislonenordic.com</u>		
	Website : <u>www.rislonenordic.com/</u>		
1.4. Emergency Telephone N	umber		
Emergency Number :	ChemTel LLC		
	(800)255-3924 (North America)		
	+1 (813)248-0585 (International)		
SECTION 2: HAZARDS IDENTIF	ICATION		
2.1. Classification of the Sub			
Classification According to Regulati			
Acute Tox. 4 (Inhalation:dust,mist)	H332		
Skin Irrit. 2	H315		
Asp. Tox. 1	H304		
Aquatic Chronic 3	H412		
Full text of hazard classes, H- and EL			
2.2. Label Elements			
Labelling According to Regulation (I	:C) No. 1272/2008 [CLP]		
Hazard Pictograms (CLP)			
	GHS07 GHS08		
Signal Word (CLP)	: Danger		
Hazard Statements (CLP)	: H304 - May be fatal if swallowed and enters airways.		
	H315 - Causes skin irritation.		
	H332 - Harmful if inhaled.		
	H412 - Harmful to aquatic life with long lasting effects.		
Precautionary Statements (CLP)	: P261 - Avoid breathing mist, vapours, or spray.		
	P264 - Wash hands, forearms and face thoroughly after handling.		
	P271 - Use only outdoors or in a well-ventilated area.		
	P273 - Avoid release to the environment.		
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.		
	P302+P352 - IF ON SKIN: Wash with plenty of water.		
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for		
	breathing.		
	P312 - Call a POISON CENTRE or doctor if you feel unwell.		
	P321 - Specific treatment (see supplemental first aid instruction on this label).		
	P331 - Do NOT induce vomiting.		
02 January 2024 EN	(English) 1/12		
	(LEIGHOLD 1/12		

Version: 1.0

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other Hazards

Other Hazards Not Contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Classification

This substance/mixture does not meet the PBT/vPvB criteria of REACH regulation, annex XIII

The substance/mixture does not contain substance(s) equal to or greater than 0.1% by weight that are present in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008
Petroleum distillates, hydrotreated light	(CAS-No.) 64742-47-8 (EC-No.) 265-149-8;926-141-6 (EC Index-No.) 649-422-00-2	9 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Solvent naphtha, petroleum, light aromatic	(CAS-No.) 64742-95-6 (EC-No.) 265-199-0;918-668-5 (EC Index-No.) 649-356-00-4	0,1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
2,4,6-Tri-tert-butylphenol	(CAS-No.) 732-26-3 (EC-No.) 211-989-5	0,1 - 1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
Benzene, 1,2,4-trimethyl- substance with national workplace exposure limit(s) (AT, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, TR); substance with a Community workplace exposure limit	(CAS-No.) 95-63-6 (EC-No.) 202-436-9 (EC Index-No.) 601-043-00-3	0,1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-Aid Measures General	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-Aid Measures After Inhalation	: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention.
First-Aid Measures After Skin Contact	: Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-Aid Measures After Eye Contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-Aid Measures After Ingestion	: Rinse mouth. Do NOT induce vomiting. Place affected person on their side. Immediately call a POISON CENTER or doctor/physician.
4.2. Most Important Symptoms ar	nd Effects Both Acute and Delayed
Symptoms/Effects	: Causes skin irritation. Harmful if inhaled. May be fatal if swallowed and enters airways.
Symptoms/Effects After Inhalation	: Inhalation is likely to cause adverse health effects including but not limited to: irritation, difficulty breathing, and unconsciousness.
Symptoms/Effects After Skin Contact	: Redness, pain, swelling, itching, burning, dryness, and dermatitis.
Symptoms/Effects After Eye Contact	: May cause slight irritation to eyes.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (RE/	ACH) with its amendment Regulation (EU) 2020/878
Symptoms/Effects After Ingestion	: Aspiration into the lungs can occur during ingestion or vomiting and may cause lung
-	injury.
Chronic Symptoms	: None expected under normal conditions of use.
4.3. Indication of Any Immedia	ate Medical Attention and Special Treatment Needed
	advice and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: FIREFIGHTING MEA	SURES
5.1. Extinguishing Media	
Suitable Extinguishing Media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
Unsuitable Extinguishing Media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
	om the Substance or Mixture
Fire Hazard	: Not considered flammable but may burn at high temperatures.
Explosion Hazard	 Product is not explosive. Hazardous reactions will not occur under normal conditions.
Reactivity Hazardous Combustion Products	: Carbon oxides (CO, CO ₂). Smoke.
5.3. Advice for Firefighters	
Precautionary Measures Fire	: Exercise caution when fighting any chemical fire.
Firefighting Instructions	: Use water spray or fog for cooling exposed containers.
Protection During Firefighting	: Do not enter fire area without proper protective equipment, including respiratory
	protection.
Other Information	: Do not allow run-off from fire fighting to enter drains or water courses.
SECTION 6: ACCIDENTAL RELEA	SE MEASURES
6.1. Personal Precautions, Pro	tective Equipment and Emergency Procedures
General Measures	: Do not get in eyes, on skin, or on clothing. Avoid breathing (vapor, mist, spray).
6.1.1. For Non-Emergency Personn	
Protective Equipment	: Use appropriate personal protective equipment (PPE).
Emergency Procedures	: Evacuate unnecessary personnel.
6.1.2. For Emergency Responders	
Protective Equipment Emergency Procedures	Equip cleanup crew with proper protection.Upon arrival at the scene, a first responder is expected to recognise the presence
Lineigency Flocedures	of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental Precaution	
Prevent entry to sewers and public wa	aters. Avoid release to the environment.
6.3. Methods and Materials for	or Containment and Cleaning Up
For Containment	 Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions. Ventilate area.
Methods for Cleaning Up	 Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Spilled material may present a slipping hazard.
6.4. Reference to Other Section	
	nd personal protection and Section 13 for disposal considerations.
SECTION 7: HANDLING AND ST	
7.1. Precautions for Safe Hand	-
Precautions for Safe Handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray. Use only outdoors or in a well-ventilated area.
Hygiene Measures	: Handle in accordance with good industrial hygiene and safety procedures.
-	ge, Including Any Incompatibilities
Technical Measures	: Comply with applicable regulations.
Storage Conditions	 Store in accordance with applicable national storage class systems. Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.
Incompatible Materials	• Strong acids, strong bases, strong ovidisers

: Strong acids, strong bases, strong oxidisers.

02 January 2024

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.3. Specific End Use(S)

Consumer product fuel cleaner

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Please see section 16 for the legal basis of limit value information in section 8.1, including the national legislation or provision which gives rise to a given limit.

	-	
Petroleum distillates,	hydrotreated light (64742-47-8)	
Switzerland	OEL STEL (Legal Basis:OLVSNAIF)	700 mg/m ³ (vapour)
Switzerland	OEL STEL (Legal Basis:OLVSNAIF)	100 ppm (vapour)
Switzerland	OEL TWA (Legal Basis:OLVSNAIF)	350 mg/m³ (vapour) 5 mg/m³ (not specified-aerosol, inhalable dust)
Switzerland	OEL TWA (Legal Basis:OLVSNAIF)	50 ppm (vapour)
Benzene, 1,2,4-trimet	nyl- (95-63-6)	
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	100 mg/m ³
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	20 ppm
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	100 mg/m ³ (Trimethylbenzene all isomers)
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	20 ppm (Trimethylbenzene all isomers)
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	150 mg/m ³ (Trimethylbenzene)
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	30 ppm (Trimethylbenzene)
Bulgaria	OEL TWA (Legal Basis:Reg. No. 13/10)	100 mg/m ³
Bulgaria	OEL TWA (Legal Basis:Reg. No. 13/10)	20 ppm
Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	100 mg/m ³
Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	20 ppm
Cyprus	OEL TWA (Legal Basis:KDP 16/2019)	100 mg/m ³
Cyprus	OEL TWA (Legal Basis:KDP 16/2019)	20 ppm
Czech Republic	OEL TWA (Legal Basis:Reg. 41/2020)	100 mg/m ³
Czech Republic	OEL Chemical Category (Legal Basis:Decree No. 107/2013)	Potential for cutaneous absorption
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	100 mg/m ³ (Trimethylbenzenes)
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	20 ppm (Trimethylbenzenes)
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	100 mg/m ³
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	20 ppm
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	100 mg/m ³
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	20 ppm
France	OEL STEL (Legal Basis:INRS ED 984)	250 mg/m ³ (restrictive limit)
France	OEL STEL (Legal Basis:INRS ED 984)	50 ppm (restrictive limit)
France	OEL TWA (Legal Basis:INRS ED 984)	100 mg/m ³ (restrictive limit)
France	OEL TWA (Legal Basis:INRS ED 984)	20 ppm (restrictive limit)
France	OEL BLV (Legal Basis:Decree 2009-1570)	600 mg/g creatinine Parameter: Total Dimethylbenzoic acids (after hydrolysis) in urine - Medium: urine - Sampling time: end of shift after several shits
Germany	OEL TWA (Legal Basis:TRGS 900)	100 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	OEL TWA (Legal Basis:TRGS 900)	20 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	OEL BLV (Legal Basis:TRGS 903)	400 mg/g creatinine Parameter: Dimethylbenzoic acid (sum of all isomers after hydrolysis) - Medium: urine - Sampling time: end of shift 400 mg/g creatinine Parameter: Dimethylbenzoic acid (sum of all isomers after hydrolysis) - Medium: urine - Sampling time: for long- term exposures: at the end of the shift after several shifts
Gibraltar	OEL TWA (Legal Basis:LN. 2018/181)	100 mg/m ³
Gibraltar	OEL TWA (Legal Basis:LN. 2018/181)	20 ppm
Greece	OEL TWA (Legal Basis:PWHSE)	125 mg/m ³
Greece	OEL TWA (Legal Basis: PWHSE)	25 ppm
Hungary	OEL TWA (Legal Basis: Decree No. 05/2020)	100 mg/m ³
Ireland	OEL TWA (Legal Basis:2020 COP)	100 mg/m ³
Ireland	OEL TWA (Legal Basis:2020 COP)	20 ppm
Ireland	OEL STEL (Legal Basis:2020 COP)	300 mg/m ³ (calculated)
Ireland	OEL STEL (Legal Basis:2020 COP)	60 ppm (calculated)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	h (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC	1/2020/8/8
Italy	OEL TWA (Legal Basis:Decree 81)	100 mg/m ³
Italy	OEL TWA (Legal Basis:Decree 81)	20 ppm
Latvia	OEL TWA (Legal Basis:Reg. No. 325)	100 mg/m³
Latvia	OEL TWA (Legal Basis:Reg. No. 325)	20 ppm
Luxembourg	OEL TWA (Legal Basis:A-N 684)	100 mg/m ³
Luxembourg	OEL TWA (Legal Basis: A-N 684)	20 ppm
Malta	OEL TWA (Legal Basis: MOHSAA Ch. 424)	100 mg/m³
Malta	OEL TWA (Legal Basis: MOHSAA Ch. 424)	20 ppm
Netherlands	OEL TWA (Legal Basis:OWCRLV)	100 mg/m ³
Netherlands	OEL STEL (Legal Basis:OWCRLV)	200 mg/m ³
Norway	OEL TWA (Legal Basis:FOR-2020-04-06-695)	100 mg/m³
Norway	OEL TWA (Legal Basis:FOR-2020-04-06-695)	20 ppm
Norway	OEL STEL (Legal Basis:FOR-2020-04-06-695)	150 mg/m ³ (value calculated)
Norway	OEL STEL (Legal Basis:FOR-2020-04-06-695)	30 ppm (value calculated)
Poland	OEL TWA (Legal Basis: Dz. U. 2020 Nr. 61)	100 mg/m³
Poland	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	170 mg/m ³ (Trimethylbenzene, mixture of isomers)
Portugal	OEL TWA (Legal Basis: Portuguese Norm NP 1796:2014)	100 mg/m ³ (indicative limit value)
Portugal	OEL TWA (Legal Basis: Portuguese Norm NP 1796:2014)	20 ppm (indicative limit value)
Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	100 mg/m ³
Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	20 ppm
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	100 mg/m³
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	20 ppm
Slovenia	OEL TWA (Legal Basis:No. 79/19)	100 mg/m ³
Slovenia	OEL TWA (Legal Basis:No. 79/19)	20 ppm
Slovenia	OEL STEL (Legal Basis:No. 79/19)	200 mg/m ³
Slovenia	OEL STEL (Legal Basis:No. 79/19)	40 ppm
Spain	OEL TWA (Legal Basis: OELCAIS)	100 mg/m ³ (indicative limit value)
Spain	OEL TWA (Legal Basis: OELCAIS)	20 ppm (indicative limit value)
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	100 mg/m ³ (Trimethylbenzenes)
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	20 ppm (Trimethylbenzenes)
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	170 mg/m ³ (Trimethylbenzenes)
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	35 ppm (Trimethylbenzenes)

8.2. Exposure Controls

Appropriate Engineering Controls

Personal Protective Equipment

Materials for Protective Clothing

Skin and Body Protection

Respiratory Protection

- : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when toxic gases may be released.
- : Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. Personal protective equipment should be chosen in accordance with Regulation (EU) 2016/425, CEN standards, and in discussion with the supplier of the protective equipment.



: Chemically resistant materials and fabrics.

When using, do not eat, drink or smoke.

- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

Hand Protection

Eye Protection

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties Physical State : Liquid

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ACCOLUTING TO REGULATION (EC) NO. 1907/2000 (REACH) WITH IS AMENIA	nent Regulation (EO) 2020/8/8
Colour, Appearance	: Slightly viscous, yellowish-gold
Colour	: No data available
Odour	: Petroleum-like
Odour Threshold	: No data available
рН	: Not available
Evaporation Rate	: No data available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: No data available
Flash Point	: 102 °C (215,6 °F)
Auto-Ignition Temperature	: Not available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour Pressure	: No data available
Relative Vapour Density At 20 °C	: No data available
Relative Density	: No data available
Density	: 0,853 g/cm ³ @ 20°C (68 °F)
Solubility	: Water: Not miscible or difficult to mix
Partition Coefficient n-Octanol/Water	: No data available
Viscosity	: No data available
Explosive Properties	: No data available
Oxidising Properties	: No data available
Explosive Limits	: Not available
Particle Aspect Ratio	: Not applicable
Particle Aggregation State	: Not applicable
Particle Agglomeration State	: Not applicable
Particle Specific Surface Area	: Not applicable
Particle Dustiness	: Not applicable
9.2. Other Information	
No additional information available	

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. **Chemical Stability**

Stable under recommended handling and storage conditions (see section 7).

10.3. **Possibility of Hazardous Reactions**

Hazardous polymerization will not occur.

Conditions to Avoid 10.4.

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. **Incompatible Materials**

Strong acids, strong bases, strong oxidisers.

10.6. **Hazardous Decomposition Products**

Not expected to decompose under ambient conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Hazard Classes As Defined In Regulation (Ec) No 1272/2008 Likely Routes of Exposure · Dermal Inhalation

Acute Toxicity (Inhalation) Rislone [®] Fuel Injector Cleaner	: Harmful if inhaled.
Acute Toxicity (Dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute Toxicity (Oral)	: Not classified (Based on available data, the classification criteria are not met)
Likely Roules of Exposure	

ATE CLP (dust,mist)	1,50 mg/l/4h
Petroleum distillates, hydrotreated light (64742-47-8)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	> 5,2 mg/l/4h
Solvent naphtha, petroleum, light aromatic (64742-95-6)	

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

According to Regulation (EC) No. 1907/2006 (REACH) with the second secon	th its amendment Regulation (EU) 2020/878
LD50 Oral Rat	8400 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	3400 ppm/4h
2,4,6-Tri-tert-butylphenol (732-26-3)	
LD50 Oral Rat	1670 mg/kg
LD50 Oral	1610 mg/kg
LD50 Dermal Rat	> 2000 mg/kg
Benzene, 1,2,4-trimethyl- (95-63-6)	
LD50 Oral Rat	6000 mg/kg
LD50 Oral	5000 mg/kg
LD50 Dermal Rabbit	> 3160 mg/kg
LC50 Inhalation Rat	18 g/m ³ (Exposure time: 4 h - no mortalities)
LC50 Inhalation Rat	10,8 mg/l/4h
ATE CLP (dust,mist)	18,00 mg/l/4h
Skin Corrosion/Irritation	: Causes skin irritation.
Eye Damage/Irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or Skin Sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ Cell Mutagenicity	: Not classified (Based on available data, the classification criteria are not met) Note
Carcinogenicity	 P from the Harmonized Classification within the CLP applies to this product, the overall product is not classified as a Carcinogen or Mutagen. Not classified (Based on available data, the classification criteria are not met) Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil-derived substances in Annex I. Note P from the Harmonized Classification within the CLP applies to this product, the overall product is not classified as a Carcinogen or Mutagen.
Reproductive Toxicity	: Not classified (Based on available data, the classification criteria are not met)
Specific Target Organ Toxicity (Single Exposure)	: Not classified (Based on available data, the classification criteria are not met)
Specific Target Organ Toxicity (Repeated Exposure)	: Not classified (Based on available data, the classification criteria are not met)
Aspiration Hazard	: May be fatal if swallowed and enters airways.
Symptoms/Injuries After Inhalation	: Inhalation is likely to cause adverse health effects including but not limited to:
Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion	 irritation, difficulty breathing, and unconsciousness. Redness, pain, swelling, itching, burning, dryness, and dermatitis. May cause slight irritation to eyes. Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury.
Chronic Symptoms	: None expected under normal conditions of use.
11.2. Information On Other Hazards	

Based on available data this substance/the substances in this mixture not listed below do(es) not have endocrine disrupting properties with respect to humans as it does not meet the criteria set out in section A of Regulation (EU) No 2017/2100 and/or the criteria set out in Regulation (EU) 2018/605, or the substance(s) are not required to be disclosed.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity	
Ecology - Water	: Harmful to aquatic life with long lasting effects.
Hazardous To The Aquatic Environment,	: Not classified (Based on available data, the classification criteria are not met)
Short-Term (Acute)	
Hazardous To The Aquatic Environment,	: Harmful to aquatic life with long lasting effects.
Long-Term (Chronic)	
Petroleum distillates hydrotreated light (64742-47-8	

Petroleum distillates, hydrotreated light (64742-47-8)	
LC50 - Fish [1]	45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	2,2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Solvent naphtha, petroleum, light aromatic (64742-95-6)	
LC50 - Fish [1]	9,22 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	6,14 mg/l (Exposure time: 48 h - Species: Daphnia magna)
02 January 2024	- 14-2

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2,4,6-Tri-tert-butylphenol (732-26-3)			
LC50 - Fish [1]	0,0609 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
EC50 - Crustacea [1]	0,11 mg/l		
NOEC chronic crustacea	0,32 mg/l		
Benzene, 1,2,4-trimethyl- (95-63-6)			
LC50 - Fish [1]	7,19 (7,19 – 8,28) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
EC50 - Crustacea [1]	6,14 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
12.2. Persistence and Degra	adability		

Rislone® Fuel Injector Cleaner Persistence and Degradability May cause long-term adverse effects in the environment.

12.3. **Bioaccumulative Potential**

Rislone® Fuel Injector Cleaner		
Bioaccumulative Potential	Not established.	
Petroleum distillates, hydrotreated light (64742-47-8)		
BCF Fish 1	61 – 159	
Benzene, 1,2,4-trimethyl- (95-63-6)		
Partition coefficient n-octanol/water (Log Pow)	3,63	

Mobility in Soil 12.4.

No additional information available

Results of PBT and vPvB Assessment 12.5.

Does not contain any PBT/vPvB substances >= 0.1% assessed in accordance with REACH Annex XVIII

Endocrine Disrupting Properties 12.6.

Based on available data this substance/the substances in this mixture not listed below do(es) not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100 and/or the criteria set out in Regulation (EU) 2018/605, or the substance(s) are not required to be disclosed.

12.7. **Other Adverse Effects**

: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS		
13.1. Waste Treatment Methods		
Product/Packaging Disposal	: Dispose of contents/container in accordance with local, regional, national,	
Recommendations	territorial, provincial, and international regulations.	
Ecology - Waste Materials	: Avoid release to the environment. This material is hazardous to the aquatic	
	environment. Keep out of sewers and waterways.	

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

14.1.	UN Number or ID Number		
Not re	Not regulated for transport		
14.2.	UN Proper Shipping Name		
Not re	Not regulated for transport		
14.3.	Transport Hazard Class(Es)		
Not regulated for transport			
14.4.	Packing Group		
Not regulated for transport			
14.5.	Environmental Hazards		
Not regulated for transport			
14.6.	Special Precautions For User		

No additional information available

Maritime Transport in Bulk According to IMO instruments 14.7.

Not applicable

SECTION 15: REGULATORY INFORMATION

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

15.1.1. EU-Regulations

15.1.1.1. REACH Annex XVII Information

Contains no REACH substances with Annex XVII restrictions

15.1.1.2. REACH Candidate List Information

Contains no substance on the REACH candidate list

15.1.1.3. POP (2019/1021) - Persistent Organic Pollutants Information

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.1.4. PIC Regulation EU (649/2012) - Export and Import of Hazardous Chemicals Information

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

15.1.1.5. REACH Annex XIV Information

Contains no REACH Annex XIV substances

15.1.1.6. Substances Depleting the Ozone layer (1005/2009) Information

No additional information available

15.1.1.7. EC Inventory Information

Petroleum distillates, hydrotreated light (64742-47-8)		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)		
Solvent naphtha, petroleum, light aromatic (64742-95-6)		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)		
2,4,6-Tri-tert-butylphenol (732-26-3)		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)		
	Benzene, 1,2,4-trimethyl- (95-63-6)	
Benzene, 1,2,4-trimethyl- (95-63-6)		

15.1.1.8. Other Information

No additional information available

15.1.2. National Regulations

No additional information available

15.1.3. International Inventory Lists

Petroleum distillates, hydrotreated light (64742-47-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Listed on the Canadian DSL (Domestic Substances List)	
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
Listed on KECL/KECI (Korean Existing Chemicals Inventory)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
Listed on NZIoC (New Zealand Inventory of Chemicals)	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	
Listed on the TCSI (Taiwan Chemical Substance Inventory)	
Listed on the NCI (Vietnam - National Chemicals Inventory)	
Solvent naphtha, petroleum, light aromatic (64742-95-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Listed on the Canadian DSL (Domestic Substances List)	
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
Listed on KECL/KECI (Korean Existing Chemicals Inventory)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
Listed on NZIoC (New Zealand Inventory of Chemicals)	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	
Listed on the TCSI (Taiwan Chemical Substance Inventory)	
Listed on the NCI (Vietnam - National Chemicals Inventory)	
2,4,6-Tri-tert-butylphenol (732-26-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Listed on the Canadian DSL (Domestic Substances List)	
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory	
Listed on KECL/KECI (Korean Existing Chemicals Inventory)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
Listed on NZIoC (New Zealand Inventory of Chemicals)	
Listed on the Japanese ISHL (Industrial Safety and Health Law)	
Listed on the TCSI (Taiwan Chemical Substance Inventory)	
Listed on the NCI (Vietnam - National Chemicals Inventory)	
0.2 (2004) 2004	

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Benzene, 1,2,4-trimethyl- (95-63-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
Subject to reporting requirements of United States SARA Section 313	
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)	
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory	
Listed on KECL/KECI (Korean Existing Chemicals Inventory)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	
Listed on NZIOC (New Zealand Inventory of Chemicals)	
Listed on the Japanese ISHL (Industrial Safety and Health Law)	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	
Listed on the TCSI (Taiwan Chemical Substance Inventory)	
Listed on the NCI (Vietnam - National Chemicals Inventory)	

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

SECTION 16: OTHER INFORMATION

Date of Preparation or Latest Revision	: 02-Jan-2024
Data Sources	 Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS
	or their subsequent adoption of GHS.
Other Information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full Text of H- and EUH-statements:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
ssification and Procedure Used to Derive the Classification for Mixtures According to Regulation (EC) 1272/2008 [CLP]:		

Classification and Procedure Used to Derive the Classification for Mixtures According to Regulation (EC) 1272/2008 [CLP]:

Acute Tox. 4 (Inhalation:dust,mist)	Calculation method
Skin Irrit. 2	Calculation method
Asp. Tox. 1	Expert judgment
Aquatic Chronic 3	Calculation method

Indication of Changes

No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Safety Data Sheet BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand CAS No. - Chemical Abstracts Service Number CLP - Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD - Chemical Oxygen Demand EC – European Community EC50 - Median Effective Concentration EEC - European Economic Community EINECS – European Inventory of Existing Commercial Chemical Substances EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage EU – European Union ErC50 - EC50 in Terms of Reduction Growth Rate GHS – Globally Harmonized System of Classification and Labeling of Chemicals IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods IPRV - Ilgalaikio Poveikio Ribinis Dydis IOELV - Indicative Occupational Exposure Limit Value LC50 - Median Lethal Concentration 1D50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water

MAK – Maximum Workplace Concentration/Maximum Permissible Concentration

MARPOL - International Convention for the Prevention of Pollution

Limit Value Legal Basis*

*Includes the below and any related regulations/provisions, and subsequent amendements EU - 2019/1831 EU in accor. with 98/24/EC - Directive 2019/1831/EU of October 24, 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 2000/39/FC

EU - 2019/1243/EU, and 98/24/EC) - Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work and amendment Regulation (EU) 2019/1243. Austria - BGBI. II Nr. 254/2018 - Ordinance on Limit Values for Workplace Substances and on Carcinogens from the Federal Ministry of Economics and Labour, Published in 2003, Appendix 1: Substance List, Published through: Ministry of Economics and Labour of the Republic of Austria amended through the Government Gazette II (BGBL. II) No 119/2004) & BGBI. II No. 242/2006, BGBI. II No. 243/2007, lastly changed through BGBI. I Nr. 51/2011), BGBI. II Nr. 186/2015, BGBI. II Nr. 288/2017 amended by BGBI. II Nr. 254/2018. Austria - BLV BGBI. II Nr. 254/2018 - Ordinance on health monitoring at the workplace 2008, published through BGBI. II Nr. 224/2007 by Austria Minister for Labor and Social Affairs, Lastly changed through BGBI. II Nr. 254/2018 Belgium - Royal Decree 21/01/2020 - Royal decree amending title 1 relating to chemical agents in Book VI of the code of well-being at work, with regard to the list of limit values of exposure to chemical agents and title 2 relating to carcinogens, mutagens and reprotoxics of Book VI of the code of well-being at work (1)

Bulgaria - Reg. No. 13/10 -

Regulation No. 13 of December 30, 2003 on the Protection of Workers from Hazards Related to Exposure to Chemical Agents at Work Labor Code, Annex No.1 Limit values of chemical agents in the air of the working environment, and Annex № 2 Biological limit values of chemical agents and their metabolites (bio markers of exposure) or bio markers of effect Amended by: 71/2006, 67/2007. 2/2012. 46/2015. 73/2018. 5/2020). and Regulation No.10 of September 26, 2003 on the Protection of Workers from the Risks Associated with Exposure to Carcinogens and Mutagens at Work Annex No.1 Occupational Exposure Limits, Amended by: 8/2004, 46/2015, 5/2020

Croatia - OG No. 91/2018 - Regulation on the Protection of Workers from Exposure to Hazardous Chemicals at Work, the Limit Values of Exposure and the Biological Limit Values. Official Gazette No. 91 of October 12, 2018 Cyprus - KDP 16/2019 - Government of Cyprus Cabinet of Ministers Regulation 268/2001 - Safety and Health in the Working Environment (Chemical Substances) Article 38, As amended by Regulation 16/2019 and Cabinet of

OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit pH - Potential Hydrogen REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit TLV - Threshold Limit Value TPRD - Trumpalaikio Poveikio Ribinis Dydis TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC - Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE – Valeur Limite D'exposition VME - Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

Greece - PWHSE - Occupational Exposure Limits - Protection of workers' health and safety from exposure to certain chemical substances during the workday. (latest amendment 82/2018) and Occupation Exposure Limits - Protection of workers' health and safety from exposure to certain carcinogenic and mutagenic chemical substances (latest amendment 26/2020), and Presidential Decree 212/2006 - Protection of workers that are exposed to asbestos. Hungary - Decree 05/2020 - 5/2020. (II. 6.) ITM decree on the protection of the health and safety of workers from the risks related to chemical agents Ireland - 2020 COP - 2020 Code of Practice for the Chemical Agents Regulations, Schedule 1

Italy - Decree 81 - Title IX, Annex XLIII and XXXVIII, Professional Exposure Limits and Annex XXXIX Mandatory Biological Limit Values and Health Monitoring. Article 1, Law 123 of August 3, 2007, Legislative Decree 81 of April 9, 2008, Last amended: January 2020

Italy - IMDFN1 - Ministerial Decree of August 20, 1999 Final Note (1) Latvia - Reg. No. 325 - Cabinet of Ministers Regulation No. 325 - Labour Protection Requirements when Coming in Contact with Chemical Substances at Workplaces, Amended by Cabinet of Ministers Regulation No. 92, 163, 407 and No. 11.

Lithuania - HN 23:2011 - Lithuanian Hygiene Standard HN 23:2011 Occupational Exposure Limit Values, Amended by Order V-695/A1-272. Luxembourg - A-N 684 - Grand-Ducal Regulation of 20 July 2018 amending the Grand-Ducal Regulation of 14 November 2016 concerning the protection of the safety and health of employees against the risks associated with chemical agents in the workplace. Official journal of the Grand-Duke of Luxembourg, A-N°684 of 2018

Malta - MOSHAA Ch. 424 - Malta Occupational Health and Safety Authority Act: Chapter 424 as amended by: Legal Notice 353, 53, 198, and 57. Netherlands- OWCRLV - Occupational Working Conditions Regulation, Limit Values for substances harmful to health, Annex XVIII, Updated from August 1, 2020

Norway - FOR-2020-04-060695 - Regulations concerning action and limit values for physical and chemical agents in the working environment and classified biological agents, FOR-2011-12-06-1358, Updated by: FOR-2020-04-06-695, FOR-2020-03-23-402, FOR-2018-12-20-2186, FOR-2018-08-21-1255, FOR-2017-12-20-2353.

Poland - Dz. U. 2020 Nr. 61 - Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 on the Highest Allowable Concentrations and

Rislone[®] UCL & Injector Cleaner

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ministers Regulation 153/2001 - Safety and Health in the WorkingIntensEnvironment (Chemical Substances-Carcinogens), as amended by RegulationNr. 12493/2004 - Safety and Health in the Working Environment (ChemicalchemicSubstances - Carcinogens) AND Law 47(I) 2000 - Occupational Health andenviroSafety (Asbestos), as amended by Decree 316/2006.Portuge

Czech Republic - Reg. 41/2020 - Regulation 41/2020 amending Regulation 361/2007 of Coll. establishing Occupation Exposure Limits as amended Czech Republic - Decree No. 107/2013 - Decree No. 107/2013 Coll., amending Decree No. 432/2003 Coll., laying down the conditions for the application of the work into categories, limit values for the parameters of biological exposure tests, collection of biological material conditions for the implementation of biological exposure tests and requirements for reporting work with asbestos and biological agents

Denmark - BEK No. 698 of 28/05/2020 - Order on Limit Values for Substances and Materials, The Statutory Order No. 507 of May 17, 2011, Appendix 1 -Limits for air pollution, etc. and Appendix 3 - Biological Exposure Values, Amended by: No. 986 of October 11, 2012, No. 655 of May 31, 2018, No. 1458 December 13, 2019, No. 698 of May 28, 2020

Estonia - Regulation No. 105 - Health and Safety Requirements for the Use of Dangerous Chemicals and Materials Containing Them and Occupational Exposure Limits to Chemical Agents

Government of the Republic, Regulation No. 105 of 20 March 2001, Amended 17 October 2019, and 17 January, 2020.

Finland - HTP-ARVOT 2020 - Concentrations Known to be Hazardous,

654/2020 OEL values 2020 Publications of Ministry of Social Affairs and Health 2020:24 Annexes1, 2 and 3.

France - INRS ED 984 - Occupational Exposure Limit Values to Chemical Agents in France Published 2016 by the INRS National Institute of Research and Safety Health and safety of work, revised, updated by: Decree 2016-344, JORF No 0119, and Decree 2019-1487.

France - Decree 2009-1570 - Decree 2009-1570 of December 15, 2009, relative to the control of chemical risk on workplaces.

Germany - TRGS 900 - Occupational Exposure Limits, Technical Rules for Dangerous Substances, latest amendment March, 2020

Germany - TRGS 903 - Biological Threshold Limits (BGW-Values), Technical Rules for Dangerous Substances, latest amendment March, 2020

Gibraltar - LN. 2018/131 - Factories (Control of Chemical Agents at Work) Regulations 2003 LN. 2003/035, amended by LN. 2008/035, LN. 2008/050, LN. 2012/021, LN. 2015/143, LN. 2018/181.

EU GHS SDS (2020/878)

Intensities of Factors Harmful to Health in the Work Environment Dz.U. 2018 Nr. 1286 of June 12, 2018, Annex 1 - List of values of the highest permissible chemical concentrations and dust factors harmful to health in the work environment, amended by: Dz. U. 2020 Nr. 61.

Portugal - Portuguese Norm NP 1796:2014 - Occupational exposure limits and biological exposure indices to chemical agents. Table 1 - Occupational exposure limits and biological exposure indices to chemical agents (OELs), Law Decree 35/2020.

Romania - Gov. Dec. No 1.218 - Governmental Decision No. 1.218 from 06/09/2006 on the minimum health and safety requirements for protection of workers from the risks related to exposure to chemical agents, Annex No. 1 Mandatory National Occupational Exposure Limit Values for Chemical Agents. Amended by Decision no. 157, 584, 359, and 1.

Slovakia - Gov. Decree 33/2018 - Government Decree of Slovak Republic 33/2018 on January 17, 2018 amending Government Decree of Slovak Republic 355/2006 about protection of health of employees when working with chemical agents

Slovenia - No. 79/19 - Regulation for protection of workers against risks related to carcinogenic or mutagenic substances exposure. Annex III -Classification and binding levels of carcinogenic or mutagenic substances for occupational exposure. The Official Journal of the Republic of Slovenia, No. 101/2005. Amended by 38/15, 79/19. Regulation for protection of workers against risks related to exposure to chemical substances at the workplace. Republic of Slovenia, No. 100/2001 . Annex I - List of Binding Occupational Exposure Limit Values. Amended by 39/05, 53/07, 102/10, 38/15, 78/18, 78/19 Spain - AFS 2018:1 - NATIONAL INSTITUTE FOR HEALTH AND SAFETY AT WORK. Occupational exposure limits for chemical agents in Spain. Tables 1 and 3. Latest edition Feb. 2019

Sweden - AFS 2018:1 - Statute Book of the Swedish Work Environment Authority, AFS 2018:1

The Swedish Work Environment Authority's Ordinance and General Guidance on Hygienic Limit Values

Switzerland - OLVSNAIF - Occupational Limit Values 2020 Swiss National Accident Insurance Fund. List of Biological Limit Values (BAT-Werte) and List of MAK Values.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.