

SAFETY DATA SHEET

Rislone High Mileage Oil Supplement

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Product no.: Rislone High Mileage Oil Supplement 44200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Additive

Uses advised against :

None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: Rislone P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321 www.rislone.com support@rislone.com

Distributor:

Smits Group Pty Ltd. 50 Radius Drive Larapinda QLD 4110 Australia AUS Telephone 1800 883 888

SDS Date: 26 March 2024 Version: 1.0

1.4. Emergency telephone number

ChemTel Inc. (800) 255-3924 (North America) +1 (813) 248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not classified according to the Work Health and Safety Regulations.

2.2. Label elements

Hazard pictogram(s):	Not applicable.
Signal word:	Not applicable.
Hazard statement(s):	Not applicable.
Precautionary statement(s):	
General:	-
Prevention:	-



Response:	-
Storage:	-
Disposal:	-
Hazardous substances:	None known.
Additional labelling:	Not applicable.
Other hazards	
Additional warnings:	This mixture/product does

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

2.3.

Product/substance	Identifiers	% w/w	Classification	Note
Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]	CAS No.: 64742-52-5 EC No.: 265-155-0	10-15%	Asp. Tox. 1, H304	[19]
Lubricating oils (petroleum), hydrotreated spent	CAS No.: 64742-58-1 EC No.: 265-161-3	1-3%	Asp. Tox. 1, H304	[19]
Oct-1-ene	CAS No.: 111-66-0 EC No.: 203-893-7	<0.25%	AUH066 Flam. Liq. 2, H225 Asp. Tox. 1, H304	



See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES

4.1.	Description of first aid measures	
	General information:	In the case of accident: Contact a doctor or casualty department – bring the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
	Inhalation:	In case of discomfort: bring the person into fresh air.
	Skin contact:	Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.
	Eye contact:	If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) and continue until irritation stops. Remove contact lenses.
	Ingestion:	Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.
	Burns:	Not applicable.
4.2.	Most important symptoms and effects, bot	h acute and delayed

None known.

Indication of any immediate medical attention and special treatment needed 4.3. Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. **Extinguishing media**

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

Special hazards arising from the substance or mixture 5.2.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed



containers, which are exposed to fire, should be cooled with water. Do not allow fireextinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure call the NSW Poisons Information Centre on 13 11 26 (Available 24/7) in order to obtain further advice.

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material:

Storage temperature:

Always store in containers of the same material as the original container.

Cool, dry conditions in well sealed receptacles Strong acids

Incompatible materials:

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters



No substances are included in the list of workplace exposure standards for airborne contaminants as published by Safe Work Australia.

DNEL:

Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]

Duration:	Route of exposure :	DNEL:
Long term – Systemic effects - Workers	Dermal	970 µg/kgbw/day
Long term – Local effects - General population	Inhalatio n	1.19 mg/m ³
Long term – Local effects - Workers	Inhalatio n	5.58 mg/m³
Long term – Systemic effects - Workers	Inhalatio n	2.73 mg/m ³
Long term – Systemic effects - General population	Oral	740 µg/kgbw/day

Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]

Route of exposure:	Duration of Exposure	PNEC:
Predators	•	9.33 mg/kg

Oct-1-ene

Route of exposure:	of	
	Exposure	

PNEC:



	-	
	:	
Freshwater		12 µg/L
Freshwater sediment		6.06 mg/kg
Intermittent release (freshwater)		12 µg/L
Marine water		12 µg/L
Marine water sediment		6.06 mg/kg
Soil		1.25 mg/kg

8.2. Exposure controls

Apply general control to prevent unnecessary exposure			
	General recommendations:	Smoking, drinking and consumption of food is not allowed in the work area.	
	Exposure scenarios:	There are no exposure scenarios implemented for this product.	
	Exposure limits:	Occupational exposure limits have not been defined for the substances in this product.	
	Appropriate technical measures:	Apply standard precautions during use of the product. Avoid inhalation of vapours.	
	Hygiene measures:	Wash hands after use.	
	Measures to avoid environmental exposure:	No specific requirements.	
Indiv	idual protection measures, such as person	al protective equipment	

Generally:

Use only protective equipment that carries the RCM symbol.

Respiratory Equipment: No specific requirements

Skin protection:

Recommended	Type/Category	Standards	
Protective work clothing	Protective work clothing		

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

Eye protection:

Туре	Standards	
Safety glasses	EN166	



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

	Form: Colour: Odour: Odour threshold (ppm):	Liquid Amber Hydrocarbon Testing not relevant or not possible due to			
	Odour:	Hydrocarbon			
	Odour threshold (ppm):	Testing not relevant or not possible due to			
		Testing not relevant or not possible due to the nature of the product.			
	pH:	Not determined			
	Density (g/cm³):	-			
	Relative density:	0.8984			
	Kinematic viscosity:	80-130 centistokes			
Phase	changes				
	Melting point (°C):	Not determined			
	Boiling point (°C):	Not determined			
	Vapour pressure:	Not determined			
	Relative vapour density:	Not determined			
	Decomposition temperature (°C):	Not determined			
	Evaporation rate (n-butylacetate = 100):	Not determined			
Data on fire and explosion hazards					
	Flash point (°C):	192			
	Flammability (°C):	Not applicable			
	Auto-ignition temperature (°C):	Not determined			
	Explosion limits (% v/v):	Testing not relevant or not possible due to the nature of the product.			
	Explosive properties:	Testing not relevant or not possible due to the nature of the product.			
	Oxidizing properties:	Non-oxidizing			
Solubi	lity				
	Solubility in water:	Not miscible or difficult to mix			
	n-octanol/water coefficient (LogKow):	Testing not relevant or not possible due to the nature of the product.			
	Solubility in fat (g/L):	Testing not relevant or not possible due to the nature of the product.			

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.



10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

- **10.3.** Possibility of hazardous reactions None known.
- **10.4.** Conditions to avoid Avoid acids
- **10.5. Incompatible materials** Strong acids
- **10.6.** Hazardous decomposition products The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity



No data available.

- **12.2. Persistence and degradability** Based on available data, the classification criteria are not met.
- **12.3. Bioaccumulative potential** Based on available data, the classification criteria are not met.
- **12.4.** Mobility in soil No data available.
- **12.5. Results of PBT and vPvB assessment** This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
- **12.6.** Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	-		14.3 Hazard class(es)			Other information:
ADG	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

- **14.6.** Special precautions for user Not applicable.
- **14.7.** Transport in bulk according to Annex II of Marpol and the IBC Code No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



Restrictions for application: No special. Demands for specific education: No specific requirements. Control of major hazard facilities: Not applicable. Additional information: Not applicable. The Australian Inventory of Industrial Chemicals Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex (AIIC): combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.1 is listed Lubricating oils (petroleum), hydrotreated spent is listed Oct-1-ene is listed Model Work Health and Safety Regulations as at 1 January 2021.

Sources:

15.2. Chemical safety assessment No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

AUH066, Repeated exposure may cause skin dryness or cracking. H225, Highly flammable liquid and vapour. H304, May be fatal if swallowed and enters airways.

The full text of identified uses as mentioned in section 1

None known.

Abbreviations and acronyms

ADG = The Australian Code for the Transport of Dangerous Goods by Road & Rail AICIS = Australian Industrial Chemicals Introduction Scheme AIIC = Australian Inventory of Industrial Chemicals AS = Australian Standard AS/NZS = Australian New Zealand Standard ATE = Acute Toxicity Estimate AUH = Hazard statements specific for Australia BCF = Bioconcentration Factor CAS = Chemical Abstracts Service EINECS = European Inventory of Existing Commercial chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals Hazchem = Hazardous chemicals IARC = International Agency for Research on Cancer IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient



MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. (""Marpol"" = marine pollution) NICNAS = National Industrial Chemicals Notification and Assessment Scheme (replaced by AICIS since 2020) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic RCM = Regulatory Mark of Conformity RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail SCL = A specific concentration limit STEL = Short-term exposure limits STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative WHS = Work Health and Safety Regulations Additional information

No substances are included in the list of workplace exposure standards for airborne contaminants as published by Safe Work Australia.

A safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information.

The safety data sheet is validated by

NL

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: AU-en