

SAFETY DATA SHEET

## **Rislone High Mileage Oil Supplement**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### **Product identifier**

Trade name: Rislone High Mileage Oil Supplement

Product no.: 44200

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Additive

*Uses advised against :* None known.

## Details of the supplier of the safety data sheet

## Manufacturer/Supplier:

Rislone P.O. Box 187

Holly, MI 48442 USA Phone: (810) 603-1321 www.rislone.com support@rislone.com

#### **Distributor:**

Smits Group Pty Ltd. 59 Greenmount Drive East Tamaki, Auckland, New Zealand NZ Telephone 09 274 6871 AUS Telephone 1800 883 888

SDS Date: 26 March 2024

## **Emergency telephone number**

ChemTel Inc.

(800) 255-3924 (North America) +1 (813) 248-0585 (International)

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

Not classified according to the Hazardous Substances (Hazard Classification) Notice.

#### **Label elements**

Hazard pictogram(s):Not applicable.Signal word:Not applicable.Hazard statement(s):Not applicable.

Precautionary statement(s):

General: Prevention: -



Response: -

Storage: -

Disposal:

Hazardous substances:

Additional labelling:

None known.

Not applicable.

Other hazards

Additional warnings: This mixture/product does not contain any

substances known to fulfil the criteria for PBT

and vPvB classification.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Substances**

Not applicable. This product is a mixture.

#### **Mixtures**

Product/substance	Identifiers	% w/w	Classification	Note
Distillates (petroleum),	CAS No.: 64742-52-5	10-15%	Asp. Tox. 1, H304	[19]
hydrotreated heavy	EC No.: 265-155-0			
naphthenic;Baseoil -				
unspecified;[A complex				
combination of				
hydrocarbons obtained				
by treating a petroleum				
fraction with hydrogen in				
the presence of a				
catalyst. It consists of				
hydrocarbons having				
carbon numbers				
predominantly in the				
range of C20 through C50				
and produces a finished				
oil of at least 100 SUS at				
100 °F (19cSt at 40 °C). It				
contains relatively few				
normal paraffins.]				
Lubricating oils	CAS No.: 64742-58-1	1-3%	Asp. Tox. 1, H304	[19]
(petroleum),	EC No.: 265-161-3			
hydrotreated spent				
Oct-1-ene	CAS No.: 111-66-0	<0.25%	Flam. Liq. 2, H225	
	EC No.: 203-893-7		Asp. Tox. 1, H304	
			Aquatic Acute 1, H400 (M=1)	
			Aquatic Chronic 1, H410 (M=1)	



See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### **SECTION 4: FIRST AID MEASURES**

## **Description of first aid measures**

General information: In the case of accident: Contact a doctor or

casualty department – bring the label or this

safety data sheet.

Contact a doctor if in doubt about the injured

person's condition or if the symptoms persist. Never give an unconscious person

water or other drink.

*Inhalation:* In case of discomfort: bring the person into

fresh air.

Skin contact: Upon irritation: rinse with water. In the event

of continued irritation, seek medical

assistance.

Eye contact: If in eyes: Flush eyes with plenty of water or

salt water (20-30 °C) and continue until irritation stops. Remove contact lenses.

Ingestion: Rinse and flush mouth thoroughly and

consume large quantities of water. In case of

continued discomfort: seek medical

assistance and bring this safety data sheet.

Burns: Not applicable.

#### Most important symptoms and effects, both acute and delayed

None known.

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: FIREFIGHTING MEASURES**

## **Extinguishing media**

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### Special hazards arising from the substance or mixture



Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

## Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the National Poisons Centre: 0800 764 766 (24 hour service) in order to obtain further advice.

Fire fighters should wear appropriate personal protective equipment.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

## **Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

## Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

#### **SECTION 7: HANDLING AND STORAGE**

### Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

## Conditions for safe storage, including any incompatibilities

Recommended storage material: Always store in containers of the same

material as the original container.

Storage temperature: Cool, dry conditions in well sealed

receptacles

*Incompatible materials:* Strong acids

#### Specific end use(s)

This product should only be used for applications quoted in section 1.2.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



## **Control parameters**

No substances are included in the latest edition of the Workplace Exposure Standards and Biological Exposure Indices.

#### **DNEL:**

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil - unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - Workers	Dermal	970 μg/kgbw/day
Long term – Local effects - General population	Inhalation	1.19 mg/m³
Long term – Local effects - Workers	Inhalation	5.58 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	2.73 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	740 µg/kgbw/day

#### PNEC:

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil - unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]

Route of exposure:	Duration of Exposure:	PNEC:
Predators		9.33 mg/kg

## Oct-1-ene

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		12 μg/L
Freshwater sediment		6.06 mg/kg
Intermittent release (freshwater)		12 μg/L
Marine water		12 μg/L
Marine water sediment		6.06 mg/kg
Soil		1.25 mg/kg

#### **Exposure controls**

Apply general control to prevent unnecessary exposure

General recommendations: Smoking, drinking and consumption of food

is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios

implemented for this product.

Exposure limits: Occupational exposure limits have not been

defined for the substances in this product.

Appropriate technical measures: Apply standard precautions during use of the

product. Avoid inhalation of vapours.

Hygiene measures: Wash hands after use.



*Measures to avoid environmental exposure:* No specific requirements.

## Individual protection measures, such as personal protective equipment

Generally: Use only protective equipment that have

been approved by IANZ or NATA, or a laboratory accredited under a recognised Mutual Recognition Arrangement.

Respiratory Equipment:
No specific requirements

Skin protection:

Recommended	Type/Category	Standards	
Protective work clothing	Protective work clothing		

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

Eye protection:

Туре	Standards	
Safety glasses	EN166	

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Form: Liquid Colour: Amber

Odour: Hydrocarbon

Odour threshold (ppm): Testing not relevant or not possible due to

the nature of the product.

pH: Not determined

Density (g/cm³):

Relative density: 0.8984

Kinematic viscosity: 80-130 centistokes

**Phase changes** 

Melting point (°C):Not determinedBoiling point (°C):Not determinedVapour pressure:Not determinedRelative vapour density:Not determined



Decomposition temperature (°C): Not determined Evaporation rate (n-butylacetate = 100): Not determined

Data on fire and explosion hazards

Flash point (°C):

Flammability (°C): Not applicable Auto-ignition temperature (°C): Not determined

Explosion limits (% v/v): Testing not relevant or not possible due to

the nature of the product.

Explosive properties: Testing not relevant or not possible due to

the nature of the product.

Oxidizing properties: Non-oxidizing

Solubility

Solubility in water: Not miscible or difficult to mix

*n-octanol/water coefficient (LogKow):* Testing not relevant or not possible due to

the nature of the product.

Solubility in fat (g/L): Testing not relevant or not possible due to

the nature of the product.

Other information

Evaporation rate (n-butylacetate = 100):

Other physical and chemical parameters:

Oxidizing properties:

Not determined

No data available.

Non-oxidizing

#### **SECTION 10: STABILITY AND REACTIVITY**

## Reactivity

No data available.

#### **Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### Possibility of hazardous reactions

None known.

#### Conditions to avoid

Avoid acids

#### **Incompatible materials**

Strong acids

#### **Hazardous decomposition products**

The product is not degraded when used as specified in section 1.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

Acute toxicity



Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

## Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Long term effects

None known.

#### **SECTION 12: ECOLOGICAL INFORMATION**

## **Toxicity**

No data available.

#### Persistence and degradability

Based on available data, the classification criteria are not met.

#### **Bioaccumulative potential**

Based on available data, the classification criteria are not met.

## Mobility in soil

No data available.

## Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.



#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Product is not covered by regulations on dangerous waste.

#### Specific labelling

## **Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

#### **SECTION 14: TRANSPORT INFORMATION**

			14.3 Hazard class(es)	· ·	l	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

<sup>\*</sup> Packing group

#### **Additional information**

Not dangerous goods according to ADR, IATA and IMDG.

#### Special precautions for user

Not applicable.

#### Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

#### **SECTION 15: REGULATORY INFORMATION**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

*Restrictions for application:* No special.

Demands for specific education:

No specific requirements.

Control of major hazard facilities: Not applicable.

Additional information: Not applicable.

New Zealand Inventory of Chemicals (NZIoC): Distillates (petroleum), hydrotreated heavy

naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains

<sup>\*\*</sup> Environmental hazards



relatively few normal paraffins.] is listed Lubricating oils (petroleum), hydrotreated

spent is listed Oct-1-ene is listed

Sources: Hazardous Substances (Hazard Classification)

Notice 2020

Hazardous Substances and New Organisms

Act 1996

## **Chemical safety assessment**

No

#### **SECTION 16: OTHER INFORMATION**

## Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

H304, May be fatal if swallowed and enters airways.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

#### The full text of identified uses as mentioned in section 1

None known.

## Abbreviations and acronyms

AS/NZS = Australian New Zealand Standard

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

EINECS = European Inventory of Existing Commercial chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

Hazchem = Hazardous chemicals

IANZ = International Accreditation New Zealand

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. (""Marpol"" = marine pollution)

NATA = National Association of Testing Authorities

NZIoC = New Zealand Inventory of Chemicals

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL = A specific concentration limit

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative



#### **Additional information**

A safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information.

## The safety data sheet is validated by

NI

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: NZ-en