



Conforms to Hazardous Products Regulations (SOR/2022-272)

SAFETY DATA SHEET

# Rislone High Mileage Engine Treatment

## SECTION 1: IDENTIFICATION

### 1.1. Product identifier

*Trade name:* Rislone High Mileage Engine Treatment  
*Product no.:* 34102

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:* None known.  
*Uses advised against :* Lubricant

### 1.3. Details of the supplier of the safety data sheet

*Company and address:* **Rislone**  
P.O. Box 187  
Holly, MI 48442  
USA  
(810) 603-1321  
www.Rislone.com

*E-mail:* support@rislone.com  
*SDS date:* 12 December 2024  
*SDS Version:* 1.0

### 1.4. Emergency telephone number

ChemTel Inc.  
(800) 255-3924 (North America)  
+1 (813) 248-0585 (International)

## SECTION 2: HAZARD(S) IDENTIFICATION

Classified according to WHMIS 2022.

### 2.1. Classification of the substance or mixture

Carc. 1B; H350, May cause cancer.

### 2.2. Label elements

*Hazard pictogram(s):*



*Signal word:*

Danger

*Hazard statement(s):*

May cause cancer. (H350)

*Precautionary statement(s):*

*General:*

If medical advice is needed, have product



Conforms to Hazardous Products Regulations (SOR/2022-272)

*Prevention:* container or label at hand. (P101)  
 Keep out of reach of children. (P102)  
 Obtain special instructions before use. (P201)  
 Wear eye protection/protective gloves. (P280)

*Response:* IF exposed or concerned: Get medical advice/attention. (P308+P313)

*Storage:* Store locked up. (P405)

*Disposal:* Dispose of contents/container in accordance with local regulation (P501)

*Hazardous substances:* Distillates (petroleum), hydrotreated middle;Gasoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately 205 °C to 400 °C (401 °F to 752 °F).]

*Additional labelling:* Restricted to professional users.

**2.3. Other hazards**

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Substances**  
 Not applicable. This product is a mixture.

**3.2. Mixtures**

Product/substance	Identifiers	% w/w	Classification	Note
Distillates (petroleum), hydrotreated middle;Gasoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C11 through C25 and boiling in the range of approximately 205 °C	CAS No.: 64742-46-7	5-10%	Carc. 1B, H350	[19]



Conforms to Hazardous Products Regulations (SOR/2022-272)

to 400 °C (401 °F to 752 °F).]				
--------------------------------	--	--	--	--

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

**Other information**

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

**SECTION 4: FIRST-AID MEASURES**

**4.1. Description of first aid measures**

*General information:*

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

*Inhalation:*

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

*Skin contact:*

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.

*Eye contact:*

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

*Ingestion:*

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

*Burns:*

Not applicable.



Conforms to Hazardous Products Regulations (SOR/2022-272)

#### **4.2. Most important symptoms and effects, both acute and delayed**

None known.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

IF exposed or concerned:

Get immediate medical advice/attention.

#### **Information to medics**

Bring this safety data sheet or the label from this product.

### **SECTION 5: FIRE-FIGHTING MEASURES**

#### **5.1. Extinguishing media**

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### **5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

#### **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact a poison centre in order to obtain further advice. See section 1 "Emergency telephone number".

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

#### **6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

#### **6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### **6.4. Reference to other sections**

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### **SECTION 7: HANDLING AND STORAGE**

#### **7.1. Precautions for safe handling**

Avoid direct contact with the product.



Conforms to Hazardous Products Regulations (SOR/2022-272)

Avoid contact during pregnancy and while nursing.  
Smoking, drinking and consumption of food is not allowed in the work area.  
See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Store locked up. A sign warning of toxic materials shall be affixed the room and cupboard containing the product(s).  
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

<i>Recommended storage material:</i>	Always store in containers of the same material as the original container.
<i>Storage conditions:</i>	No specific requirements
<i>Incompatible materials:</i>	Foodstuffs Oxidizing agents

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### ALBERTA

n-butyl acetate

Long term exposure limit (8 hours) (ppm): 150

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 713

Short term exposure limit (15 minutes) (ppm): 200

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 950

Annotations:

3 = Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.

Occupational Health and Safety Code 2009 Order, Alta Reg 87/2009 (revised in 2018)

#### BRITISH COLUMBIA

n-butyl acetate

Time-Weighted Average Limit (TWA): 20 ppm

OHS Regulation Part 5: Chemical Agents and Biological Agents.

#### ONTARIO

n-butyl acetate

Time-Weighted Average Limit (TWA): 150 ppm

Short-Term Exposure Limit (STEL) / Ceiling Limit (C): 200 ppm

Regulation 833 (Control of Exposure to Biological or Chemical Agents) and Ontario Regulation 490/09 (Designated Substances)

#### QUEBEC

n-butyl acetate

Long term exposure limit (8 hours) (ppm): 20

Regulation respecting occupational health and safety (Chapter S-2.1, r. 13)



Conforms to Hazardous Products Regulations (SOR/2022-272)

SASKATCHEWAN

n-butyl acetate

Long term exposure limit (8 hours) (ppm): 150

Short term exposure limit (15 minutes) (ppm): 200

The Occupational Health and Safety Regulations, 2020, Chapter S15.1 Reg 10.

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

*General recommendations:*

Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:*

There are no exposure scenarios implemented for this product.

*Exposure limits:*

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

*Appropriate technical measures:*

Do not recirculate outlet air that contain the substances.  
The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the product. Avoid inhalation of vapours.

*Hygiene measures:*

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

*Measures to avoid environmental exposure:*

Keep damming materials near the workplace. If possible, collect spillage during work.

### Individual protection measures, such as personal protective equipment

*Generally:*

Use only protective equipment with a recognized certification mark, e.g. the UL mark.


*Respiratory Equipment:*

No specific requirements

*Skin protection:*

No specific requirements.


*Hand protection:*

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	



Conforms to Hazardous Products Regulations (SOR/2022-272)

*Eye protection:*

Type	Standards	
Safety glasses with side shields.	EN166	

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<i>Physical state:</i>	Liquid
<i>Colour:</i>	Blue
<i>Odour:</i>	Fruity
<i>Odour threshold (ppm):</i>	No relevant or available data due to the nature of the product.
<i>pH:</i>	Not determined
<i>Density (g/cm<sup>3</sup>):</i>	-
<i>Relative density:</i>	0.86
<i>Kinematic viscosity:</i>	45.1 mm <sup>2</sup> /s
<i>Particle characteristics:</i>	Does not apply to liquids.

### Phase changes

<i>Melting point (°C):</i>	Not determined
<i>Softening point/range (°F):</i>	Does not apply to liquids.
<i>Boiling point (°C):</i>	Not determined
<i>Vapour pressure:</i>	Not determined
<i>Relative vapour density:</i>	No relevant or available data due to the nature of the product.
<i>Decomposition temperature (°C):</i>	Not determined

### Data on fire and explosion hazards

<i>Flash point (°C):</i>	190
<i>Flammability (°C):</i>	Not applicable
<i>Auto-ignition temperature (°C):</i>	Not determined
<i>Explosion limits (% v/v):</i>	No relevant or available data due to the nature of the product.

### Solubility

<i>Solubility in water:</i>	Not miscible or difficult to mix
<i>n-octanol/water coefficient (LogKow):</i>	No relevant or available data due to the nature of the product.
<i>Solubility in fat (g/L):</i>	No relevant or available data due to the nature of the product.

### 9.2. Other information



Conforms to Hazardous Products Regulations (SOR/2022-272)

<i>Evaporation rate (n-butylacetate = 100):</i>	Not determined
<i>Other physical and chemical parameters:</i>	No data available.
<i>Oxidizing properties:</i>	Non-oxidizing

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Excessive heat  
Contact with oxidizers.

### 10.5. Incompatible materials

Oxidizers

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

May cause cancer.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.





Conforms to Hazardous Products Regulations (SOR/2022-272)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Due to the viscosity, this product does not present an aspiration hazard.

**Long term effects**

Carcinogenic effects: This product contains substances considered or proven to be carcinogenic. The carcinogenic effects may be triggered subsequent to exposure through inhalation, skin contact or ingestion.

**Other information**

None known.

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1. Toxicity**

No data available.

**12.2. Persistence and degradability**

Based on available data, the classification criteria are not met.

**12.3. Bioaccumulative potential**

Based on available data, the classification criteria are not met.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**12.6. Other adverse effects**

None known.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

None of the components are listed

**Specific labelling**

**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

**SECTION 14: TRANSPORT INFORMATION**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
TDG	-	-	-	-	-	-
IMDG	-	-	-	-	-	-



Conforms to Hazardous Products Regulations (SOR/2022-272)

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

**Additional information**

Not dangerous goods according to TDG, IATA and IMDG.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available.

**SECTION 15: REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.2. Canadian lists**

*NDSL:*

None of the components are listed

*DSL:*

Rislone High Mileage Engine Treatment is listed

**15.4. Restrictions for application**

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

**15.5. Demands for specific education**

No specific requirements.

**Additional information**

Not applicable.

**15.7. Chemical safety assessment**

No

**Sources**

Hazardous Products Regulations (SOR/2022-272)

**SECTION 16: OTHER INFORMATION**

**Full text of H-phrases as mentioned in section 3**

H350, May cause cancer.

**The full text of identified uses as mentioned in section 1**

None known.



Conforms to Hazardous Products Regulations (SOR/2022-272)

---

### **Abbreviations and acronyms**

ANSI = American National Standards Institute  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
DSL = Domestic Substances List  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
HHNOC = Health Hazards Not Otherwise Classified  
IARC = International Agency for Research on Cancer  
IATA = International Air Transport Association  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NDSL = Non-domestic substances list  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PHNOC = Physical Hazards Not Otherwise Classified  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
SCL = A specific concentration limit.  
SOR = Statutory Orders and Regulations  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TDG = Transportation of Dangerous Goods  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative  
WHIMS = Workplace Hazardous Materials Information System

### **Additional information**

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by WHMIS 2022

### **The safety data sheet is validated by**

NL

### **Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: CA-en