SAFETY DATA SHEET

Rislone Block Seal Liquid Copper Sealer

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Rislone Block Seal Liquid Copper Sealer

Product no.: 31109, 41109, 41108
Unique formula identifier (UFI): HDUN-33ET-U00H-RKFR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Sealer

Uses advised against: None known.

1.3. Details of the supplier of the safety data sheet

Company and address: RISLONE Nordic AB

Rydståvägen 45

S-424 91 OLOFSTORP

Sweden

+46 (0)31 55 50 88

https://www.rislonenordic.com/

Contact person: Support Department info@rislonenordic.com

Revision: 07 March 2025

SDS Version: 2.0

Date of previous version: 04 December 2024 (2.0)

1.4. Emergency telephone number

ChemTel Inc.

(800) 255-3924 (North America) +1 (813) 248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP).

2.2. Label elements

Hazard pictogram(s):Not applicable.Signal word:Not applicable.Hazard statement(s):Not applicable.



Precautionary statement(s):

General: Prevention: Response: Storage: -

Hazardous substances: None known.

Additional labelling:

UFI: HDUN-33ET-U00H-RKFR

2.3. Other hazards

Disposal:

Additional warnings: This mixture/product does not contain any

substances known to fulfil the criteria for PBT

and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU)

2023/707.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Silicic acid, sodium salt	CAS No.: 1344-09-8 EC No.: 215-687-4 REACH: 01-2119448725-31- XXXX Index No.:	5-10%	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	
Glass, oxide, chemicals	CAS No.: 65997-17-3 EC No.: 266-046-0 REACH: 01-2119488048-29- XXXX Index No.:	<0.1%		[1], [19]
1-methoxy-2- propanol;monopropylene glycol methyl ether	CAS No.: 107-98-2 EC No.: 203-539-1 REACH: 01-2119457435-35- XXXX Index No.: 603-064-00-3	<0.1%	Flam. Liq. 3, H226 STOT SE 3, H336	



See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor or

casualty department - take the label or this

safety data sheet.

Contact a doctor if in doubt about the injured

person's condition or if the symptoms persist. Never give an unconscious person

water or other drink.

Inhalation: In case of discomfort: bring the person into

fresh air.

Skin contact: Upon irritation: rinse with water. In the event

of continued irritation, seek medical

assistance.

Eye contact: Rinse gently with lukewarm water. Remove

any contact lenses if this is easy to do. Continue rinsing. In case of persistent eye irritation or discomfort: Seek medical help.

Ingestion: Rinse and flush mouth thoroughly and

consume large quantities of water. In case of

continued discomfort: seek medical

assistance and bring this safety data sheet.

Burns: Not applicable.

4.2. Most important symptoms and effects, both acute and delayed None known.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture



Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Some metal oxides

5.3. Advice for firefighters

No specific requirements.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material: Always store in containers of the same

material as the original container.

Storage conditions: Avoid storage near extreme heat, ignition

sources or open flame

keep receptacle tightly sealed.

Incompatible materials: Foodstuffs

Do not store together with acids

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



8.1. Control parameters

Copper

Long term exposure limit (8 hours) (mg/m³): 0,1 (røyk) / 1 (støv)

Regulations concerning action and limit values for physical and chemical agents in the working environment and classified biological agents (Regulations concerning Action and Limit values) FOR-2011-12-06-1358. Last update: FOR-2024-04-05-581.

DNEL

Copper

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	137 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	137 mg/kg bw/day
Short term – Systemic effects - General population	Dermal	273 mg/kg bw/day
Short term – Systemic effects - Workers	Dermal	273 mg/kg bw/day
Long term – Local effects - General population	Inhalation	1 mg/m³
Long term – Local effects - Workers	Inhalation	1 mg/m³
Short term – Local effects - General population	Inhalation	1 mg/m³
Short term – Local effects - Workers	Inhalation	1 mg/m³
Long term – Systemic effects - General population	Oral	41 μg/kg bw/day

Silicic acid, sodium salt

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	800 μg/kg bw/day
Long term – Systemic effects - Workers	Dermal	1.59 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.38 mg/m³
Long term – Systemic effects - Workers	Inhalation	5.61 mg/m ³
Long term – Systemic effects - General population	Oral	800 μg/kg bw/day

PNEC

Copper

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		6.3 μg/L
Freshwater sediment		87 mg/kg
Marine water		5.2 μg/L
Marine water sediment		676 mg/kg
Sewage treatment plant		230 μg/L
Soil		65 mg/kg

Glass, oxide, chemicals



Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		6.5 μg/L
Freshwater sediment		174 mg/kg
Marine water		3.4 µg/L
Marine water sediment		164 mg/kg
Predators		10.9 mg/kg
Sewage treatment plant		100 μg/L
Soil		147 mg/kg

Silicic acid, sodium salt

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		7.5 mg/L
Intermittent release (freshwater)		7.5 mg/L
Marine water		1 mg/L
Sewage treatment plant		348 mg/L

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food

is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios

implemented for this product.

Exposure limits: Professional users are subjected to the

legally set maximum concentrations for occupational exposure. See occupational

hygiene limit values above.

Appropriate technical measures: The formation of vapours must be kept at a

minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the

product. Avoid inhalation of vapours.

Hygiene measures: Wash hands after use.

Measures to avoid environmental exposure: No specific requirements.

Individual protection measures, such as personal protective equipment

Generally: Use only CE marked protective equipment.

Respiratory Equipment:
No specific requirements

Skin protection:

Recommended	Type/Category	Standards	
Wear suitable	Wear suitable protective	Wear suitable protective	



Recommended	Type/Category	Standards	
protective clothing.	clothing.	clothing.	

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

Eye protection:

Туре	Standards	
Safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: Red-brown

Odour / Odour threshold: Mild

▼ pH: 11

Density (g/cm³): 1.28

Kinematic viscosity: Not determined

Particle characteristics: Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C):

Not determined

Softening point/range (°C): Does not apply to liquids.

Boiling point (°C): 104 Vapour pressure: 23 hPa

Relative vapour density: Not determined Decomposition temperature (°C): Not determined

Data on fire and explosion hazards

Flash point (°C):

Not applicable
Flammability (°C):

Not applicable

Auto-ignition temperature (°C): Product is not self-igniting.

▼ *Lower and upper explosion limit (% v/v):* No data available.

Solubility

Solubility in water: Fully miscible.

▼ n-octanol/water coefficient (LogKow): No data available.



Solubility in fat (g/L): No data available.

9.2. Other information

Evaporation rate (n-butylacetate = 100): Not determined

Other physical and chemical parameters: No data available.

▼ Oxidizing properties: No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Foodstuffs

Do not store together with acids

10.6. ▼ Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.



STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

▼ Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No data available.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Disposal to the sewer is discouraged.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code: Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.



SECTION 14: TRANSPORT INFORMATION

	'	14.2 UN proper shipping name	14.3 Hazard class(es)	· ·	Env**	Other informat ion:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

▼ Additional information

Not dangerous goods according to ADR, IATA and IMDG.

Although this product is environmentally hazardous, the environmentally hazardous substance mark has been omitted as the product is supplied in packaging with a maximum quantity of 5 L / 5 kg.

_

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: No special.

*Demands for specific education:*No specific requirements.

SEVESO - Categories / dangerous substances: Not applicable.

Additional information: Not applicable.

Sources: Regulation (EC) No 1272/2008 of the

European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures

(CLP).

Regulation (EC) No 1907/2006 of the

European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION



Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.

H315, Causes skin irritation.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H336, May cause drowsiness or dizziness.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable.



The safety data sheet is validated by

NL

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: NO-en