

# SAFETY DATA SHEET

# **Rislone Block Seal Liquid Copper Sealer**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

#### 1.1. **Product identifier**

Trade name:	Rislone Block Seal Liquid Copper Sealer
Product no.:	41108, 41109

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Sealer Uses advised against : None known.

#### Details of the supplier of the safety data sheet 1.3.

Company and address:	<b>Rislone</b> P.O. Box 187 Holly, MI 48442 USA (810) 603-1321 www.Rislone.com
E-mail:	support@rislone.com
SDS date:	7 March 2025
SDS Version:	2.0
Date of previous version:	25 January 2024 (1.0)

#### 1.4. ▼ Emergency telephone number ChemTel Inc. (800) 255-3924 (North America) +1 (813) 248-0585 (International)

New Zealand 0800 764 766 (National Poison Control Centre) Australia 131126 (NSW Poison Control Centre)

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Not classified according to the Work Health and Safety Regulations.

#### 2.2. Label elements

Hazard pictogram(s): Signal word: Hazard statement(s):

Not applicable. Not applicable. Not applicable.



Precautionary statement(s):	
General:	-
Prevention:	-
Response:	-
Storage:	-
Disposal:	-
Hazardous substances:	None known.
Additional labelling:	Not applicable.
Other herevels	

# 2.3. Other hazards

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1. Substances

Not applicable. This product is a mixture.

# 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Silicic acid, sodium salt	CAS No.: 1344-09-8 EC No.: 215-687-4		Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

# Other information

# **SECTION 4: FIRST AID MEASURES**

4.1.	▼ Description of first aid measures		
	General information:	In the case of accident: Contact a doctor or casualty department – bring the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.	
	Inhalation:	In case of discomfort: bring the person into fresh air.	
	Skin contact:	Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.	



▼ Eye contact:	Rinse gently with lukewarm water. Remove any contact lenses if this is easy to do. Continue rinsing. In case of persistent eye irritation or discomfort: Seek medical help.
Ingestion:	Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.
Burns:	Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed None known.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

# Information to medics

Bring this safety data sheet or the label from this product.

# **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. **Extinguishing media**

Not applicable.

#### Special hazards arising from the substance or mixture 5.2.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fireextinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Some metal oxides

#### 5.3. Advice for firefighters

No specific requirements.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

- 6.1. Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.
- **Environmental precautions** 6.2. Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill
- Methods and material for containment and cleaning up 6.3. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of

solvents.

#### 6.4. **Reference to other sections**



See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

sources or open flame

Foodstuffs

keep receptacle tightly sealed.

Do not store together with acids

#### 7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material:Always store in containers of the same<br/>material as the original container.Storage conditions:Avoid storage near extreme heat, ignition

*Incompatible materials:* 

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. **v** Control parameters

Copper Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 0.2

Cellulose Long term exposure limit (8 hours) (mg/m³): 10

Workplace exposure standards for airborne contaminants (Safe Work Australia).

## 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:	Smoking, drinking and consumption of food is not allowed in the work area.
Exposure scenarios:	There are no exposure scenarios implemented for this product.
Exposure limits:	Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.
Appropriate technical measures:	The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash



and emergency showers are clearly marked. Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures:

Wash hands after use.

Measures to avoid environmental exposure:

No specific requirements.

# Individual protection measures, such as personal protective equipment

Generally:

Use only protective equipment that carries the RCM symbol.

*Respiratory Equipment:* No specific requirements

Skin protection:

Recommended	Type/Category	Standards	
Wear suitable protective clothing.	I I I I I I I I I I I I I I I I I I I	Wear suitable protective clothing.	

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

## Eye protection:

Туре	Standards	
Safety glasses with side shields.	EN166	

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Form:	Liquid
Colour:	Red-brown
Odour:	Mild
Odour threshold (ppm):	Not determined
<b>▼</b> рН:	11
Density (g/cm³):	1.28
Kinematic viscosity:	Not determined
▼ Particle characteristics:	Does not apply to liquids.
Phase changes	
Melting point/Freezing point (°C):	Not determined
▼ Softening point/range (°C):	Does not apply to liquids.
Boiling point (°C):	104



		22 602
	Vapour pressure:	23 hPa
	Relative vapour density:	Not determined
	Decomposition temperature (°C):	Not determined
Data	on fire and explosion hazards	
	Flash point (°C):	Not applicable
	Flammability (°C):	Not applicable
	Auto-ignition temperature (°C):	Product is not self-igniting.
	▼ Explosion limits (% v/v):	No data available.
Solub	ility	
	Solubility in water:	Fully miscible.
	▼ n-octanol/water coefficient (LogKow):	No data available.
	▼ Solubility in fat (g/L):	No data available.
9.2.	Other information	
	▼ Evaporation rate (n-butylacetate = 100):	Not determined
	Other physical and chemical parameters:	No data available.
	▼ Oxidizing properties:	No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

- **10.1. Reactivity** No data available.
- **10.2.** Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
- **10.3. Possibility of hazardous reactions** None known.
- **10.4.** Conditions to avoid None known.
- **10.5. Incompatible materials** Foodstuffs Do not store together with acids

**10.6.** ▼ Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# SECTION 11: TOXICOLOGICAL INFORMATION

# **11.1.** Information on toxicological effects

## Acute toxicity

Based on available data, the classification criteria are not met.

# Skin corrosion/irritation

Based on available data, the classification criteria are not met.



#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Long term effects

None known.

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

No data available.

- **12.2. Persistence and degradability** Based on available data, the classification criteria are not met.
- **12.3. Bioaccumulative potential** Based on available data, the classification criteria are not met.

#### **12.4. Mobility in soil** No data available.

- **12.5. Results of PBT and vPvB assessment** This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
- **12.6.** Other adverse effects None known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

## Specific labelling

# **Contaminated packing**

Rislone Block Seal Liquid Copper Sealer



Packaging containing residues of the product must be disposed of similarly to the product.

# **SECTION 14: TRANSPORT INFORMATION**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	Env**	Other informat ion:
ADG	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

## ▼ Additional information

Not dangerous goods according to ADR, IATA and IMDG.

Although this product is environmentally hazardous, the environmentally hazardous substance mark has been omitted as the product is supplied in packaging with a maximum quantity of 5 L / 5 kg.

- **14.6.** Special precautions for user Not applicable.
- **14.7.** Transport in bulk according to Annex II of Marpol and the IBC Code No data available.

# **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:	No special.			
Demands for specific education:	No specific requirements.			
Control of major hazard facilities:	Not applicable.			
Additional information:	Not applicable.			
The Australian Inventory of Industrial Chemicals (AIIC):	Silicic acid, sodium salt is listed Copper is listed Cellulose is listed			
Sources:	Model Work Health and Safety Regulations as at 1 January 2021.			

# **15.2.** Chemical safety assessment No

# **SECTION 16: OTHER INFORMATION**

# Full text of H-phrases as mentioned in section 3



H315, Causes skin irritation. H319, Causes serious eye irritation. H335, May cause respiratory irritation.

## The full text of identified uses as mentioned in section 1

None known.

# Abbreviations and acronyms

ADG = The Australian Code for the Transport of Dangerous Goods by Road & Rail AICIS = Australian Industrial Chemicals Introduction Scheme AIIC = Australian Inventory of Industrial Chemicals AS = Australian Standard AS/NZS = Australian New Zealand Standard ATE = Acute Toxicity Estimate AUH = Hazard statements specific for Australia BCF = Bioconcentration Factor CAS = Chemical Abstracts Service EINECS = European Inventory of Existing Commercial chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals Hazchem = Hazardous chemicals IARC = International Agency for Research on Cancer IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. (""Marpol"" = marine pollution) NICNAS = National Industrial Chemicals Notification and Assessment Scheme (replaced by AICIS since 2020) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic RCM = Regulatory Mark of Conformity RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail SCL = A specific concentration limit STEL = Short-term exposure limits STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative WHS = Work Health and Safety Regulations

# Additional information

Copper Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 0.2

Cellulose Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 10

Not applicable.

# The safety data sheet is validated by



## NL

# **▼**Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: AU-en