



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

SAFETY DATA SHEET

Rislone CAT Complete

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Rislone CAT Complete
Product no.: 44720

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Fuel additive
Uses advised against: None known.

1.3. Details of the supplier of the safety data sheet

Company and address: **Rislone**
P.O. Box 187
Holly, MI 48442
USA
(810) 603-1321
www.Rislone.com

E-mail: support@rislone.com
SDS date: 4 March 2025
SDS Version: 7.0
Date of previous version: 28 January 2025 (6.0)

1.4. Emergency telephone number

ChemTel Inc.
(800) 255-3924 (North America)
+1 (813) 248-0585 (International)

New Zealand 0800 764 766 (National Poison Control Centre)
Australia 131126 (NSW Poison Control Centre)

SECTION 2: HAZARDS IDENTIFICATION

This material is considered hazardous according to the Work Health and Safety Regulations.

2.1. ▼ Classification of the substance or mixture

Flam. Liq. 4; H227, Combustible liquid

2.2. Label elements

▼ *Hazard pictogram(s):* Not applicable.
▼ *Signal word:* Warning



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

| | |
|--|---|
| <p>▼ <i>Hazard statement(s):</i></p> <p><i>Precautionary statement(s):</i></p> <p>▼ <i>General:</i></p> <p>▼ <i>Prevention:</i></p> <p>▼ <i>Response:</i></p> <p>▼ <i>Storage:</i></p> <p><i>Disposal:</i></p> <p>▼ <i>Hazardous substances:</i></p> <p><i>Additional labelling:</i></p> | <p>Combustible liquid (H227)</p> <p>Keep out of reach of children. (P102)</p> <p>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)</p> <p>In case of fire: Use water mist/carbon dioxide/alcohol-resistant foam to extinguish. (P370+P378)</p> <p>Store in a well-ventilated place. Keep cool. (P403+P235)</p> <p>Dispose of contents/container in accordance with local regulation (P501)</p> <p>2-butoxyethanol p-xylene;m-xylene;xylene;o-xylene Tricarbonyl(methylcyclopentadienyl)manganese</p> <p>Not applicable.</p> |
|--|---|

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|--|--|--------|-------------------|------|
| Distillates (petroleum), hydrotreated light paraffinic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F | CAS No.: 64742-55-8 EC No.: 265-158-7 | 25-40% | Asp. Tox. 1, H304 | [19] |



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

| | | | | |
|---|--|-------|---|------|
| (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | | | | |
| 2-butoxyethanol | CAS No.: 111-76-2 EC No.: 203-905-0 | 5-10% | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 4, H332 | |
| Distillates (petroleum), hydrotreated light;Kerosine - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 150 °C to 290 °C (302 °F to 554 °F).] | CAS No.: 64742-47-8 EC No.: 265-149-8 | 3-5% | Asp. Tox. 1, H304 | [19] |
| Paraffins (petroleum), normal C5-20 | CAS No.: 64771-72-8 EC No.: 265-233-4 | 3-5% | Asp. Tox. 1, H304 | [19] |
| p-xylene;m-xylene;xylene;o-xylene | CAS No.: 1330-20-7 EC No.: 215-535-7 | 1-3% | Flam. Liq. 3, H226 Acute Tox. 4, H312 Skin Irrit. 2, H315 Acute Tox. 4, H332 | |
| Solvent naphtha (petroleum), light arom. | CAS No.: 64742-95-6 EC No.: 265-199-0 | 1-3% | Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 | [19] |
| Tricarbonyl(methylcyclopentadienyl)manganese | CAS No.: 12108-13-3 EC No.: 235-166-5 | <1% | Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 1, H330 | |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES

4.1. ▼ Description of first aid measures

General information:

In the case of accident: Contact a doctor or casualty department – bring the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

▼ *Inhalation:*

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

▼ *Skin contact:*

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact:

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

▼ *Ingestion:*

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns:

Not applicable.

4.2. ▼ Most important symptoms and effects, both acute and delayed

None known.

4.3. ▼ Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Combustible liquid

In use may form flammable/explosive vapour-air mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO₂)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure call the NSW Poisons Information Centre on 13 11 26 (Available 24/7) in order to obtain further advice.

Hazchem Code: ●3Y

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. ▼ Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. ▼ Precautions for safe handling

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:

Properly labeled containers

Storage conditions:

Dry, cool and well ventilated

Tightly closed container

Incompatible materials:

heat, sparks, flame, and other sources of ignition

Combustible materials

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

2-butoxyethanol

Long term exposure limit (8 hours) (ppm): 20

Long term exposure limit (8 hours) (mg/m³): 96.9

Short term exposure limit (15 minutes) (ppm): 50

Short term exposure limit (15 minutes) (mg/m³): 242

Annotations:

Sk = Absorption through the skin may be a significant source of exposure.

p-xylene;m-xylene;xylene;o-xylene

Long term exposure limit (8 hours) (ppm): 80

Long term exposure limit (8 hours) (mg/m³): 350

Short term exposure limit (15 minutes) (ppm): 150

Short term exposure limit (15 minutes) (mg/m³): 655

ethylbenzene

Long term exposure limit (8 hours) (ppm): 100

Long term exposure limit (8 hours) (mg/m³): 434

Short term exposure limit (15 minutes) (ppm): 125

Short term exposure limit (15 minutes) (mg/m³): 543

Tricarbonyl(methylcyclopentadienyl)manganese

Long term exposure limit (8 hours) (mg/m³): 0.2

Annotations:

Sk = Absorption through the skin may be a significant source of exposure.

Workplace exposure standards for airborne contaminants (Safe Work Australia).

8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

Exposure scenarios:

There are no exposure scenarios implemented for this product.

Exposure limits:

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures:

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures:

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

▼ *Measures to avoid environmental exposure:*

No specific requirements.

Individual protection measures, such as personal protective equipment


Generally:

Use only protective equipment that carries the RCM symbol.


Respiratory Equipment:

No specific requirements

Skin protection:

| Recommended | Type/Category | Standards | |
|--|---------------|-----------|---|
| Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester. | - | - |  |

Hand protection:

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards | |
|----------|----------------------|--------------------------|-----------|---|
| Gloves | - | - | EN374 |  |

Eye protection:

| Type | Standards | |
|------------------------------|------------------------------|--|
| Tight sealing safety goggles | Tight sealing safety goggles | |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

9.1. Information on basic physical and chemical properties

| | |
|------------------------------------|----------------------------|
| <i>Form:</i> | Liquid |
| <i>Colour:</i> | Brown |
| <i>Odour:</i> | Petroleum-like |
| ▼ <i>Odour threshold (ppm):</i> | No data available. |
| ▼ <i>pH:</i> | No data available. |
| <i>Density (g/cm³):</i> | - |
| <i>Relative density:</i> | 0.81 |
| <i>Kinematic viscosity:</i> | No data available |
| ▼ <i>Dynamic viscosity:</i> | 23.4 mPa.s |
| <i>Particle characteristics:</i> | Does not apply to liquids. |

Phase changes

| | |
|---|----------------------------|
| <i>Melting point/Freezing point (°C):</i> | No data available |
| <i>Softening point/range (°C):</i> | Does not apply to liquids. |
| <i>Boiling point (°C):</i> | No data available |
| <i>Vapour pressure:</i> | No data available |
| ▼ <i>Relative vapour density:</i> | No data available. |
| <i>Decomposition temperature (°C):</i> | No data available |

Data on fire and explosion hazards

| | |
|--|--------------------|
| <i>Flash point (°C):</i> | 67 |
| <i>Flammability (°C):</i> | No data available |
| <i>Auto-ignition temperature (°C):</i> | No data available |
| ▼ <i>Explosion limits (% v/v):</i> | No data available. |

Solubility

| | |
|--|--------------------|
| <i>Solubility in water:</i> | Insoluble |
| ▼ <i>n-octanol/water coefficient (LogKow):</i> | No data available. |
| ▼ <i>Solubility in fat (g/L):</i> | No data available. |

9.2. Other information

| | |
|--|--------------------|
| <i>Other physical and chemical parameters:</i> | No data available. |
| ▼ <i>Oxidizing properties:</i> | No data available. |

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

10.4. Conditions to avoid

Heat, flames, and sparks

10.5. Incompatible materials

heat, sparks, flame, and other sources of ignition
Combustible materials

10.6. ▼ Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

▼ Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

2-butoxyethanol has been classified by IARC as a group 3 carcinogen.

p-xylene;m-xylene;xylene;o-xylene has been classified by IARC as a group 3 carcinogen.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

▼ Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No data available.



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods


Dispose of contents/container to an approved waste disposal plant.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

| | 14.1 UN / ID | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other informat ion: |
|------|-----------------|---------------------------------|---|-------------|---------------|--|
| ADG | UN1993 | FLAMMABLE LIQUID, N.O.S. | Transport hazard class: 3 Label: 3 Classification code: F1  | III | No | Limited quantities: 5 L Tunnel restriction code: (D/E) See below for additional information. |
| IMDG | - | - | - | - | - | - |
| IATA | - | - | - | - | - | - |

* Packing group

** Environmental hazards



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

▼ Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.
Not dangerous goods according to ADR, IATA and IMDG.
Hazchem Code: ●3Y

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. ▼ Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:

People under the age of 18 shall not be exposed to this product.
Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education:

No specific requirements.

Control of major hazard facilities:

Not applicable.

▼ Additional information:

Not applicable.

The Australian Inventory of Industrial Chemicals (AIIC):

Distillates (petroleum), hydrotreated light paraffinic; Baseoil - unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] is listed

2-butoxyethanol is listed

Distillates (petroleum), hydrotreated light; Kerosine - unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 150 °C to 290 °C (302 °F to 554 °F).] is listed



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

Paraffins (petroleum), normal C5-20 is listed
p-xylene;m-xylene;xylene;o-xylene is listed
Solvent naphtha (petroleum), light arom. is listed
ethylbenzene is listed
Tricarbonyl(methylcyclopentadienyl)manganese is listed

Model Work Health and Safety Regulations as at 1 January 2021.

Sources:

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.
H301, Toxic if swallowed.
H302, Harmful if swallowed.
H304, May be fatal if swallowed and enters airways.
H310, Fatal in contact with skin.
H312, Harmful in contact with skin.
H315, Causes skin irritation.
H319, Causes serious eye irritation.
H330, Fatal if inhaled.
H332, Harmful if inhaled.
H336, May cause drowsiness or dizziness.

The full text of identified uses as mentioned in section 1

None known.

Abbreviations and acronyms

ADG = The Australian Code for the Transport of Dangerous Goods by Road & Rail
AICIS = Australian Industrial Chemicals Introduction Scheme
AIIC = Australian Inventory of Industrial Chemicals
AS = Australian Standard
AS/NZS = Australian New Zealand Standard
ATE = Acute Toxicity Estimate
AUH = Hazard statements specific for Australia
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
EINECS = European Inventory of Existing Commercial chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
Hazchem = Hazardous chemicals
IARC = International Agency for Research on Cancer
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NICNAS = National Industrial Chemicals Notification and Assessment Scheme (replaced by AICIS since 2020)



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
RCM = Regulatory Mark of Conformity
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL = A specific concentration limit
STEL = Short-term exposure limits
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative
WHS = Work Health and Safety Regulations

▼ Additional information

Refer to AS 1940-2017: The storage and handling of flammable and combustible liquids.

The safety data sheet is validated by

NL

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: AU-en