

SAFETY DATA SHEET

Rislone Complete Fuel System Cleaner - Left Side

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name: Rislone Complete Fuel System Cleaner -

Left Side

Product no.: 44700

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Fuel additive Uses advised against: None known.

Details of the supplier of the safety data sheet

Company and address: Rislone

P.O. Box 187 Holly, MI 48442

USA

(810) 603-1321 www.Rislone.com

Distributor: Smits Group Pty Ltd.

59 Greenmount Drive

East Tamaki, Auckland, New Zealand

NZ Telephone 09 274 6871 AUS Telephone 1800 883 888

New Zealand

E-mail: support@rislone.com

SDS date: 24 April 2025

SDS Version: 1.0

Emergency telephone number

ChemTel Inc.

(800) 255-3924 (North America) +1 (813) 248-0585 (International)

New Zealand 0800 764 766 (National Poison Control Centre)

Australia 131126 (NSW Poison Control Centre)

SECTION 2: HAZARDS IDENTIFICATION

Classified according to the Hazardous Substances (Hazard Classification) Notice.





Classification of the substance or mixture

Flam. Liq. 4; H227, Combustible liquid

Label elements

Hazard pictogram(s): Not applicable.

Signal word: Warning

Hazard statement(s): Combustible liquid (H227)

Precautionary statement(s):

General: Keep out of reach of children. (P102)

Prevention: Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking. (P210)

Response: In case of fire: Use water mist/carbon

dioxide/alcohol-resistant foam to extinguish.

(P370+P378)

Store in a well-ventilated place. Keep cool.

(P403+P235)

Disposal: Dispose of contents/container in accordance

with local regulation

(P501)

Hazardous substances: Does not contain any substances required to

report

Additional labelling: Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not applicable. This product is a mixture.

Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Distillates (petroleum),	CAS No.: 64742-55-8	25-40%	Asp. Tox. 1, H304	[19]
hydrotreated light	EC No.: 265-158-7			
paraffinic;Baseoil -				
unspecified;[A complex				
combination of				
hydrocarbons obtained				
by treating a petroleum				
fraction with hydrogen in				
the presence of a				
catalyst. It consists of				
hydrocarbons having				
carbon numbers				
predominantly in the				
range of C15 through C30				



and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]				
2-butoxyethanol	CAS No.: 111-76-2 EC No.: 203-905-0	1-3%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Acute Tox. 4, H332	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES

	<i></i>	
INACCRINTIAN	At tiret aid	MASCIIPAC
Description	ui iiist aiu	i ilicasul cs

General information:	In the case of accident: Contact a doctor or casualty department – bring the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
Skin contact:	Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.
Eye contact:	If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion:

If the person is conscious, rinse the mouth with water and stay with the person. Never

give the person anything to drink.



In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns: Not applicable.

Most important symptoms and effects, both acute and delayed

None known.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

Special hazards arising from the substance or mixture

Combustible liquid

In use may form flammable/explosive vapour-air mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the National Poisons Centre: 0800 764 766 (24 hour service) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.

Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.



Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material: Always store in containers of the same

material as the original container.

Storage conditions: Tightly closed container

Dry, cool and well ventilated

Incompatible materials: heat, sparks, flame, and other sources of

ignition

Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

2-butoxyethanol

Long term exposure limit (8 hours) (ppm): 25 Long term exposure limit (8 hours) (mg/m³): 121

Annotations:

skin = Skin absorption

p-xylene;m-xylene;xylene;o-xylene

Long term exposure limit (8 hours) (ppm): 50

Long term exposure limit (8 hours) (mg/m³): 217

Annotations:

oto = Ototoxin

ethylbenzene

Long term exposure limit (8 hours) (ppm): 20

Long term exposure limit (8 hours) (mg/m³): 88

Short term exposure limit (15 minutes) (ppm): 40

Short term exposure limit (15 minutes) (mg/m³): 176

Annotations:

oto = Ototoxin

skin = Skin absorption



Workplace exposure standards and biological exposure indices. Edition 14, November 2023.

Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food

is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios

implemented for this product.

Exposure limits: Professional users are subjected to the

legally set maximum concentrations for occupational exposure. See occupational

hygiene limit values above.

Appropriate technical measures: The formation of vapours must be kept at a

minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the

product. Avoid inhalation of vapours.

Hygiene measures: In between use of the product and at the end

of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and

face.

Measures to avoid environmental exposure: No specific requirements.

Individual protection measures, such as personal protective equipment

Generally: Use only protective equipment that have

been approved by IANZ or NATA, or a laboratory accredited under a recognised

Mutual Recognition Arrangement.

Respiratory Equipment:
No specific requirements

Skin protection:

Recommended	Type/Category	Standards	
Wear suitable protective clothing.	! ·	Wear suitable protective clothing.	

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	



Eye protection:

No specific requirements.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form: Liquid Colour: Orange

Odour: Petroleum-like
Odour threshold (ppm): No data available.
pH: Not determined

Density (g/cm³):

Relative density: 0.77

Kinematic viscosity: No data available.

Phase changes

*Melting point/Freezing point (°C):*No data available

Softening point/range (°C): Does not apply to liquids.

Boiling point (°C): 93

Vapour pressure:No data availableRelative vapour density:No data available.Decomposition temperature (°C):No data availableEvaporation rate (n-butylacetate = 100):No data available

Data on fire and explosion hazards

Flash point (°C): 87

Flammability (°C):

Auto-ignition temperature (°C):

Explosion limits (% v/v):

No data available

No data available

Solubility

Solubility in water: Insoluble

n-octanol/water coefficient (LogKow): No data available. *Solubility in fat (g/L):* No data available.

Other information

Evaporation rate (n-butylacetate = 100):

Other physical and chemical parameters:

No data available.

Oxidizing properties:

No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity



No data available.

Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

Possibility of hazardous reactions

None known.

Conditions to avoid

Heat, flames, and sparks

Incompatible materials

heat, sparks, flame, and other sources of ignition

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

2-butoxyethanol has been classified by IARC as a group 3 carcinogen.

p-xylene;m-xylene;xylene;o-xylene has been classified by IARC as a group 3 carcinogen.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects

None known.



SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Based on available data, the classification criteria are not met.

Persistence and degradability

Based on available data, the classification criteria are not met.

Bioaccumulative potential

Based on available data, the classification criteria are not met.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

		14.2 UN proper shipping name	14.3 Hazard class(es)	· ·		Other informat ion:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

^{**} Environmental hazards



SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Pregnant women and women breastfeeding

must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate

exposure, must be considered.

Demands for specific education:

No specific requirements.

Control of major hazard facilities:

Additional information:

HSNO Aproval Number:

Not applicable.

HSR002583

New Zealand Inventory of Chemicals (NZIoC): Distillates (petroleum), hydrotreated light

paraffinic; Baseoil - unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt

at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] is

listed

2-butoxyethanol is listed

p-xylene;m-xylene;xylene;o-xylene is listed

ethylbenzene is listed

Sources: Hazardous Substances (Hazard Classification)

Notice 2020

Hazardous Substances and New Organisms

Act 1996

Chemical safety assessment

Nο

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H319, Causes serious eye irritation.

H332, Harmful if inhaled.

The full text of identified uses as mentioned in section 1

None known.



Abbreviations and acronyms

AS/NZS = Australian New Zealand Standard

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

EINECS = European Inventory of Existing Commercial chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

Hazchem = Hazardous chemicals

HSNO = Hazardous Substances and New Organisms Act

IANZ = International Accreditation New Zealand

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. (""Marpol"" = marine pollution)

NATA = National Association of Testing Authorities

NZIoC = New Zealand Inventory of Chemicals

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL = A specific concentration limit

STEL = Short-term exposure limits

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable.

The safety data sheet is validated by

ΝL

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: NZ-en