

## SAFETY DATA SHEET

## **Rislone Engine Oil Stop Leak**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1.	Product identifier	
	▼ Trade name:	Rislone Engine Oil Stop Leak
	Other names / Synonyms:	-
	▼ Product no.:	51009, 44209
	▼ Unique formula identifier (UFI):	JC8J-U4NW-200V-F7FF
1.2.	Relevant identified uses of the substance or	mixture and uses advised against
	Relevant identified uses of the substance or mixture:	Sealant
	▼ Uses advised against :	None known.
1.3.	Details of the supplier of the safety data she	eet
	Company and address:	RISLONE Nordic AB Rydståvägen 45 S-424 91 OLOFSTORP Sweden +46 (0)31 55 50 88 https://www.rislonenordic.com/
	Contact person:	Support Department
	E-mail:	info@rislonenordic.com
	Revision:	15 April 2025
	SDS Version:	2.0
	Date of previous version:	30 December 2024 (1.0)
1.4.	<b>Emergency telephone number</b> ChemTel Inc. (800) 255-3924 (North America) +1 (813) 248-0585 (International)	

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP).

## 2.2. Label elements

Hazard pictogram(s):	Not applicable.
Signal word:	Not applicable.



Hazard statement(s):	Not applicable.
Precautionary statement(s):	
General:	-
Prevention:	-
Response:	-
Storage:	-
Disposal:	-
▼ Hazardous substances:	Does not contain any substances required to report
Additional labelling:	EUH210, Safety data sheet available on request.
	UFI: JC8J-U4NW-200V-F7FF
Other hazards	
Additional warnings:	This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1. Substances

Not applicable. This product is a mixture.

## 3.2. Mixtures

2.3.

Product/substance	Identifiers	% w/w	Classification	Note
Distillates (petroleum),	CAS No.: 64742-52-5	40-60%	Asp. Tox. 1, H304	[19]
hydrotreated heavy	EC No.: 265-155-0			
naphthenic;Baseoil -	REACH: 01-2119467170-45-			
unspecified;[A complex	XXXX			
combination of	Index No.: 649-465-00-7			
hydrocarbons obtained				
by treating a petroleum				
fraction with hydrogen in				
the presence of a				
catalyst. It consists of				
hydrocarbons having				
carbon numbers				
predominantly in the				
range of C20 through C50				



and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few		
normal paraffins.]		

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

## **Other information**

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

## SECTION 4: FIRST AID MEASURES

4.1.	Description of first aid measures	
	General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
	Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
	Skin contact:	Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.
	Eye contact:	If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.
	Ingestion:	If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.
	Burns:	Not applicable.



- **4.2.** Most important symptoms and effects, both acute and delayed None known.
- **4.3.** Indication of any immediate medical attention and special treatment needed Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Carbon oxides (CO / CO2)

## 5.3. Advice for firefighters

No specific requirements.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

- **6.1. Personal precautions, protective equipment and emergency procedures** Contaminated areas may be slippery.
- **6.2. Environmental precautions** Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill
- 6.3. Methods and material for containment and cleaning up Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.
- **6.4. Reference to other sections** See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

## 7.2. Conditions for safe storage, including any incompatibilities



Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:

Storage conditions:

Always store in containers of the same material as the original container.

Avoid storage near extreme heat, ignition sources or open flame

Incompatible materials:

## Oxidizers

## 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### DNEL

Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - Workers	Dermal	970 µg/kg bw/day
Long term – Local effects - General population	Inhalation	1.19 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	5.58 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	2.73 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	740 µg/kg bw/day

#### PNEC

Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]

Route of exposure:		Duration of Exposure:	PNEC:	
Predators			9.33 mg/kg	

## 8.2. Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations:	Smoking, drinking and consumption of food is not allowed in the work area.
Exposure scenarios:	There are no exposure scenarios implemented for this product.
Exposure limits:	Occupational exposure limits have not been defined for the substances in this product.
Appropriate technical measures:	Apply standard precautions during use of the



Hygiene measures:

product. Avoid inhalation of vapours.

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Use only CE marked protective equipment.

*Measures to avoid environmental exposure:* 

No specific requirements.

## Individual protection measures, such as personal protective equipment

Generally:

*Respiratory Equipment:* No specific requirements

Skin protection:

Recommended	Type/Category	Standards	
No specific requirements.	-	-	

### Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

#### Eye protection:

Туре	Standards	
Safety glasses	EN166	

Not determined

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	Amber	
Odour / Odour threshold:	Petroleum-like	
pH:	Not determined	
Density (g/cm³):	0.893	
Kinematic viscosity:	56.3 mm²/s	
Particle characteristics:	Does not apply to liquids.	
Phase changes		
Melting point/Freezing point (°C):	Not determined	
Softening point/range (°C):	Does not apply to liquids.	

Boiling point (°C):



	Vapour pressure:	Not determined
	Relative vapour density:	Not determined
	Decomposition temperature (°C):	Not determined
Data	on fire and explosion hazards	
	Flash point (°C):	224
	Flammability (°C):	Not applicable
	Auto-ignition temperature (°C):	Not determined
	Lower and upper explosion limit (% v/v):	Not determined
Solut	bility	
	Solubility in water:	Not miscible or difficult to mix
	▼ n-octanol/water coefficient (LogKow):	No data available.
	▼ Solubility in fat (g/L):	No data available.
9.2.	Other information	
	Evaporation rate (n-butylacetate = 100):	Not determined
	Other physical and chemical parameters:	No data available.
	Oxidizing properties:	Not determined

#### **SECTION 10: STABILITY AND REACTIVITY**

- **10.1. Reactivity** No data available.
- **10.2.** Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
- **10.3.** Possibility of hazardous reactions None known.
- **10.4.** Conditions to avoid Excessive heat
- **10.5. Incompatible materials** Oxidizers
- **10.6.** ▼ Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.



#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Due to the viscosity, this product does not present an aspiration hazard.

#### **11.2.** Information on other hazards

#### Long term effects

None known.

#### **v** Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

## **Other information**

None known.

## **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

No data available.

**12.2. Persistence and degradability** Based on available data, the classification criteria are not met.

#### 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

#### **12.4. Mobility in soil** No data available.

**12.5. Results of PBT and vPvB assessment** This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

## 12.6. ▼Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.



#### 12.7. Other adverse effects None known.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste. Disposal to the sewer is discouraged. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code:

Not applicable.

## **Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

#### **SECTION 14: TRANSPORT INFORMATION**

		14.2 UN proper shipping name	14.3 Hazard class(es)		Env**	Other informat ion:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
ΙΑΤΑ	-	-	-	-	-	-

## Additional information

Not dangerous goods according to ADR, IATA and IMDG.

Although this product is environmentally hazardous, the environmentally hazardous substance mark has been omitted as the product is supplied in packaging with a maximum quantity of 5 L / 5 kg.

- 14.6. Special precautions for user Not applicable.
- 14.7. Maritime transport in bulk according to IMO instruments No data available.

#### **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:	No special.
Demands for specific education:	No specific requirements.
SEVESO - Categories / dangerous substances:	Not applicable.
Additional information:	Not applicable.
Sources:	Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.



Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

# **15.2.** Chemical safety assessment

INO

## **SECTION 16: OTHER INFORMATION**

## Full text of H-phrases as mentioned in section 3

H304, May be fatal if swallowed and enters airways.

### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number



SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

## **Additional information**

Not applicable.

## The safety data sheet is validated by

NL

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: NO-en