



Conforms to NOM-018-STPS-2015

## SAFETY DATA SHEET

# Rislone Cooling System Repair

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

▼ *Trade name:* Rislone Cooling System Repair  
*Product no.:* 21150

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:* Radiator anti-leak

*Uses advised against :* None known.

#### 1.3. Details of the supplier of the safety data sheet

*Company and address:* **Rislone**  
P.O. Box 187  
Holly, MI 48442  
USA  
(810) 603-1321  
www.Rislone.com

*E-mail:* support@rislone.com

*SDS date:* 24 November 2025

#### 1.4. ▼ Emergency telephone number

ChemTel Inc.  
(800) 255-3924 (North America)  
+1 (813) 248-0585 (International)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. ▼ Classification of the substance or mixture

Skin Irrit. 3; H316, Causes mild skin irritation

#### 2.2. Label elements

*Hazard pictogram(s):* Not applicable.

▼ *Signal word:* Warning



Conforms to NOM-018-STPS-2015

▼ *Hazard statement(s):*

Causes mild skin irritation (H316)

*Precautionary statement(s):*

▼ *General:*

If medical advice is needed, have product container or label at hand. (P101)  
Keep out of reach of children. (P102)

▼ *Prevention:*

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)  
Do not allow contact with air. (P222)  
Wear protective gloves/protective clothing/eye protection/face protection. (P280)

▼ *Response:*

Leaking gas fire: Do not extinguish, unless leak can be stopped safely. (P377)  
In case of leakage, eliminate all ignition sources. (P381)

▼ *Storage:*

Store in a well-ventilated place. (P403)

▼ *Disposal:*

Not applicable.

▼ *Hazardous substances:*

Does not contain any substances required to report

▼ *Additional labelling:*

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Silicic acid, sodium salt	CAS No.: 1344-09-8 EC No.: 215-687-4	1-3%	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	
Mica	CAS No.: 12001-26-2 EC No.: 601-648-2	<0.25%	Carc. 1A, H350	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

-



Conforms to NOM-018-STPS-2015

---

## SECTION 4: FIRST AID MEASURES

---

### 4.1. ▼ Description of first aid measures

*General information:*

In the case of accident: Contact a doctor or casualty department – bring the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

▼ *Inhalation:*

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

▼ *Skin contact:*

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

▼ *Eye contact:*

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

▼ *Ingestion:*

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

*Burns:*

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### Information to medics

Bring this safety data sheet or the label from this product.

---

## SECTION 5: FIREFIGHTING MEASURES

---



Conforms to NOM-018-STPS-2015

---

**5.1. Extinguishing media**

Not applicable.

**5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:  
Some metal oxides

**5.3. ▼ Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the national poisons emergency services in order to obtain further advice.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation, especially in confined areas.  
Contaminated areas may be slippery.

**6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.  
Keep unauthorized persons away from the spill

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

**6.4. Reference to other sections**

See section 13 "Disposal considerations" on handling of waste.  
See section 8 "Exposure controls/personal protection" for protective measures.

---

**SECTION 7: HANDLING AND STORAGE**

---

**7.1. Precautions for safe handling**

Smoking, drinking and consumption of food is not allowed in the work area.  
See section 8 "Exposure controls/personal protection" for information on personal protection.

**7.2. ▼ Conditions for safe storage, including any incompatibilities**

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.



Conforms to NOM-018-STPS-2015

<i>Recommended storage material:</i>	Always store in containers of the same material as the original container.
<i>Storage conditions:</i>	Cool, dry conditions in well sealed receptacles
<i>Incompatible materials:</i>	Do not store together with acids Foodstuffs

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. ▼ Control parameters

Cellulose

Ceiling value (VLE-P): 10 mg/m<sup>3</sup>

Mica

Time Weighted Average Exposure Limit Value (VLE-PPT): 3 mg/m<sup>3</sup> (R)

Annotations:

R = Respirable fraction

Official Mexican standard NOM-010-STPS-2014, Contaminating chemical agents in the work environment – inspection, evaluation, and control.

### 8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

*General recommendations:*

Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:*

There are no exposure scenarios implemented for this product.

*Exposure limits:*

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

*Appropriate technical measures:*

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.  
Apply standard precautions during use of the product. Avoid inhalation of vapours.

▼ *Hygiene measures:*

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

*Measures to avoid environmental exposure:*

No specific requirements.

**Individual protection measures, such as personal protective equipment**

▼ *Generally:*

Use only CE marked protective equipment.


▼ *Respiratory Equipment:*

No specific requirements.

*Skin protection:*

Recommended	Type/Category	Standards	
Wear suitable protective clothing.	Wear suitable protective clothing.	Wear suitable protective clothing.	

*Hand protection:*

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

*Eye protection:*

No specific requirements.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

*Form:*

Liquid

*Colour:*

Gray, Blue

*Odour:*

Light

▼ *Odour threshold (ppm):*

No data available.

▼ *pH:*

9.0-10.5

*Density (g/cm<sup>3</sup>):*

-

*Relative density:*

0.98-1.1

*Kinematic viscosity:*

Not determined

▼ *Particle characteristics:*

Does not apply to liquids.

**Phase changes**

*Melting point/Freezing point (°C):*

Not determined

▼ *Softening point/range (°C):*

Does not apply to liquids.



Conforms to NOM-018-STPS-2015

<i>Boiling point (°C):</i>	Not determined
<i>Vapour pressure:</i>	Not determined
▼ <i>Relative vapour density:</i>	No data available.
<i>Decomposition temperature (°C):</i>	Not determined
<i>Evaporation rate (n-butylacetate = 100):</i>	

#### **Data on fire and explosion hazards**

<i>Flash point (°C):</i>	The product is not flammable
<i>Flammability (°C):</i>	The material is not combustible.
<i>Auto-ignition temperature (°C):</i>	Not determined
▼ <i>Explosion limits (% v/v):</i>	No data available.

#### **Solubility**

<i>Solubility in water:</i>	Soluble
▼ <i>n-octanol/water coefficient (LogKow):</i>	No data available.
▼ <i>Solubility in fat (g/L):</i>	No data available.

#### **9.2. Other information**

▼ <i>Other physical and chemical parameters:</i>	No data available.
▼ <i>Oxidizing properties:</i>	Non-oxidizing

### **SECTION 10: STABILITY AND REACTIVITY**

#### **10.1. Reactivity**

No data available.

#### **10.2. Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### **10.3. Possibility of hazardous reactions**

None known.

#### **10.4. Conditions to avoid**

Excessive heat

#### **10.5. Incompatible materials**

Strong acids

#### **10.6. ▼ Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### **11.1. Information on toxicological effects**



Conforms to NOM-018-STPS-2015

---

▼ **Acute toxicity**

Based on available data for the mixture, the classification criteria are not met.

▼ **Skin corrosion/irritation**

Based on available data for the mixture, the classification criteria are not met.

▼ **Serious eye damage/irritation**

Based on available data for the mixture, the classification criteria are not met.

▼ **Respiratory sensitisation**

Based on available data for the mixture, the classification criteria are not met.

▼ **Skin sensitisation**

Based on available data for the mixture, the classification criteria are not met.

▼ **Germ cell mutagenicity**

Based on available data for the mixture, the classification criteria are not met.

▼ **Carcinogenicity**

Based on available data for the mixture, the classification criteria are not met.

▼ **Reproductive toxicity**

Based on available data for the mixture, the classification criteria are not met.

▼ **STOT-single exposure**

Based on available data for the mixture, the classification criteria are not met.

▼ **STOT-repeated exposure**

Based on available data for the mixture, the classification criteria are not met.

▼ **Aspiration hazard**

Based on available data for the mixture, the classification criteria are not met.

**Long term effects**

None known.

---

## SECTION 12: ECOLOGICAL INFORMATION

---

**12.1. ▼ Toxicity**

Based on available data for the mixture, the classification criteria are not met.

**12.2. ▼ Persistence and degradability**

Based on available data for the mixture, the classification criteria are not met.

**12.3. ▼ Bioaccumulative potential**

Based on available data for the mixture, the classification criteria are not met.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**12.6. Other adverse effects**



Conforms to NOM-018-STPS-2015

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

Dispose of contents/container to an approved waste disposal plant.

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

#### ▼ Additional information

Not dangerous goods according to ADR, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

*Restrictions for application:*

No special.

*Demands for specific education:*

No specific requirements.

*Additional information:*

Not applicable.

*National Inventory of Chemical Substances of Mexico (INSQ):*

Silicic acid, sodium salt is listed  
Cellulose is listed  
Mica is listed

*Sources:*

No specific requirements.  
Official Mexican standard NOM-018-STPS-2015, Harmonized System for the identification and communication of



hazards and risks from hazardous chemical substances in the workplace

## 15.2. Chemical safety assessment

No

## SECTION 16: OTHER INFORMATION

### Full text of H-phrases as mentioned in section 3

H315, Causes skin irritation.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H350, May cause cancer.

### The full text of identified uses as mentioned in section 1

None known.

### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

DOF = The national registry of laws

ECOL (SEMARNAT) = Secretariat of the Environment and Natural Resources

EINECS = European Inventory of Existing Commercial chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

INSQ = National Inventory of Chemical Substances of Mexico

LogKoc = Soil adsorption coefficient

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

NOM = Official Mexican standard

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

SCL = Specific concentration limit.

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

STPS = Ministry of Labor and Social Welfare

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological



Conforms to NOM-018-STPS-2015

---

materials

VLE-CT = Short-term exposure limit

VLE-P = Ceiling value

VLE-PPT = Time Weighted Average Exposure Limit Value

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

**▼ Additional information**

Not applicable.

**The safety data sheet is validated by**

NL

**▼ Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: MX-en