



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

## SAFETY DATA SHEET

# Rislone Oil Seal Engine Oil Burning & Leak Repair

### SECTION 1: IDENTIFICATION

#### 1.1. Product identifier

*Trade name:* Rislone Oil Seal Engine Oil Burning & Leak Repair

*Product no.:* 34235

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:* Oil Additive

*Uses advised against :* None known.

#### 1.3. Details of the supplier of the safety data sheet

*Company and address:* **Rislone**  
P.O. Box 187  
Holly, MI 48442  
USA  
(810) 603-1321  
www.Rislone.com

*E-mail:* support@rislone.com

*SDS date:* 05 February 2026

*SDS Version:* 1.0

#### 1.4. Emergency telephone number

ChemTel Inc.  
(800) 255-3924 (North America)  
+1 (813) 248-0585 (International)

### SECTION 2: HAZARD(S) IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Not classified as hazardous according to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272).

#### 2.2. Label elements

*Hazard pictogram(s):* Not applicable.

*Signal word:* Not applicable.



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

*Hazard statement(s):*

*Precautionary statement(s):*

*General:*

Not applicable.

*Prevention:*

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)

Do not allow contact with air. (P222)

Wear protective gloves/protective clothing/eye protection/face protection. (P280)

*Response:*

Leaking gas fire: Do not extinguish, unless leak can be stopped safely. (P377)

In case of leakage, eliminate all ignition sources. (P381)

*Storage:*

Store in a well-ventilated place. (P403)

*Disposal:*

Not applicable.

*Hazardous substances:*

Does not contain any substances required to report

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Distillates (petroleum), hydrotreated heavy naphthenic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains	CAS No.: 64742-52-5	15-25%	Asp. Tox. 1, H304	[19]



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

relatively few normal paraffins.]				
phenol, dodecyl-, branched;phenol, 3-dodecyl-, branched;phenol, 4-dodecyl-, branched;phenol, (tetrapropenyl) derivatives;phenol, 2-dodecyl-, branched	CAS No.: 121158-58-5	<0.1%	Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

**Other information**

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

**SECTION 4: FIRST-AID MEASURES**

**4.1. Description of first aid measures**

*General information:*

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

*Inhalation:*

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

*Skin contact:*

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

*Eye contact:*

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

*Ingestion:*

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

*Burns:*

Not applicable.

**4.2. Most important symptoms and effects, both acute and delayed**

None known.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**Information to medics**

Bring this safety data sheet or the label from this product.

---

**SECTION 5: FIRE-FIGHTING MEASURES**

---

**5.1. Extinguishing media**

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

**5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO<sub>2</sub>)

**5.3. Advice for firefighters**

No specific requirements.

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.

**6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

**6.4. Reference to other sections**

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

**SECTION 7: HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

**7.2. Conditions for safe storage, including any incompatibilities**

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

*Recommended storage material:*

Always store in containers of the same material as the original container.

*Storage conditions:*

Cool, dry conditions in well sealed receptacles

*Incompatible materials:*

Foodstuffs  
Oxidizing agents

**7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

ALBERTA

n-butyl acetate

Long term exposure limit (8 hours) (ppm): 150

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 713

Short term exposure limit (15 minutes) (ppm): 200

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 950

Annotations:

3 = Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.

Occupational Health and Safety Code 2009 Order, Alta Reg 87/2009 (revised in 2018)



---

BRITISH COLUMBIA

n-butyl acetate

Time-Weighted Average Limit (TWA): 20 ppm

OHS Regulation Part 5: Chemical Agents and Biological Agents.

---

ONTARIO

n-butyl acetate

Time-Weighted Average Limit (TWA): 150 ppm

Short-Term Exposure Limit (STEL) / Ceiling Limit (C): 200 ppm

Regulation 833 (Control of Exposure to Biological or Chemical Agents) and Ontario

Regulation 490/09 (Designated Substances)

---

QUEBEC

n-butyl acetate

Long term exposure limit (8 hours) (ppm): 20

Regulation respecting occupational health and safety (Chapter S-2.1, r. 13)

---

SASKATCHEWAN

n-butyl acetate

Long term exposure limit (8 hours) (ppm): 150

Short term exposure limit (15 minutes) (ppm): 200

The Occupational Health and Safety Regulations, 2020, Chapter S15.1 Reg 10.

## 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

*General recommendations:*

Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:*

There are no exposure scenarios implemented for this product.

*Exposure limits:*

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

*Appropriate technical measures:*

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

*Hygiene measures:*

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

*Measures to avoid environmental exposure:*

No specific requirements.

**Individual protection measures, such as personal protective equipment**

*Generally:*

Use only protective equipment with a recognized certification mark, e.g. the UL mark.


*Respiratory Equipment:*

No specific requirements.

*Skin protection:*

No specific requirements.

*Hand protection:*

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

*Eye protection:*

No specific requirements.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

*Physical state:*

Liquid

*Colour:*

Amber

*Odour:*

Fruity

*Odour threshold (ppm):*

No data available.

*pH:*

Not applicable

*Density (g/cm<sup>3</sup>):*

0.8778

*Kinematic viscosity:*

143 centistokes (40 °C)

*Particle characteristics:*

Does not apply to liquids.

**Phase changes**

*Melting point/Freezing point (°C):*

Not determined

*Softening point/range (°F):*

Does not apply to liquids.

*Boiling point (°C):*

Not determined



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

<i>Vapour pressure:</i>	Not applicable
<i>Relative vapour density:</i>	Not determined
<i>Decomposition temperature (°C):</i>	Not determined

#### **Data on fire and explosion hazards**

<i>Flash point (°C):</i>	>200
<i>Flammability (°C):</i>	Not determined
<i>Auto-ignition temperature (°C):</i>	Not determined
<i>Explosion limits (% v/v):</i>	Not determined

#### **Solubility**

<i>Solubility in water:</i>	Not miscible or difficult to mix
<i>n-octanol/water coefficient (LogKow):</i>	No data available.
<i>Solubility in fat (g/L):</i>	No data available.

#### **9.2. Other information**

<i>Evaporation rate (n-butylacetate = 100):</i>	Not applicable
<i>VOC (g/L):</i>	300-500
<i>Other physical and chemical parameters:</i>	No data available.
<i>Oxidizing properties:</i>	No data available.

### **SECTION 10: STABILITY AND REACTIVITY**

#### **10.1. Reactivity**

No data available.

#### **10.2. Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### **10.3. Possibility of hazardous reactions**

None known.

#### **10.4. Conditions to avoid**

Do not smoke  
Keep ignition sources away

#### **10.5. Incompatible materials**

Oxidizers

#### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: TOXICOLOGICAL INFORMATION**



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

---

### **11.1. Information on toxicological effects**

#### **Acute toxicity**

Based on available data for the mixture, the classification criteria are not met.

#### **Skin corrosion/irritation**

Based on available data for the mixture, the classification criteria are not met.

#### **Serious eye damage/irritation**

Based on available data for the mixture, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data for the mixture, the classification criteria are not met.

#### **Skin sensitisation**

Based on available data for the mixture, the classification criteria are not met.

#### **Germ cell mutagenicity**

Based on available data for the mixture, the classification criteria are not met.

#### **Carcinogenicity**

Based on available data for the mixture, the classification criteria are not met.

#### **Reproductive toxicity**

Based on available data for the mixture, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data for the mixture, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data for the mixture, the classification criteria are not met.

#### **Aspiration hazard**

Due to the viscosity, this product does not present an aspiration hazard.

#### **Long term effects**

None known.

#### **Other information**

None known.

---

## **SECTION 12: ECOLOGICAL INFORMATION**

---

### **12.1. Toxicity**

Based on available data for the mixture, the classification criteria are not met.

### **12.2. Persistence and degradability**

Based on available data for the mixture, the classification criteria are not met.

### **12.3. Bioaccumulative potential**

Based on available data for the mixture, the classification criteria are not met.

### **12.4. Mobility in soil**

No data available.

### **12.5. Results of PBT and vPvB assessment**



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**12.6. Other adverse effects**

None known.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

None of the components are listed

**Specific labelling**

**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

**SECTION 14: TRANSPORT INFORMATION**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
TDG	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

**Additional information**

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

Although this product is environmentally hazardous, the environmentally hazardous substance mark has been omitted as the product is supplied in packaging with a maximum quantity of 5 L / 5 kg.

-

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available.

**SECTION 15: REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.2. Canadian lists**

NDSL:

None of the components are listed



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

---

*DSL:*

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil - unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains relatively few normal paraffins.]  
n-butyl acetate

**15.4. Restrictions for application**

No special.

**15.5. Demands for specific education**

No specific requirements.

**Additional information**

Not applicable.

**15.7. Chemical safety assessment**

No

**Sources**

Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

---

**SECTION 16: OTHER INFORMATION**

---

**Full text of H-phrases as mentioned in section 3**

H304, May be fatal if swallowed and enters airways.

H314, Causes severe skin burns and eye damage.

H318, Causes serious eye damage.

H360, May damage fertility or the unborn child.

**The full text of identified uses as mentioned in section 1**

None known.

**Abbreviations and acronyms**

ANSI = American National Standards Institute

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

DSL = Domestic Substances List

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

HHNOC = Health Hazards Not Otherwise Classified

IARC = International Agency for Research on Cancer

IATA = International Air Transport Association

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

---

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NDSL = Non-domestic substances list  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PHNOC = Physical Hazards Not Otherwise Classified  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
SCL = A specific concentration limit.  
SOR = Statutory Orders and Regulations  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TDG = Transportation of Dangerous Goods  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative  
WHIMS = Workplace Hazardous Materials Information System

#### **Additional information**

Not applicable.

#### **The safety data sheet is validated by**

NL

*SDS date:*

2026-02-05

#### **Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: CA-en