



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

## SAFETY DATA SHEET

# Rislone Diesel Fuel System Treatment

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

*Trade name:* Rislone Diesel Fuel System Treatment  
*Product no.:* 44740

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:* Fuel additive  
*Uses advised against :* None known.

#### 1.3. Details of the supplier of the safety data sheet

*Company and address:* **Rislone**  
P.O. Box 187  
Holly, MI 48442  
USA  
(810) 603-1321  
www.Rislone.com

*Importer:* **Smits Group Pty Ltd.**  
50 Radius Drive  
Larapinda  
QLD4110  
Australia  
AUS Telephone 1800 883 888  
NZ Telephone 09 274 6871

*E-mail:* Australia  
support@rislone.com  
*SDS date:* 27 March 2026  
*SDS Version:* 4.0  
*Date of previous version:* 25 November 2025 (3.0)

#### 1.4. Emergency telephone number

ChemTel Inc.  
(800) 255-3924 (North America)  
+1 (813) 248-0585 (International)

911 (Fiji Emergency Services)



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

## SECTION 2: HAZARDS IDENTIFICATION

This material is considered hazardous according to the Work Health and Safety Regulations.

### 2.1. ▼ Classification of the substance or mixture

Flam. Liq. 4; H227, Combustible liquid  
Skin Irrit. 2; H315, Causes skin irritation.

### 2.2. Label elements

▼ Hazard pictogram(s):



Signal word:

Warning

▼ Hazard statement(s):

Combustible liquid (H227)  
Causes skin irritation. (H315)

Precautionary statement(s):

▼ General:

If medical advice is needed, have product container or label at hand. (P101)  
Keep out of reach of children. (P102)

▼ Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)  
Wash hands and exposed skin thoroughly after handling. (P264)  
Wear eye protection/protective gloves/protective clothing. (P280)

Response:

In case of fire: Use water mist/carbon dioxide/alcohol-resistant foam to extinguish. (P370+P378)

Storage:

Store in a well-ventilated place. Keep cool. (P403+P235)

Disposal:

Dispose of contents/container in accordance with local regulation. (P501)

▼ Hazardous substances:

Contains no substances that need to be listed on the label.

Additional labelling:

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. ▼ Mixtures

| Product/substance                           | Identifiers                              | % w/w  | Classification                                                                                           | Note |
|---------------------------------------------|------------------------------------------|--------|----------------------------------------------------------------------------------------------------------|------|
| Distillates (petroleum), hydrotreated light | CAS No.: 64742-47-8<br>EC No.: 265-149-8 | 60-80% | Asp. Tox. 1, H304                                                                                        | [19] |
| 2-butoxyethanol                             | CAS No.: 111-76-2<br>EC No.: 203-905-0   | 5-10%  | Acute Tox. 4, H302<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Acute Tox. 4, H332                    |      |
| Solvent naphtha (petroleum), light arom.    | CAS No.: 64742-95-6<br>EC No.: 265-199-0 | 3-5%   | Flam. Liq. 3, H226<br>Asp. Tox. 1, H304<br>Skin Irrit. 2, H315<br>STOT SE 3, H336                        | [19] |
| 2-ethylhexyl nitrate                        | CAS No.: 27247-96-7<br>EC No.: 248-363-6 | 3-5%   | Acute Tox. 4, H302<br>Acute Tox. 4, H312<br>Acute Tox. 4, H332                                           |      |
| Solvent naphtha (petroleum), heavy arom.    | CAS No.: 64742-94-5<br>EC No.: 265-198-5 | 3-5%   | Flam. Liq. 3, H226<br>Asp. Tox. 1, H304<br>Skin Irrit. 2, H315<br>STOT SE 3, H336                        | [19] |
| 1,2,4-trimethylbenzene                      | CAS No.: 95-63-6<br>EC No.: 202-436-9    | 1-3%   | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Acute Tox. 4, H332<br>STOT SE 3, H335 |      |
| 2,6-di-tert-butylphenol                     | CAS No.: 128-39-2<br>EC No.: 204-884-0   | <1%    | Skin Irrit. 2, H315                                                                                      |      |
| naphthalene                                 | CAS No.: 91-20-3<br>EC No.: 202-049-5    | <1%    | Acute Tox. 4, H302<br>Carc. 2, H351                                                                      |      |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

## SECTION 4: FIRST AID MEASURES

### 4.1. ▼ Description of first aid measures



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

---

*General information:*

In the case of accident: Contact a doctor or casualty department – bring the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

*Inhalation:*

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

▼ *Skin contact:*

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

*Eye contact:*

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes.

Remove contact lenses. Seek medical assistance and continue flushing during transport.

*Ingestion:*

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

*Burns:*

Not applicable.

**4.2. ▼ Most important symptoms and effects, both acute and delayed**

Headache, Methaemoglobinaemia (naphthalene)

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**Information to medics**

Bring this safety data sheet or the label from this product.



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.  
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Combustible liquid

In use may form flammable/explosive vapour-air mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health.

Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO<sub>x</sub>)

Carbon oxides (CO / CO<sub>2</sub>)

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure call the NSW Poisons Information Centre on 13 11 26 (Available 24/7) in order to obtain further advice.

Hazchem Code: ●3Z

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. ▼ Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: HANDLING AND STORAGE



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

---

### 7.1. Precautions for safe handling

Avoid contact during pregnancy and while nursing.  
Smoking, drinking and consumption of food is not allowed in the work area.  
See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

*Recommended storage material:* Keep only in original packaging.

*Storage conditions:* Dry, cool and well ventilated

*Incompatible materials:* Oxidizing agents

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### 8.1. ▼ Control parameters

2-butoxyethanol

Long term exposure limit (8 hours) (ppm): 20

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 96.9

Short term exposure limit (15 minutes) (ppm): 50

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 242

Annotations:

Sk = Absorption through the skin may be a significant source of exposure.

naphthalene

Long term exposure limit (8 hours) (ppm): 10

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 52

Short term exposure limit (15 minutes) (ppm): 15

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 79

p-xylene;m-xylene;xylene;o-xylene

Long term exposure limit (8 hours) (ppm): 80

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 350

Short term exposure limit (15 minutes) (ppm): 150

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 655

Trimethylbenzene

Long term exposure limit (8 hours) (ppm): 25

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 123

Workplace exposure standards for airborne contaminants (Safe Work Australia). (January 2024)

## 8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

*General recommendations:*

Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:*

There are no exposure scenarios implemented for this product.

*Exposure limits:*

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

*Appropriate technical measures:*

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

▼ *Hygiene measures:*

Take off contaminated clothing and wash it before reuse.

*Measures to avoid environmental exposure:*

No specific requirements.

## Individual protection measures, such as personal protective equipment

*Generally:*

Use only protective equipment that carries the RCM symbol.

*Respiratory Equipment:*

| Work situation                    | Type                    | Class | Colour      | Standards      |                                                                                       |
|-----------------------------------|-------------------------|-------|-------------|----------------|---------------------------------------------------------------------------------------|
| In case of inadequate ventilation | Combination filter AXP1 |       | Brown/White | EN14387, EN143 |  |

*Skin protection:*

| Recommended                             | Type/Category | Standards |                                                                                       |
|-----------------------------------------|---------------|-----------|---------------------------------------------------------------------------------------|
| Dedicated work clothing should be worn. | -             | -         |  |

*Hand protection:*

| Work situation                                        | Material      | Glove thickness (mm) | Breakthrough time (min.) | Standards                 |                                                                                     |
|-------------------------------------------------------|---------------|----------------------|--------------------------|---------------------------|-------------------------------------------------------------------------------------|
| When there is risk of splash- / intermittent exposure | Cotton/Nitril | -                    | > 240                    | EN374-2, EN16523-1, EN388 |  |

*Eye protection:*

| Type                              | Standards |                                                                                     |
|-----------------------------------|-----------|-------------------------------------------------------------------------------------|
| Safety glasses with side shields. | EN166     |  |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                                    |                            |
|------------------------------------|----------------------------|
| <i>Form:</i>                       | Liquid                     |
| ▼ <i>Colour:</i>                   | Green, Yellow              |
| <i>Odour:</i>                      | Petroleum-like             |
| <i>Odour threshold (ppm):</i>      | No data available.         |
| <i>pH:</i>                         | Not determined             |
| <i>Density (g/cm<sup>3</sup>):</i> | -                          |
| <i>Relative density:</i>           | 0.80-0.83                  |
| <i>Kinematic viscosity:</i>        | Not determined             |
| <i>Particle characteristics:</i>   | Does not apply to liquids. |

### Phase changes

|                                           |                            |
|-------------------------------------------|----------------------------|
| <i>Melting point/Freezing point (°C):</i> | Not determined             |
| <i>Softening point/range (°C):</i>        | Does not apply to liquids. |
| <i>Boiling point (°C):</i>                | 92                         |
| <i>Vapour pressure:</i>                   | Not determined             |
| <i>Relative vapour density:</i>           | No data available.         |
| <i>Decomposition temperature (°C):</i>    | No data available.         |

### Data on fire and explosion hazards

|                                        |                |
|----------------------------------------|----------------|
| <i>Flash point (°C):</i>               | 62             |
| <i>Flammability (°C):</i>              | Not applicable |
| <i>Auto-ignition temperature (°C):</i> | 215            |
| <i>Explosion limits (% v/v):</i>       | Not applicable |



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

## Solubility

|                                              |                    |
|----------------------------------------------|--------------------|
| <i>Solubility in water:</i>                  | Insoluble          |
| <i>n-octanol/water coefficient (LogKow):</i> | No data available. |
| <i>Solubility in fat (g/L):</i>              | No data available. |

## 9.2. Other information

|                                                 |                    |
|-------------------------------------------------|--------------------|
| <i>Evaporation rate (n-butylacetate = 100):</i> | Not determined     |
| <i>Other physical and chemical parameters:</i>  | No data available. |
| <i>Oxidizing properties:</i>                    | No data available. |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.  
Heat, flames, and sparks

### 10.5. Incompatible materials

Oxidizing agents

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### ▼ Acute toxicity

Based on available data, the classification criteria are not met.

#### ▼ Skin corrosion/irritation

Causes skin irritation.

#### ▼ Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### ▼ Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### ▼ Skin sensitisation



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

Based on available data, the classification criteria are not met.

▼ **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

▼ **Carcinogenicity**

Based on available data, the classification criteria are not met.

2-butoxyethanol has been classified by IARC as a group 3 carcinogen.

p-xylene;m-xylene;xylene;o-xylene has been classified by IARC as a group 3 carcinogen.

▼ **Reproductive toxicity**

Based on available data, the classification criteria are not met.

▼ **STOT-single exposure**

Based on available data, the classification criteria are not met.

▼ **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

▼ **Aspiration hazard**

Based on available data, the classification criteria are not met.

▼ **Long term effects**

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

## SECTION 12: ECOLOGICAL INFORMATION

**12.1. ▼ Toxicity**

Based on available data, the classification criteria are not met.

**12.2. ▼ Persistence and degradability**

Based on available data, the classification criteria are not met.

**12.3. ▼ Bioaccumulative potential**

Based on available data, the classification criteria are not met.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**12.6. Other adverse effects**

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste treatment methods**

Product is not covered by regulations on dangerous waste.



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

## Specific labelling

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: TRANSPORT INFORMATION

|      | 14.1<br>UN / ID | 14.2<br>UN proper shipping name                           | 14.3<br>Hazard class(es)                                                                                                                              | 14.4<br>PG* | 14.5<br>Env** | Other information:                                                                                     |
|------|-----------------|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------|--------------------------------------------------------------------------------------------------------|
| ADG  | UN3082          | ENVIRONMENTALLY<br>HAZARDOUS SUBSTANCE,<br>LIQUID, N.O.S. | Transport hazard class: 9<br>Label: 9<br>Classification code: M6<br> | III         | No            | Limited quantities: 5 L<br>Tunnel restriction code:<br>(-)<br>See below for additional<br>information. |
| IMDG | -               | -                                                         | -                                                                                                                                                     | -           | -             | -                                                                                                      |
| IATA | -               | -                                                         | -                                                                                                                                                     | -           | -             | -                                                                                                      |

\* Packing group

\*\* Environmental hazards

### ▼ Additional information

These substances when carried in single or combination packaging's containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR/ADN/RID/IMDG/IATA provided the packaging's meet the general provisions of 4.1.1.1, 4.1.1.2, 4.1.1.4 - 4.1.1.8 (ADR, IMDG) / 5.0.2.4.1, 5.0.2.6.1.1, 5.0.2.8 (IATA).

-

ADR/ADN/RID / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

Hazchem Code: ●3Z

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

*Restrictions for application:*

Pregnant women and women breastfeeding must not be exposed to this product. The



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

*Demands for specific education:*

*Control of major hazard facilities:*

*Additional information:*

*The Australian Inventory of Industrial Chemicals (AIIC):*

risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

No specific requirements.

Not applicable.

Not applicable.

Distillates (petroleum), hydrotreated light is listed

2-butoxyethanol is listed

Solvent naphtha (petroleum), light arom. is listed

2-ethylhexyl nitrate is listed

Solvent naphtha (petroleum), heavy arom. is listed

1,2,4-trimethylbenzene is listed

2,6-di-tert-butylphenol is listed

naphthalene is listed

p-xylene;m-xylene;xylene;o-xylene is listed

Trimethylbenzene is listed

*Sources:*

Model Work Health and Safety Regulations as at 1 January 2021.

## 15.2. Chemical safety assessment

No

## SECTION 16: OTHER INFORMATION

### ▼ Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.

H302, Harmful if swallowed.

H304, May be fatal if swallowed and enters airways.

H312, Harmful in contact with skin.

H315, Causes skin irritation.

H319, Causes serious eye irritation.

H332, Harmful if inhaled.

H335, May cause respiratory irritation.

H336, May cause drowsiness or dizziness.

H351, Suspected of causing cancer.

### The full text of identified uses as mentioned in section 1

None known.

### Abbreviations and acronyms

ADG = The Australian Code for the Transport of Dangerous Goods by Road & Rail

AICIS = Australian Industrial Chemicals Introduction Scheme

AIIC = Australian Inventory of Industrial Chemicals



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

---

AS = Australian Standard  
AS/NZS = Australian New Zealand Standard  
ATE = Acute Toxicity Estimate  
AUH = Hazard statements specific for Australia  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
EINECS = European Inventory of Existing Commercial chemical Substances  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
Hazchem = Hazardous chemicals  
IARC = International Agency for Research on Cancer  
IATA = International Air Transport Association  
IMDG = International Maritime Dangerous Goods  
LogKow = logarithm of the n-octanol/water coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. (""Marpol"" = marine pollution)  
NICNAS = National Industrial Chemicals Notification and Assessment Scheme (replaced by AICIS since 2020)  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
RCM = Regulatory Mark of Conformity  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
SCL = A specific concentration limit  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative  
WHS = Work Health and Safety Regulations

#### ▼ Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by the Work Health and Safety Regulations.  
Refer to AS 1940-2017: The storage and handling of flammable and combustible liquids.

#### The safety data sheet is validated by

NL

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.



Conforms to Code of Practice - Preparation of safety data sheets for hazardous chemicals, June 2023.

---

It is recommended to hand over this safety data sheet to the actual user of the product.  
Information in this safety data sheet cannot be used as a product specification.  
Country-language: AU-en