



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

SAFETY DATA SHEET

Rislone Cooling System Repair

SECTION 1: IDENTIFICATION

1.1. Product identifier

▼ *Trade name:* Rislone Cooling System Repair
Product no.: 31150

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Radiator anti-leak

Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet

Company and address: **Rislone**
P.O. Box 187
Holly, MI 48442
USA
(810) 603-1321
www.Rislone.com

E-mail: support@rislone.com
SDS date: 17 November 2025
SDS Version: 2.0
Date of previous version: 24 January 2024 (1.0)

1.4. ▼ Emergency telephone number

ChemTel Inc.
(800) 255-3924 (North America)
+1 (813) 248-0585 (International)

SECTION 2: HAZARD(S) IDENTIFICATION

2.1. Classification of the substance or mixture

Not classified as hazardous according to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272).

2.2. Label elements

Hazard pictogram(s): Not applicable.
Signal word: Not applicable.



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

Hazard statement(s):

Precautionary statement(s):

▼ *General:*

Not applicable.

▼ *Prevention:*

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)

Do not allow contact with air. (P222)

Wear protective gloves/protective clothing/eye protection/face protection. (P280)

▼ *Response:*

Leaking gas fire: Do not extinguish, unless leak can be stopped safely. (P377)

In case of leakage, eliminate all ignition sources. (P381)

▼ *Storage:*

Store in a well-ventilated place. (P403)

▼ *Disposal:*

Not applicable.

▼ *Hazardous substances:*

Does not contain any substances required to report

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Silicic acid, sodium salt	CAS No.: 1344-09-8	1-3%	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	
Mica	CAS No.: 12001-26-2	<0.25%	Carc. 1A, H350	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

-

SECTION 4: FIRST-AID MEASURES

4.1. ▼ Description of first aid measures



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

General information:

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

▼ *Inhalation:*

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

▼ *Skin contact:*

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

▼ *Eye contact:*

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes.

Remove contact lenses. Seek medical assistance and continue flushing during transport.

▼ *Ingestion:*

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Not applicable.



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Some metal oxides

5.3. ▼ Advice for firefighters

No specific requirements.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:

Always store in containers of the same material as the original container.

Storage conditions:

Cool, dry conditions in well sealed receptacles

Incompatible materials:

Do not store together with acids



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

Foodstuffs

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

ALBERTA

Cellulose

Long term exposure limit (8 hours) (mg/m³): 10

Annotations:

3 = Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.

Occupational Health and Safety Code 2009 Order, Alta Reg 87/2009 (revised in 2018)

BRITISH COLUMBIA

Cellulose

Time-Weighted Average Limit (TWA): 10 mg/m³

Annotations:

N = The 8-hour TWA is for the total dust. The substance also has an 8-hour TWA of 3 mg/m³ for the respirable fraction.

Mica

Time-Weighted Average Limit (TWA): 3 mg/m³

OHS Regulation Part 5: Chemical Agents and Biological Agents.

ONTARIO

Cellulose

Time-Weighted Average Limit (TWA): 10 mg/m³

Mica

Time-Weighted Average Limit (TWA): 3 mg/m³

Annotations:

(R) = Respirable fraction.

Regulation 833 (Control of Exposure to Biological or Chemical Agents) and Ontario Regulation 490/09 (Designated Substances)

QUEBEC

Cellulose

Long term exposure limit (8 hours) (mg/m³): 10

Annotations:

Td = Total dust.

Note 1= The standard corresponds to dust containing no asbestos and the percentage in crystalline silica is less than 1%.



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

Mica

Long term exposure limit (8 hours) (mg/m³): 3

Annotations:

Rd = Respirable dust.

Note 1= The standard corresponds to dust containing no asbestos and the percentage in crystalline silica is less than 1%.

Regulation respecting occupational health and safety (Chapter S-2.1, r. 13)

SASKATCHEWAN

Cellulose

Long term exposure limit (8 hours) (mg/m³): 10

Short term exposure limit (15 minutes) (mg/m³): 20

Mica

Long term exposure limit (8 hours) (mg/m³): 3

Short term exposure limit (15 minutes) (mg/m³): 6

The Occupational Health and Safety Regulations, 2020, Chapter S15.1 Reg 10.

8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios:

There are no exposure scenarios implemented for this product.

Exposure limits:

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures:

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

▼ *Hygiene measures:*

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure:

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally:

Use only protective equipment with a recognized certification mark, e.g. the UL mark.

▼ *Respiratory Equipment:*
No specific requirements.

Skin protection:

Recommended	Type/Category	Standards	
Wear suitable protective clothing.	Wear suitable protective clothing.	Wear suitable protective clothing.	

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

Eye protection:

No specific requirements.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:

Liquid

Colour:

Gray, Blue

Odour:

Light

▼ *Odour threshold (ppm):*

No data available.

▼ *pH:*

9.0-10.5

Density (g/cm³):

-

Relative density:

0.98-1.1

Kinematic viscosity:

Not determined

Particle characteristics:

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C):

Not determined

▼ *Softening point/range (°F):*

Does not apply to liquids.

Boiling point (°C):

Not determined

Vapour pressure:

Not determined

▼ *Relative vapour density:*

No data available.

Decomposition temperature (°C):

Not determined



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

Data on fire and explosion hazards

<i>Flash point (°C):</i>	The product is not flammable
<i>Flammability (°C):</i>	The material is not combustible.
<i>Auto-ignition temperature (°C):</i>	Not determined
▼ <i>Explosion limits (% v/v):</i>	No data available.

Solubility

<i>Solubility in water:</i>	Soluble
▼ <i>n-octanol/water coefficient (LogKow):</i>	No data available.
▼ <i>Solubility in fat (g/L):</i>	No data available.

9.2. Other information

<i>Other physical and chemical parameters:</i>	No data available.
<i>Oxidizing properties:</i>	Non-oxidizing

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Excessive heat

10.5. Incompatible materials

Strong acids

10.6. ▼ Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

▼ Acute toxicity

Based on available data for the mixture, the classification criteria are not met.

▼ Skin corrosion/irritation

Based on available data for the mixture, the classification criteria are not met.

▼ Serious eye damage/irritation

Based on available data for the mixture, the classification criteria are not met.



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

▼ **Respiratory sensitisation**

Based on available data for the mixture, the classification criteria are not met.

▼ **Skin sensitisation**

Based on available data for the mixture, the classification criteria are not met.

▼ **Germ cell mutagenicity**

Based on available data for the mixture, the classification criteria are not met.

▼ **Carcinogenicity**

Based on available data for the mixture, the classification criteria are not met.

▼ **Reproductive toxicity**

Based on available data for the mixture, the classification criteria are not met.

▼ **STOT-single exposure**

Based on available data for the mixture, the classification criteria are not met.

▼ **STOT-repeated exposure**

Based on available data for the mixture, the classification criteria are not met.

▼ **Aspiration hazard**

Based on available data for the mixture, the classification criteria are not met.

Long term effects

None known.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. ▼ Toxicity

Based on available data for the mixture, the classification criteria are not met.

12.2. ▼ Persistence and degradability

Based on available data for the mixture, the classification criteria are not met.

12.3. ▼ Bioaccumulative potential

Based on available data for the mixture, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

Waste treatment methods

None of the components are listed

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
TDG	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

▼ Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. ▼ Canadian lists

▼ NDSL:

None of the components are listed

▼ DSL:

Silicic acid, sodium salt
Cellulose
Mica

15.4. Restrictions for application

No special.

15.5. Demands for specific education

No specific requirements.

Additional information

Not applicable.

15.7. Chemical safety assessment



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

No

Sources

Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H315, Causes skin irritation.
H319, Causes serious eye irritation.
H335, May cause respiratory irritation.
H350, May cause cancer.

The full text of identified uses as mentioned in section 1

None known.

Abbreviations and acronyms

ANSI = American National Standards Institute
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
DSL = Domestic Substances List
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
HHNOC = Health Hazards Not Otherwise Classified
IARC = International Agency for Research on Cancer
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NDSL = Non-domestic substances list
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PHNOC = Physical Hazards Not Otherwise Classified
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
SCL = A specific concentration limit.
SOR = Statutory Orders and Regulations
STEL = Short-term exposure limits
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TDG = Transportation of Dangerous Goods
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound



Conforms to Hazardous Products Regulation SOR/2015-17 (as amended by SOR/2022-272)

vPvB = Very Persistent and Very Bioaccumulative

WHIMS = Workplace Hazardous Materials Information System

Additional information

Not applicable.

The safety data sheet is validated by

NL

▼ Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: CA-en