



According to GHS Rev. 8, 2019

## SAFETY DATA SHEET

# Rislone DPF Cleaner

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

SDS created for COSTA RICA according to GHS

#### 1.1. Product identifier

*Trade name:* Rislone DPF Cleaner

*Product no.:* 24744

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:* Fuel additive  
For private use

*Uses advised against :* None known.

#### 1.3. Details of the supplier of the safety data sheet

*Company and address:* **Rislone**  
P.O. Box 187  
Holly, MI 48442 USA  
(810) 603-1321  
www.Rislone.com

*E-mail:* support@rislone.com

*SDS date:* 08 May 2026

*SDS Version:* 1.0

#### 1.4. Emergency telephone number

ChemTel Inc.  
(800) 255-3924 (North America)  
+1 (813-248-0585 (International)

+506 2223-1028 (Costa Rica Poison Control Center)

### SECTION 2: HAZARDS IDENTIFICATION

Classified according to GHS.

#### 2.1. Classification of the substance or mixture

Flam. Liq. 4; H227, Combustible liquid

Asp. Tox. 1; H304, May be fatal if swallowed and enters airways.



According to GHS Rev. 8, 2019

Skin Irrit. 3; H316, Causes mild skin irritation  
Aquatic Acute 3; H402, Harmful to aquatic life.  
Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

*Hazard pictogram(s):*



*Signal word:*

Danger

*Hazard statement(s):*

Combustible liquid (H227)  
May be fatal if swallowed and enters airways. (H304)  
Causes mild skin irritation (H316)  
Harmful to aquatic life. (H402)  
Harmful to aquatic life with long lasting effects. (H412)

*Precautionary statement(s):*

*General:*

If medical advice is needed, have product container or label at hand. (P101)  
Keep out of reach of children. (P102)

*Prevention:*

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)  
Avoid release to the environment. (P273)

*Response:*

IF SWALLOWED: Immediately call a POISON CENTER/doctor. (P301+P310)  
Do NOT induce vomiting. (P331)

*Storage:*

Store locked up. (P405)

*Disposal:*

Dispose of contents/container in accordance with local regulation.  
(P501)

*Hazardous substances:*

Distillates (petroleum), hydrotreated light paraffinic  
Solvent naphtha (petroleum), heavy arom. ethylbenzene

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|-------------------|-------------|-------|----------------|------|
|-------------------|-------------|-------|----------------|------|



According to GHS Rev. 8, 2019

|                                                                                                                                                       |                                           |        |                                                                                                                                                                                       |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Distillates (petroleum), hydrotreated light paraffinic                                                                                                | CAS No.: 64742-55-8<br>EC No.: 265-158-7  | 25-40% | Asp. Tox. 1, H304                                                                                                                                                                     | [19] |
| p-xylene;m-xylene;xylene;o-xylene                                                                                                                     | CAS No.: 1330-20-7<br>EC No.: 215-535-7   | 5-10%  | Flam. Liq. 3, H226<br>Acute Tox. 4, H312<br>Skin Irrit. 2, H315<br>Acute Tox. 4, H332                                                                                                 |      |
| Solvent naphtha (petroleum), heavy arom.                                                                                                              | CAS No.: 64742-94-5<br>EC No.: 265-198-5  | 1-3%   | Flam. Liq. 3, H226<br>Asp. Tox. 1, H304<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Aquatic Chronic 2, H411                                                                          | [19] |
| ethylbenzene                                                                                                                                          | CAS No.: 100-41-4<br>EC No.: 202-849-4    | 1-3%   | Asp. Tox. 1, H304<br>Acute Tox. 4, H332<br>STOT RE 2, H373<br>Aquatic Chronic 3, H412                                                                                                 |      |
| naphthalene                                                                                                                                           | CAS No.: 91-20-3<br>EC No.: 202-049-5     | <1%    | Acute Tox. 4, H302<br>Carc. 2, H351<br>Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 1, H410 (M=1)                                                                                   |      |
| phenol, 2-dodecyl-, branched;phenol, dodecyl-, branched;phenol, 3-dodecyl-, branched;phenol, (tetrapropenyl) derivatives;phenol, 4-dodecyl-, branched | CAS No.: 210555-94-5<br>EC No.: 640-104-9 | <0.25% | Skin Corr. 1C, H314<br>Eye Dam. 1, H318<br>Repr. 1B, H360<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410 (M=10)                                                           | [19] |
| ethylenediamine;1,2-diaminoethane                                                                                                                     | CAS No.: 107-15-3<br>EC No.: 203-468-6    | <0.25% | Flam. Liq. 3, H226<br>Acute Tox. 4, H302<br>Acute Tox. 3, H311<br>Skin Corr. 1B, H314<br>Skin Sens. 1B, H317<br>Acute Tox. 4, H332<br>Resp. Sens. 1B, H334<br>Aquatic Chronic 3, H412 |      |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials



According to GHS Rev. 8, 2019

---

## SECTION 4: FIRST AID MEASURES

---

### 4.1. Description of first aid measures

*General information:*

In the case of accident: Contact a doctor or casualty department – bring the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

*Inhalation:*

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

*Skin contact:*

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

*Eye contact:*

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes.

Remove contact lenses. Seek medical assistance and continue flushing during transport.

*Ingestion:*

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Do not induce vomiting! If vomiting occurs, keep head facing down so that vomit does not get into the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should therefore be kept under medical attention for at least 48 hours.

*Burns:*

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Headache, Methaemoglobinaemia (naphthalene)

This product contains substances that can cause chemical pneumonia if swallowed.

Symptoms of chemical pneumonia may appear after several hours.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.



According to GHS Rev. 8, 2019

---

### Information to medics

Bring this safety data sheet or the label from this product.

---

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.  
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Combustible liquid

In use may form flammable/explosive vapour-air mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health.

Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO<sub>2</sub>)

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the national poisons emergency services in order to obtain further advice.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.



According to GHS Rev. 8, 2019

---

## SECTION 7: HANDLING AND STORAGE

---

### 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

*Recommended storage material:*

Always store in containers of the same material as the original container.

*Storage conditions:*

Dry, cool and well ventilated

*Incompatible materials:*

Combustible materials

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### 8.1. Control parameters

p-xylene;m-xylene;xylene;o-xylene

Short term exposure limit (STEL) (ACGIH TLV) (ppm): 150

Short term exposure limit (STEL) (NIOSH REL) (ppm): 150

Long term exposure limit (OSHA Table Z-1) (mg/m<sup>3</sup>): 435

Long term exposure limit (OSHA Table Z-1) (ppm): 100

Long term exposure limit (ACGIH TLV) (ppm): 100

ethylbenzene

Short term exposure limit (STEL) (NIOSH REL) (ppm): 125

Long term exposure limit (OSHA Table Z-1) (mg/m<sup>3</sup>): 435

Long term exposure limit (OSHA Table Z-1) (ppm): 100

Long term exposure limit (ACGIH TLV) (ppm): 20

naphthalene

Short term exposure limit (STEL) (ACGIH TLV) (ppm): 15

Short term exposure limit (STEL) (NIOSH REL) (ppm): 15

Long term exposure limit (OSHA Table Z-1) (mg/m<sup>3</sup>): 50

Long term exposure limit (OSHA Table Z-1) (ppm): 10

Long term exposure limit (ACGIH TLV) (ppm): 10



According to GHS Rev. 8, 2019

ethylenediamine;1,2-diaminoethane

Long term exposure limit (OSHA Table Z-1) (mg/m<sup>3</sup>): 25

Long term exposure limit (OSHA Table Z-1) (ppm): 10

Long term exposure limit (ACGIH TLV) (ppm): 10

## 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

*General recommendations:*

Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:*

There are no exposure scenarios implemented for this product.

*Exposure limits:*

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

*Appropriate technical measures:*

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

*Hygiene measures:*

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

*Measures to avoid environmental exposure:*

Keep damming materials near the workplace. If possible, collect spillage during work.

## Individual protection measures, such as personal protective equipment

*Generally:*

Use only CE marked protective equipment.

*Respiratory Equipment:*

No specific requirements.

*Skin protection:*

| Recommended                             | Type/Category | Standards |                                                                                       |
|-----------------------------------------|---------------|-----------|---------------------------------------------------------------------------------------|
| Dedicated work clothing should be worn. | -             | -         |  |

*Hand protection:*

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards |                                                                                     |
|----------|----------------------|--------------------------|-----------|-------------------------------------------------------------------------------------|
| Gloves   | -                    | -                        | EN374     |  |

*Eye protection:*

| Type                              | Standards |                                                                                     |
|-----------------------------------|-----------|-------------------------------------------------------------------------------------|
| Safety glasses with side shields. | EN166     |  |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                                    |                       |
|------------------------------------|-----------------------|
| <i>Form:</i>                       | Liquid                |
| <i>Colour:</i>                     | Amber                 |
| <i>Odour:</i>                      | Petroleum distillates |
| <i>Odour threshold (ppm):</i>      | No data available     |
| <i>pH:</i>                         | No data available     |
| <i>Density (g/cm<sup>3</sup>):</i> | -                     |
| <i>Relative density:</i>           | 0.812                 |
| <i>Kinematic viscosity:</i>        | No data available.    |
| <i>Particle characteristics:</i>   | No data available     |

### Phase changes

|                                                 |                            |
|-------------------------------------------------|----------------------------|
| <i>Melting point/Freezing point (°C):</i>       | No data available          |
| <i>Softening point/range (°C):</i>              | Does not apply to liquids. |
| <i>Boiling point (°C):</i>                      | >37.7                      |
| <i>Vapour pressure:</i>                         | No data available          |
| <i>Relative vapour density:</i>                 | No data available          |
| <i>Decomposition temperature (°C):</i>          | No data available          |
| <i>Evaporation rate (n-butylacetate = 100):</i> | No data available          |

### Data on fire and explosion hazards

|                                        |                                 |
|----------------------------------------|---------------------------------|
| <i>Flash point (°C):</i>               | 63<br>Test method: EN ISO 13736 |
| <i>Flammability (°C):</i>              | No data available               |
| <i>Auto-ignition temperature (°C):</i> | No data available               |



According to GHS Rev. 8, 2019

*Explosion limits (% v/v):*

No data available

## **Solubility**

*Solubility in water:*

Insoluble

*n-octanol/water coefficient (LogKow):*

No data available.

*Solubility in fat (g/L):*

No data available

## **9.2. Other information**

No data available.

*Sensitivity to shock:*

No

*Evaporation rate (n-butylacetate = 100):*

No data available

*Other physical and chemical parameters:*

No data available.

*Oxidizing properties:*

No data available

## **SECTION 10: STABILITY AND REACTIVITY**

### **10.1. Reactivity**

No data available.

### **10.2. Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

### **10.3. Possibility of hazardous reactions**

None known.

### **10.4. Conditions to avoid**

Heat, flames, and sparks

Excessive heat

### **10.5. Incompatible materials**

Strong acids

Strong oxidizing agents

Strong bases

### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### **11.1. Information on toxicological effects**

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

#### **Serious eye damage/irritation**



According to GHS Rev. 8, 2019

---

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

#### **Carcinogenicity**

Based on available data, the classification criteria are not met.

p-xylene;m-xylene;xylene;o-xylene has been classified by IARC as a group 3.

#### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### **Long term effects**

None known.

---

## **SECTION 12: ECOLOGICAL INFORMATION**

---

### **12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

### **12.2. Persistence and degradability**

Based on available data, the classification criteria are not met.

### **12.3. Bioaccumulative potential**

Based on available data, the classification criteria are not met.

### **12.4. Mobility in soil**

No data available.

### **12.5. Other adverse effects**

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

---

## **SECTION 13: DISPOSAL CONSIDERATIONS**

---

### **Waste treatment methods**



According to GHS Rev. 8, 2019

Dispose of contents/container to an approved waste disposal plant.

### Specific labelling

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: TRANSPORT INFORMATION

|                 | 14.1<br>UN / ID | 14.2<br>UN proper shipping name | 14.3<br>Hazard class(es) | 14.4<br>PG* | 14.5<br>Env** | Other information: |
|-----------------|-----------------|---------------------------------|--------------------------|-------------|---------------|--------------------|
| ADR/A<br>DN/RID | -               | -                               | -                        | -           | -             | -                  |
| IMDG            | -               | -                               | -                        | -           | -             | -                  |
| IATA            | -               | -                               | -                        | -           | -             | -                  |

\* Packing group

\*\* Environmental hazards

### Additional information

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

Although this product is environmentally hazardous, the environmentally hazardous substance mark has been omitted as the product is supplied in packaging with a maximum quantity of 5 L / 5 kg.

-

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

*Restrictions for application:*

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

*Demands for specific education:*

No specific requirements.

*Additional information:*

Not applicable.

*Sources:*

Globally Harmonized System of Classification and Labelling of Chemicals (GHS Rev. 8, 2019)



According to GHS Rev. 8, 2019

---

## 15.2. Chemical safety assessment

No

---

## SECTION 16: OTHER INFORMATION

---

### Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.  
H302, Harmful if swallowed.  
H304, May be fatal if swallowed and enters airways.  
H311, Toxic in contact with skin.  
H312, Harmful in contact with skin.  
H314, Causes severe skin burns and eye damage.  
H315, Causes skin irritation.  
H317, May cause an allergic skin reaction.  
H318, Causes serious eye damage.  
H332, Harmful if inhaled.  
H334, May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H336, May cause drowsiness or dizziness.  
H351, Suspected of causing cancer.  
H360, May damage fertility or the unborn child.  
H373, May cause damage to organs through prolonged or repeated exposure.  
H400, Very toxic to aquatic life.  
H410, Very toxic to aquatic life with long lasting effects.  
H411, Toxic to aquatic life with long lasting effects.  
H412, Harmful to aquatic life with long lasting effects.

### The full text of identified uses as mentioned in section 1

None known.

### Abbreviations and acronyms

ACGIH = American Conference of Governmental Industrial Hygienists  
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CERCLA = Comprehensive Environmental Response Compensation and Liability Act  
DOT = Department of Transportation  
EINECS = European Inventory of Existing Commercial chemical Substances  
EPCRA = Emergency Planning and Community Right-To-Know Act  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
HCIS = Hazardous Chemical Information System  
HNOC = Hazards Not Otherwise Classified  
IARC = International Agency for Research on Cancer  
IATA = International Air Transport Association



According to GHS Rev. 8, 2019

---

IMDG = International Maritime Dangerous Goods  
LogKow = logarithm of the n-octanol/water coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NFPA = National Fire Protection Association  
NIOSH = National Institute for Occupational Safety and Health  
OECD = Organisation for Economic Co-operation and Development  
OSHA = Occupational Safety and Health Administration  
PBT = Persistent, Bioaccumulative and Toxic  
RCRA = Resource Conservation and Recovery Act  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SARA = Superfund Amendments and Reauthorization Act  
SCL = A specific concentration limit.  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TSCA = The Toxic Substances Control Act  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

#### **Additional information**

In accordance with GHS the evaluation of the classification of the mixture is based on:  
The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by GHS.

#### **The safety data sheet is validated by**

NL

#### **Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: CR-en