SAFETY DATA SHEET

# Rislone Super Coolant

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

| | |
|---|---|
| *Trade name:* | Rislone Super Coolant |
| *Product no.:* | 41300, HPC100, 21300, HPC100C |
| *Unique formula identifier (UFI):* | 9TCP-S38N-C001-2SS2 |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|---|---|
| *Relevant identified uses of the substance or mixture:* | Coolant/Anti-freeze<br>For private use |
| *Uses advised against :* | None known. |

### 1.3. Details of the supplier of the safety data sheet

| | |
|---|---|
| *Company and address:* | **RISLONE Nordic AB**<br>Rydståvägen 45<br>S-424 91 OLOFSTORP<br>Sweden<br>+46 (0)31 55 50 88<br>https://www.rislonenordic.com/ |
| *Contact person:* | Support Department |
| *E-mail:* | info@rislonenordic.com |
| ▼*Revision:* | 03 August 2026 |
| ▼*SDS Version:* | 3.0 |
| ▼*Date of previous version:* | 05 February 2026 (2.0) |

### 1.4. ▼Emergency telephone number

ChemTel Inc.
(800) 255-3924 (North America)
+1 (813) 248-0585 (International)

22 59 13 00 (Poison Information Center)
112 (Emergency Poison Information Center)

## SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP).

## 2.1. ▼Classification of the substance or mixture

Eye Dam. 1; H318, Causes serious eye damage.
Repr. 1B; H360D, May damage the unborn child.
Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

## 2.2. ▼Label elements

▼*Hazard pictogram(s):*

*Signal word:* Danger

▼*Hazard statement(s):* Causes serious eye damage. (H318)
May damage the unborn child. (H360D)
Harmful to aquatic life with long lasting effects. (H412)

▼*Precautionary statement(s):*

*General:* If medical advice is needed, have product container or label at hand. (P101)
Keep out of reach of children. (P102)

▼*Prevention:* Obtain special instructions before use. (P201)
Wear protective gloves/protective clothing/eye protection/face protection. (P280)

▼*Response:* IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)
IF exposed or concerned: Get medical advice/attention. (P308+P313)

▼*Storage:* Store locked up. (P405)

*Disposal:* Dispose of contents/container in accordance with local regulation. (P501)

▼*Hazardous substances:* Potassium 2-ethylhexanoate
Sodium benzothiazol-2-yl sulphide

▼*Additional labelling:* EUH208, Contains Sodium benzothiazol-2-yl sulphide. May produce an allergic reaction.

UFI: 9TCP-S38N-C001-2SS2

## 2.3. Other hazards

▼*Additional warnings:*

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. ▼Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|---|---|---|---|---|
| Potassium 2-ethylhexanoate | CAS No.: 3164-85-0<br>EC No.: 221-625-7<br>REACH: 01-2119980714-29-XXXX<br>Index No.: | 3-5% | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Repr. 1B, H360D | |
| Sodium benzothiazol-2-yl sulphide | CAS No.: 2492-26-4<br>EC No.: 219-660-8<br>REACH: 01-2119493018-35-XXXX<br>Index No.: | <1% | Met. Corr. 1, H290<br>Skin Corr. 1C, H314<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 1, H410 (M=1) | |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### ▼Other information

-

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

*General information:*

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.
Contact a doctor if in doubt about the injured person's condition or if the

| | |
|---|---|
| | symptoms persist. Never give an unconscious person water or other drink. |
| *Inhalation:* | Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her. |
| ▼*Skin contact:* | Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.<br>If skin irritation occurs: Get medical advice/attention. |
| *Eye contact:* | If in eyes: Flush eyes with plenty of water or saline solution (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport. |
| *Ingestion:* | If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.<br>In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material. |
| *Burns:* | Not applicable. |

### 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.
The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media
Not applicable.

### 5.2. Special hazards arising from the substance or mixture
Fire will result in dense smoke. Exposure to combustion products may harm your health.
Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Carbon oxides (CO / CO2)
Some metal oxides

### 5.3. Advice for firefighters
Firefighters should wear appropriate protective equipment and self-contained breathing apparatus with a full face mask.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures
Avoid direct contact with spilled substances.
Contaminated areas may be slippery.

### 6.2. Environmental precautions
Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

### 6.3. Methods and material for containment and cleaning up
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections
See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: HANDLING AND STORAGE

### 7.1. ▼Precautions for safe handling
It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.
Avoid direct contact with the product.
Avoid contact during pregnancy and while nursing.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. ▼Conditions for safe storage, including any incompatibilities

Store locked up. A sign warning of toxic materials shall be affixed the room and cupboard containing the product(s).
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

| | |
|---|---|
| *Recommended storage material:* | Always store in containers of the same material as the original container. |
| *Storage conditions:* | Cool, dry conditions in well sealed receptacles |
| *Incompatible materials:* | Strong acids |

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

**DNEL**

Potassium 2-ethylhexanoate

| Duration: | Route of exposure: | DNEL: |
|---|---|---|
| Long term – Systemic effects - General population | Dermal | 1.19 mg/kg bw/day |
| Long term – Systemic effects - Workers | Dermal | 2.38 mg/kg bw/day |
| Long term – Systemic effects - General population | Inhalation | 4.14 mg/m³ |
| Long term – Systemic effects - Workers | Inhalation | 16.79 mg/m³ |
| Long term – Systemic effects - General population | Oral | 1.19 mg/kg bw/day |

Sodium benzothiazol-2-yl sulphide

| Duration: | Route of exposure: | DNEL: |
|---|---|---|
| Long term – Systemic effects - General population | Dermal | 1.5 mg/kg bw/day |
| Long term – Systemic effects - Workers | Dermal | 2.8 mg/kg bw/day |
| Long term – Local effects - General population | Inhalation | 1 mg/m³ |
| Long term – Local effects - Workers | Inhalation | 1 mg/m³ |
| Long term – Systemic effects - General population | Inhalation | 2.5 mg/m³ |
| Long term – Systemic effects - Workers | Inhalation | 10 mg/m³ |
| Short term – Local effects - Workers | Inhalation | 1 mg/m³ |
| Long term – Systemic effects - General population | Oral | 1.5 mg/kg bw/day |

**PNEC**

Potassium 2-ethylhexanoate

| Route of exposure: | Duration of Exposure: | PNEC: |
|---|---|---|
| Freshwater | | 360 µg/L |
| Freshwater sediment | | 6.37 mg/kg |
| Intermittent release (freshwater) | | 493 µg/L |
| Marine water | | 36 µg/L |
| Marine water sediment | | 637 µg/kg |
| Sewage treatment plant | | 85.4 mg/L |
| Soil | | 1.06 mg/kg |

Sodium benzothiazol-2-yl sulphide

| Route of exposure: | Duration of Exposure: | PNEC: |
|---|---|---|
| Freshwater | | 4.1 µg/L |
| Freshwater sediment | | 147 µg/kg |
| Intermittent release (freshwater) | | 5 µg/L |
| Marine water | | 410 ng/L |
| Marine water sediment | | 14.7 µg/kg |
| Sewage treatment plant | | 300 µg/L |
| Soil | | 27 µg/kg |

## 8.2. ▼Exposure controls

Apply general control to prevent unnecessary exposure

*General recommendations:* Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:* There are no exposure scenarios implemented for this product.

*Exposure limits:* Occupational exposure limits have not been defined for the substances in this product.

▼*Appropriate technical measures:* Do not recirculate outlet air that contain the substances.
Ensure that eyewash stations and safety showers are located within easy reach.
Apply standard precautions during use of the product. Avoid inhalation of vapours.

*Hygiene measures:* In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

*Measures to avoid environmental exposure:* Keep damming materials near the workplace. If possible, collect spillage

during work.

### Individual protection measures, such as personal protective equipment

*Generally:* Use only CE marked protective equipment.

*Respiratory Equipment:*
No specific requirements.

*Skin protection:*

| Recommended | Type/Category | Standards | |
|---|---|---|---|
| Protective work clothing | Protective work clothing | | |

*Hand protection:*

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards | |
|---|---|---|---|---|
| Gloves | - | - | EN374 | |

*Eye protection:*

| Type | Standards | |
|---|---|---|
| Safety glasses | EN ISO 16321-1 | |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

*Physical state:* Liquid

*Colour:* Green

*Odour / Odour threshold:* None

▼*pH:* 8.86

▼*Density (g/cm$^3$):* -

▼*Relative density:* 1.002

*Kinematic viscosity:* Not determined

*Particle characteristics:* Does not apply to liquids.

### Phase changes

*Melting point/Freezing point (°C):* Not applicable

*Softening point/range (°C):* Does not apply to liquids.

*Boiling point (°C):* 100

*Vapour pressure:* Not determined

| | |
|---|---|
| *Relative vapour density:* | Not determined |
| *Decomposition temperature (°C):* | Not determined |

**Data on fire and explosion hazards**

| | |
|---|---|
| *Flash point (°C):* | Not applicable |
| *Flammability (°C):* | The material is not combustible. |
| *Auto-ignition temperature (°C):* | Not determined |
| *Lower and upper explosion limit (% v/v):* | Not determined |

**Solubility**

| | |
|---|---|
| *Solubility in water:* | Soluble |
| *n-octanol/water coefficient (LogKow):* | No data available. |
| *Solubility in fat (g/L):* | No data available. |

### 9.2. Other information

| | |
|---|---|
| *Other physical and chemical parameters:* | No data available. |
| *Oxidizing properties:* | Non-oxidizing |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity
No data available.

### 10.2. Chemical stability
The product is stable under the conditions, noted in section 7 “Handling and storage”.

### 10.3. Possibility of hazardous reactions
None known.

### 10.4. Conditions to avoid
Avoid acids

### 10.5. Incompatible materials
Strong acids

### 10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**▼Acute toxicity**

Based on available data, the classification criteria are not met.

**▼Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Causes serious eye damage.

**▼Respiratory sensitization**

Based on available data, the classification criteria are not met.

**Skin sensitisation**

This product contains substances that may trigger an allergic reaction in already sensitized persons.

**▼Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**▼Carcinogenicity**

Based on available data, the classification criteria are not met.

**▼Reproductive toxicity**

May damage the unborn child.

**▼STOT-single exposure**

Based on available data, the classification criteria are not met.

**▼STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**▼Aspiration hazard**

Based on available data, the classification criteria are not met.

**▼Symptoms related to the physical, chemical and toxicological characteristics**

Reproductive toxicity: This product contains teratogenic substances, which may produce anomalies and/or developmental defects to the human offspring. Adverse effects include: death, growth retardation, congenital disorders, delayed mental development, and functional disorders.

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

### 11.2. Information on other hazards

**Endocrine disrupting properties**

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

**Other information**

None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

### 12.2. ▼Persistence and degradability

Based on available data, the classification criteria are not met.

### 12.3. ▼Bioaccumulative potential

Based on available data, the classification criteria are not met.

### 12.4. Mobility in soil
No data available.

### 12.5. Results of PBT and vPvB assessment
This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

### 12.6. ▼Endocrine disrupting properties
This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

### 12.7. Other adverse effects
This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.
This product contains substances, which may cause adverse long-term effects to the aquatic environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods
Product is not covered by regulations on dangerous waste.
Disposal to the sewer is discouraged.
Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

*EWC code:* Not applicable.

### Contaminated packing
Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: TRANSPORT INFORMATION

| | 14.1 UN / ID | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information: |
|---|---|---|---|---|---|---|
| ADR/ADN/RID | - | - | - | - | - | - |
| IMDG | - | - | - | - | - | - |
| IATA | - | - | - | - | - | - |

### ▼Additional information
Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

### 14.6. Special precautions for user
Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments
No data available.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|---|---|
| ▼*Restrictions for application:* | Restricted to professional users.<br>People under the age of 18 shall not be exposed to this product.<br>Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered. |
| *Demands for specific education:* | No specific requirements. |
| *SEVESO - Categories / dangerous substances:* | Not applicable. |
| *Declaration of chemicals:* | If the product is imported or produced in more than 100 kg/year it is subject to registration in the Product Register because it is classified as hazardous. |
| *Additional information:* | Not applicable. |
| ▼*Sources:* | Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.<br>Act no. 62 of 17th June 2005 relating to working environment, working hours and employment protection, etc. (Working Environment Act).<br>Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.<br>Regulation of 15 May 2015 no. 541 on declaring chemicals to the product register (Declaration Regulations)<br>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).<br>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). |

### 15.2. Chemical safety assessment

No

## SECTION 16: OTHER INFORMATION

### ▼Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.
H314, Causes severe skin burns and eye damage.
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H318, Causes serious eye damage.
H360D, May damage the unborn child.
H400, Very toxic to aquatic life.
H410, Very toxic to aquatic life with long lasting effects.

### ▼Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EC = Effective concentration
ED = Effective dose
EINECS = European Inventory of Existing Commercial chemical Substances
EL = Effective Loading
ErC = Concentration associated with x% growth rate response
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
HP = Hazardous Property code
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IC = X maximum inhibitory concentration
IMDG = International Maritime Dangerous Goods
LC = Lethal concentration
LCLo = Value is the lowest concentration of a material in air reported to have caused the death of animals or humans

LD = Lethal dose
LOAEC = Lowest Observed Adverse Effect Concentration
LOAEL = Lowest Observed Adverse Effect Level
LOEC = Lowest Observed Effect Concentration
LogKow = logarithm of the n-octanol/water coefficient
LL = Lethal Loading
M = For multiplication factor
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NOAEC = No Observed Adverse Effect Concentration
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
NOELR = No Observable Effect Loading Rate
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

## Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).
The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

## The safety data sheet is validated by

NL

## Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product.
Information in this safety data sheet cannot be used as a product specification.
Country-language: NO-en