## according to Australia WHS and NZ HSNO Regulations

Revision: 04 August 2022

## 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Rislone® Hy-per Lube Zinc ZDDP Replacement
- · Product code: 44405, 4405
- · Recommended use and restriction on use
- · Recommended use: Oil additive.
- · Restrictions on use: No further relevant information available.
- · Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Rislone

P.O. Box 187 Holly, MI 48442

USA

Phone: (810) 603-1321

· Distributor:

Smits Group Pty Ltd. 50 Radius Drive Larapinda

QLD 4110 Australia

AUS Telephone 1800 883 888

· Emergency telephone number:

ChemTel Inc.

(800) 255-3924 (North America)

(801) 1 (813)248-0585 (International)

(802) 1-300-954-583 (Australia)

Emergencies within Australia - 131126 (NSW Poison Control Centre)

Emergencies within New Zealand - 0800 764 766 (National Poison Control Centre)

#### 2 Hazards identification

· Classification (Australia, New Zealand)

Australia NOHSC – Hazardous Substance (Classified according to Worksafe Australia NOHSC 2018 National Code of Practice)

New Zealand HSNO - Hazardous (Classified according to the Minimum Degrees of Hazard Regulations 2001)

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

· Hazard statements (New Zealand HSNO Classification)

HSNO 6.3A Skin Irr. 2 H315 Causes skin irritation.

HSNO 6.4A Eye Irrit. 2A H319 Causes serious eye irritation.

- Label elements
- · Hazard pictograms



RISLONE

(Cont'd. on page 2)

#### according to Australia WHS and NZ HSNO Regulations

Revision: 04 August 2022

#### Trade name: Rislone® Hy-per Lube Zinc ZDDP Replacement

(Cont'd. from page 1)

· Signal word Warning

#### · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eve irritation.

#### · Precautionary statements

P264 Wash skin thoroughly after handling.
P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

· Other hazards There are no other hazards not otherwise classified that have been identified.

- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Components:		
	Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts  Skin Irrit. 2, H315; Eye Irrit. 2A, H319	10-30%
	Calcium petroleum sulfonate  ♦ Skin Sens. 1B, H317	<10%
	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts  Skin Sens. 1B, H317	<10%

#### · Additional information:

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.

For the wording of the listed Hazard Statements refer to section 16.

#### 4 First aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

(Cont'd. on page 3)

#### according to Australia WHS and NZ HSNO Regulations

Revision: 04 August 2022

#### Trade name: Rislone® Hy-per Lube Zinc ZDDP Replacement

(Cont'd. from page 2)

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· Most important symptoms and effects, both acute and delayed

Irritant to skin and mucous membranes.

Irritating to eyes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

· Indication of any immediate medical attention and special treatment needed Treat symptomatically.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Foam

Carbon dioxide

Gaseous extinguishing agents

Fire-extinguishing powder

- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

· Environmental precautions

Avoid release to the environment.

Prevent from spreading (e.g. by damming-in or oil barriers).

· Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Remove from the water surface (e.g. skim or suck off).

Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### according to Australia WHS and NZ HSNO Regulations

Revision: 04 August 2022

Trade name: Rislone® Hy-per Lube Zinc ZDDP Replacement

(Cont'd. from page 3)

### 7 Handling and storage

#### · Handling:

## · Precautions for safe handling

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Handle with care.

Avoid contact with the eyes and skin.

Avoid breathing mist/vapours/spray.

Keep out of reach of children.

### · Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Store in cool, dry conditions in well sealed receptacles.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Avoid breathing mist/vapours/spray.

#### · Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eve protection:



(Cont'd. on page 5)

#### according to Australia WHS and NZ HSNO Regulations

Revision: 04 August 2022

Trade name: Rislone® Hy-per Lube Zinc ZDDP Replacement

(Cont'd. from page 4)

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment:

No further relevant information available.

· Risk management measures: No further relevant information available.

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance

Form: Liquid
Colour: Yellow
Odour: Mild

Odour threshold: Not determined.
 pH-value: Not determined.
 Melting point/freezing point: Not determined.

· Initial boiling point and boiling range: Not determined.

Flash point: >130 °C (>266 °F)
 Flammability (solid, gas): Not applicable.

· Auto/Self-ignition temperature: Not determined.

• Decomposition temperature: Not determined.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits

Lower: Not determined.
Upper: Not determined.
Oxidising properties Not determined.

· Vapour pressure: Not determined.

· Density:

Relative density: <1

Vapour density:

Evaporation rate:

Not determined.

Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity

Dynamic: Not determined. Kinematic at 40 °C (104 °F): >20.5 mm<sup>2</sup>/s

• Other information No further relevant information available.

### 10 Stability and reactivity

Reactivity No further relevant information available.

(Cont'd. on page 6)

#### according to Australia WHS and NZ HSNO Regulations

Revision: 04 August 2022

#### Trade name: Rislone® Hy-per Lube Zinc ZDDP Replacement

(Cont'd. from page 5)

- Chemical stability Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidising agents.

- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidisers
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Hvdrocarbons

Phosphorus oxides (e.g. P2O5)

Sulphur oxides (SOx)

Toxic metal oxide smoke

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect
- · Skin corrosion/irritation: Irritant to skin and mucous membranes.
- · Serious eye damage/irritation: Causes serious eye irritation.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Cont'd. on page 7)

Page: 7/8

## **Safety Data Sheet**

#### according to Australia WHS and NZ HSNO Regulations

Revision: 04 August 2022

#### Trade name: Rislone® Hy-per Lube Zinc ZDDP Replacement

(Cont'd. from page 6)

- · Ecotoxical effects:
- · Remark: Due to mechanical actions of the product (e.g. agglutinations), damages may occur.
- · Additional ecological information:
- · General notes: Avoid release to the environment.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADG, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADG, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADG, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADG, IMDG, IATA	Not Regulated	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user · Danger code (Kemler):	Not applicable.	
· Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.	

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture (Cont'd. on page 8)

Page: 8/8

## **Safety Data Sheet**

## according to Australia WHS and NZ HSNO Regulations

Revision: 04 August 2022

Trade name: Rislone® Hy-per Lube Zinc ZDDP Replacement

(Cont'd. from page 7)

· IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· Australia

· Australian Inventory of Chemical Substances

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons

TGA Schedule 5 poison (Hydrocarbon Liquids)

· New Zealand Inventory of Chemicals (NZIOC)

All ingredients are listed.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

· Abbreviations and acronyms:

ADG: Australian Dangerous Goods Code

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1B: Skin sensitisation - Category 1B

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com