Revision: 02 January 2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: Rislone® Hy-Per Lube® Oil Supplement
- Other means of identification: 44200, 44201, HPL128
- · UFI: SSDX-J3WV-K006-DSP5
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture: Additive
- · Uses advised against: No further relevant information available.
- · 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:
  RISLONE Nordic AB
  Rydståvägen 45
  S-424 91 OLOFSTORP
  Sverige
  +46 (0)31 55 50 88
  https://www.rislonenordic.com/
  Support Department



(800) 255-3924 (North America) +1 (813) 248-0585 (International)



### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aguatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

ChemTel Inc.

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards There are no other hazards not otherwise classified that have been identified.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Components:

(Cont'd. on page 2)

Revision: 02 January 2024

Trade name: Rislone® Hy-Per Lube® Oil Supplement

(Cont'd. from page 1)

· Components: None in reportable quantities.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Wash with soap and water.

Seek medical treatment in case of complaints.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

Gastric or intestinal disorders when ingested.

Coughing

Cramp

Nausea in case of ingestion.

• 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

(Cont'd. on page 3)

Revision: 02 January 2024

#### Trade name: Rislone® Hy-Per Lube® Oil Supplement

(Cont'd. from page 2)

Ensure adequate ventilation

Use personal protective equipment as required.

Particular danger of slipping on leaked/spilled product.

#### · 6.2 Environmental precautions

Avoid release to the environment.

Prevent from spreading (e.g. by damming-in or oil barriers).

Inform respective authorities in case of seepage into water course or sewage system.

#### · 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Remove from the water surface (e.g. skim or suck off).

Send for recovery or disposal in suitable receptacles.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Avoid breathing mist/vapours/spray.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Open and handle receptacle with care.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- · Information about storage in one common storage facility: No further relevant information available.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

No further relevant information available.

- · **DNELs:** No further relevant information available.
- · PNECs: No further relevant information available.

#### · 8.2 Exposure controls

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Avoid breathing mist/vapours/spray.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

(Cont'd. on page 4)

Revision: 02 January 2024

### Trade name: Rislone® Hy-Per Lube® Oil Supplement

(Cont'd. from page 3)

· Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:



Protective gloves

Not required under normal conditions of use.

Gloves are advised for repeated or prolonged contact.

Wear protective gloves to handle contents of damaged or leaking units.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment: No special requirements.
- · Risk management measures: No special requirements.

### **SECTION 9: Physical and chemical properties**

Melting point/freezing point: Initial boiling point and boiling range: Not determined.  Flash point:  192 °C (COC)  Flammability (solid, gas): Not applicable.  Auto/Self-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Explosive properties: Product does not present an explosion hazard.  Explosion limits Lower: Upper: Not determined. Not determined. Not determined. Not determined. Not determined. Non-oxidising.	9.1 Information on basic physic	P P P	
Colour: Odour: Characteristic Hydrocarbon. Odour threshold: Not determined.  PH-value: Melting point/freezing point: Initial boiling point and boiling range: Not determined.  Flash point: 192 °C (COC)  Flammability (solid, gas): Not applicable.  Auto/Self-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Explosive properties: Product does not present an explosion hazard.  Explosion limits Lower: Upper: Not determined. Non-oxidising.	• •	Liquid	
Odour: Characteristic Hydrocarbon. Odour threshold: Not determined.  PH-value: Not determined. Melting point/freezing point: Not determined. Initial boiling point and boiling range: Not determined.  Flash point: 192 °C (COC)  Flammability (solid, gas): Not applicable.  Auto/Self-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Explosive properties: Product does not present an explosion hazard.  Explosion limits Lower: Not determined. Upper: Not determined. Oxidising properties Non-oxidising.		·	
Hydrocarbon. Not determined.  pH-value: Not determined. Melting point/freezing point: Initial boiling point and boiling range: Not determined.  Flash point: 192 °C (COC)  Flammability (solid, gas): Not applicable.  Auto/Self-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Explosive properties: Product does not present an explosion hazard.  Explosion limits Lower: Upper: Not determined. Non-oxidising.		7 50. 50.04.04	
Odour threshold:  PH-value: Melting point/freezing point: Initial boiling point and boiling range: Not determined. Initial boiling point and boiling range: Not determined.  Flash point:  192 °C (COC)  Flammability (solid, gas): Not applicable.  Auto/Self-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Explosive properties: Product does not present an explosion hazard.  Explosion limits Lower: Upper: Not determined. Not ovidising.	Odour:		
pH-value: Melting point/freezing point: Initial boiling point and boiling range: Not determined.  Flash point:  192 °C (COC)  Flammability (solid, gas): Not applicable.  Auto/Self-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Explosive properties: Product does not present an explosion hazard.  Explosion limits Lower: Upper: Not determined. Non-oxidising.	O down through adds		
Melting point/freezing point: Initial boiling point and boiling range: Not determined.  Flash point:  192 °C (COC)  Flammability (solid, gas):  Not applicable.  Auto/Self-ignition temperature:  Not determined.  Decomposition temperature:  Not determined.  Explosive properties:  Product does not present an explosion hazard.  Explosion limits  Lower:  Upper:  Not determined.  Not determined.  Not determined.  Not determined.  Not determined.  Not determined.  Non-oxidising.	Odour threshold:	Not determined.	
Initial boiling point and boiling range: Not determined.  Flash point: 192 °C (COC)  Flammability (solid, gas): Not applicable.  Auto/Self-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Explosive properties: Product does not present an explosion hazard.  Explosion limits  Lower: Not determined.  Upper: Not determined.  Oxidising properties Non-oxidising.	pH-value:	Not determined.	
Flash point: 192 °C (COC)  Flammability (solid, gas): Not applicable.  Auto/Self-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Explosive properties: Product does not present an explosion hazard.  Explosion limits  Lower: Not determined.  Upper: Not determined.  Oxidising properties Non-oxidising.	Melting point/freezing point:	Not determined.	
Flammability (solid, gas):  Auto/Self-ignition temperature:  Not determined.  Decomposition temperature:  Not determined.  Explosive properties:  Product does not present an explosion hazard.  Explosion limits  Lower:  Upper:  Not determined.  Not determined.  Not determined.  Not determined.  Not determined.  Not determined.  Non-oxidising.		nge: Not determined.	
Auto/Self-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Explosive properties: Product does not present an explosion hazard.  Explosion limits Lower: Not determined. Upper: Not determined. Oxidising properties Non-oxidising.	Flash point:	192 °C (COC)	
Decomposition temperature:  Explosive properties:  Product does not present an explosion hazard.  Explosion limits  Lower:  Upper:  Not determined.  Not determined.  Not determined.  Not determined.  Not determined.  Non-oxidising.	Flammability (solid, gas):	Not applicable.	
Explosive properties: Product does not present an explosion hazard.  Explosion limits Lower: Not determined. Upper: Not determined. Oxidising properties Non-oxidising.	Auto/Self-ignition temperature:	Not determined.	
Explosion limits Lower: Not determined. Upper: Not determined. Oxidising properties Non-oxidising.	Decomposition temperature:	Not determined.	
Lower: Not determined. Upper: Not determined. Oxidising properties Non-oxidising.	Explosive properties:	Product does not present an explosion hazard.	
Upper: Not determined. Oxidising properties Non-oxidising.	Explosion limits		
Oxidising properties Non-oxidising.	Lower:	Not determined.	
	Upper:	Not determined.	
Vapour pressure: Not determined.	Oxidising properties	Non-oxidising.	
	Vapour pressure:	Not determined.	

(Cont'd. on page 5)

Revision: 02 January 2024

Trade name: Rislone® Hy-Per Lube® Oil Supplement

(Cont'd. from page 4)

Relative density: 0,8984

Vapour density:Not determined.Evaporation rate:Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity

**Dynamic:** Not determined. **Kinematic at 100 °C:** 80-130 cSt

• **9.2 Other information** No further relevant information available.

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong oxidising agents.

Reacts with strong acids.

- · 10.4 Conditions to avoid Avoid acids.
- · 10.5 Incompatible materials Strong acids.
- · 10.6 Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

Based on available data, the classification criteria are not met.

- · Primary irritant effect
- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eve damage/irritation: Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Probable routes of exposure:

Ingestion.

Inhalation.

(Cont'd. on page 6)

Revision: 02 January 2024

#### Trade name: Rislone® Hy-Per Lube® Oil Supplement

(Cont'd. from page 5)

Eye contact. Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

#### · 12.2 Persistence and degradability

The product is partially biodegradable. Significant residuals remain.

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Avoid release to the environment.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14: Transport information**

- · 14.1 UN-Number
- · DOT, ADR/RID/ADN, IMDG, IATA

Not Regulated

(Cont'd. on page 7)

Revision: 02 January 2024

Trade name: Rislone® Hy-Per Lube® Oil Supplement

		(Cont'd. from page 6)
<ul> <li>14.2 UN proper shipping name</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	Not Regulated	
· 14.3 Transport hazard class(es)		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not Regulated	
· 14.4 Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not Regulated	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annof Marpol and the IBC Code	ex II Not applicable.	

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Cont'd. on page 8)

Revision: 02 January 2024

#### Trade name: Rislone® Hy-Per Lube® Oil Supplement

(Cont'd. from page 7)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com